



#### **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Truck				Seating Capacity:								
GVW:		53000 kg			Brake Type:			Air						
Owner Name: THOMAS ELECTRIC(198				(1985	)LTD					2				
Address:	ddress: SITE 13, BOX 7, R.R.2									\$				
City:	BAF	RRHEAD Prov			Prov	ince:	AB	*******			Posta	al Code:	T7N	11 N3
<b>Telephone Number:</b> (780) 674-2114										1				
Vehicle Ide	ntific	ation Nu	mber:		1F	VPALAV	X6DV	V689	97					
Make:	Make: Freightliner						Mod	del: C	Conven	tional				
Year:	2	2006						Uni	t Nun	nber:				
Odometer: 319876 KM Licence			ence	Plate Nu	mber	:	BHD1	723		Province	e:	AB		

#### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

	Facility Number:				
All Around Manufacturing & Mechanical Services Ltd					
e:	Technician Number:				
	C4729				
ature:	Th The				
2019/12/03					
	e: ature:				



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

ahiala	s Ind	orn	ation	-											3000 I	.9		
IN	1		F	V	P	Α	L	Α	٧	X	6	D	W	6	8	9	9	7
Unit I	Num	ber		51 '92-97E	Year 2006		<u></u>	Ma Freigh			-2:112	Mod Conver					  ometer   9,876	
S			ž.	111 E		Re	gistered	Owne	r's Name			1 1	2 6 8	, P	1	Plate	Numbe	er :
						THOI	MAS ELI	ECTRIC	(1985)LT	'D							D1723	
			4.6			Address					.	8.3	Postal (	ode:	1 - <u>1</u>		none Nu	mhei
		¥.			SITE 13			2					T7N1				0) 674-	
		-	2.00	227					x **:	71	( <sub>1-1-1</sub>	X X 44	n n n <sup>0.0</sup>		G7 255			
D	rum	Brak	es:	A-Fu	ili Inspect			emoved		Disc B								
* also as					<del></del>	74	LEFT		ED	<u>ONT</u>		RIGH		· · · · · ·	A 1000 1000 10	ar a Sad	17.27	
		7	400	-	, 	10211	16.56	in		/Rotors		16.	- Table		100	W 000		
			100	•		5.2	5/8	in		s/Pads	1752 S	F 7500 1	5/8 in		100	) psi		
		I	13/32	in		ma a a	11/4	in		od Travel		2.5	1/4 in	İ	13/32	2 in		
						1. **max		(*18*16)		(0.0.000)	೯೦ ಡೆಸ್	2 2 200	<u></u> t.		- 1- 1			
	 00 -		100				16.51	in	Drums	/Rotors	:::	16.	52 in	1	-	5 5		
1	00 k			psi .			11/16	in	Lining	s/Pads		E 839 5	3/4 in		100	psi	100	psi
11/3	32 i	n j	8/32	in		0.4	11/4	in	Push R	od Travel		1	1/4 in		10/32	2 in	12/32	in
1 10	00 p	si i	100	psi			16.51	in	Drums	/Rotors		16.	51 in		100		100 .	
-	32 i	ı	21/32				3/4	in	Lining	gs/Pads		13/	16 in		-	psi	100	
	JZ 1		21/32				11/4	in	Push R	od Travel			1/4 in		21/32	un į	23/32	in j
				4								* * *						
10	00 F	si i	100	psi		ē	16.52	in :		s/Rotors	*******	200 5	52 in	-	100	psi	100 p	si i
12/	32 i	n	10/32	in		0.00	3/4	in in		gs/Pads	-	0 (44	3/4 in		10/32	į	10/32 i	
				1		a '-	11/4	in	Push R	od Travel	7		1/4 in	ĺ				- 1
					ı	D 37mm			Drume	/Rotors		5	in	1	6 		* 5 *	
	ı	osi	20 000	psi	rene re	2. 1		in in		s/Pads	100	8 (8)	in			psi	ŗ	osi
	j	n	***	in	4.00	· · · · · ·	p 100	in		od Travel	****		in			in	i	n
				8	<del> </del>		T	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		1 22 3	aan a ti teen	III " =	a n * a	!		10,00		
,		ere e						in	Drums	/Rotors		2. 2.	in		-	8000		
		si		psi i				in		s/Pads	ē		in	ļ 		psi	p	si
1	, i	n		in		0_ 2002		in	Push R	od Travel			in		1	in	i	r
					Dork B	rake Lin	ina I	eft N	A in p	Right N	A in	Trans	NA					

Component	PF	NA Component	P	FI
1. Accelerator Pedal/Throttle Actuator	1	1.8. Engine Start Safety Feature	1	
2. Exhaust System	<b>✓</b>	1.9. Gear Position Indicator		
3. Emission Control Systems and Devices	1	1.10. Engine or Accessory Drive Belt	1	
4. Drive Shaft	~	1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train     System		
5. Clutch and Clutch Pedal	<b>✓</b>	1.12. Gasoline or Diesel Fuel System	1	
.6. Engine/Transmission Mount	~	1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		,

#### NOTES:

	PENI	EX "A"		
\$ 17 A 18 B 2 B 2 B 2 B 2 B 2 B 2 B 2 B 2 B 2 B	NA	Component	PF	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	1	A.3. Liquefied Natural Gas (LNG) Fuel System		1
A.2. Compressed Natural Gas (CNG) Fuel System	1			

#### NOTES:

	Section 2	- Suspension	
Component	PFI	VA Component	PFN
2.1. Suspension & Frame Attachments	<b>✓</b>	2.5. Air Suspension	<b>4</b>
2.2. Axle Attaching & Tracking Components	<b>✓</b>	2.6. Self-Steer and Controlled-Steer Axle	<b>✓</b>
2.3. Axle & Axle Assembly	1	2.7. Shock Absorber/Strut Assembly	1
2.4. Spring & Spring Attachment	<b>/</b>		

#### NOTES:

Component	PF	NA	Component	PF
3H.1. Hydraulic System Components		1	3H.13. Disc Brake System Components	
3H.2. Brake Pedal/Actuator		1	3H.14. Mechanical Parking Brake	
3H.3. Vacuum Assist (Boost) System		1	3H.15. Spring-Applied Air-Released Parking Brake	T ,
3H.4. Hydraulic Assist (Boost) System	i l	1	3H.16. Spring-Applied Hydraulic-Released Parking Brake	T I
BH.5. Air Assist (Boost) System	1	1	3H.17. Anti-Lock Brake System (ABS)	1 T,
BH.6. Air-Over-Hydraulic Brake System		1	3H.18. Stability Control System	
BH.11. Brake System Indicator Lamps		1	3H.19. Brake Performance	1
3H.12. Drum Brake System Components		1		

#### NOTES:

	and the second of the second o				the same of the sa
		Section	3A -	Vir Brakes	
Componen	4	PF	NA	Component	PFNA
3A.1. Air Compressor		<b>-</b>		3A.13. Air System Components	<b>V</b>
3A.2. Air Supply System		<b>~</b>		3A.14. Brake Chamber	<b>/</b>
3A.4. Air Tank		<b>/</b>		3A.15. Drum Brake System Components	/
3A.5. Air Tank Check Valves		1		3A.16. S-Cam Drum Brake System	1
3A.6. Brake Pedal/Actuator		1		3A.17. Brake Shoe Travel (Wedge Brakes)	<b>/</b>
3A.7. Treadle Valve and Trailer Hand	d Valve	1		3A.18. Disc Brake System Components	1
3A.8. Brake Valves & Controls		1		3A.19. Anti-Lock Brake System (ABS)	
3A.9. Proportioning, Inversion or Mod	dulation Valve	1		3A.21. Stability Control System	<b>/</b>
3A.10. Towing Vehicle (Tractor) Prote	ection System	<b>/</b>		3A.23. Brake Performance	/

VSSROI2018

Section 3A - Air Brakes

Component A.11. Parking Brake & Emergency Application	PFN	Component	
OTES:			,
	Section 4	-Steering	
Component	PFN		PF
.1. Steering Control and Linkage	<b>✓</b>	4.4. Kingpin	<b>✓</b>
.2. Power Steering System (Hydraulic and Electric)		4.5. Self-Steer and Controlled-Steer Axle	<b>/</b>
.3. Steering Operation (Active Steer Axle)		ANATHER TO THE SAME SAME SAME SAME SAME SAME SAME SAM	
OTES:			
Section 5 - I	nstruments	and Auxillary Equipment	
Component	PEN	A Component	PF
.1. Fire Extinguisher	<b>√</b>	5.8. Heater & Windshield Defroster	<b>✓</b>
2. Hazard Warning Kit	1	5.9. Fuel-Burning Auxiliary Heater	
3. Horn 5. Speedometer		5.10. Chain/"Headache" Rack 5.11. Auxiliary Controls and Devices	
5. Speedometer 6. Odometer	/	5.11. Auxiliary Controls and Devices 5.12. Auxiliary Drive Controls	/
7. Windshield Wiper/Washer	1	S. I.Z. Adamay Dive Controls	
OTES:			
	Spotion	6 - Lamps	
Component	PFN	10.00	0 5
1. Required Lamps	✓	6.4. Instrument Panel Lamps	
2. Reflex Reflector	/	6.5. Headlamp Aim	
3. Retro-Reflective Marking	<b>/</b>	strik indevi i den visit i sun seese	
OTES:			
	ection 7 - Elr	octrical System	m
Component	PFN		PF
1. Wiring	<b>✓</b>	7.3. Trailer Cord (output to towed vehicle)	
2. Battery	<b>/</b>	- Land Constitution of the	¥
OTES:			
	Section	8 - Body	_
Component		Secretary addressed to the Control of the Control o	_12
1. Hood or Engine Enclosure	PFN	8.12. Bumper	ľ
2. Tilt Cab	<b>4</b>		/
3. Air-Suspended Cab	<b>✓</b>	8.14. Side Windows	/
4. Cab and Passenger-Vehicle Body	<b>✓</b>	8.15. Rear Window	1
5. Cargo Body	<b>Y</b>	8.16. Interior Sun Visor	/
6. Frame, Rails & Mounts 7. Unitized Body Elements	<b>-</b>	8.17. Exterior Windshield Sun Visor	/
	✓	8.18. Rear-View Mirror	1
	1	8 19 Seat	/
.8. Cab or Cargo Door .9. Cargo Tank or Vessel	1	8.19. Seat  8.20. Seat Belt/Occupant Restraint	/

VSSROI2018

	· ·	Section 8 - B		14.2	
Component		F NA		ponent	nese"
Vehicle 8.11. Refrigeration/Heater Unit Fuel S Power Unit (APU))	ystem (Reefer or Auxiliary		4. Aerodynamic Device &		
NOTES:	The second secon			22220 0 7 0 0 00 00 00 00 00 00 00 00 00 00	
The state of the s	Section	n 9 - Tires ar	d Wheels		A part of visit of the state of
Component	P	F NA	Com	ponent	P F NA
9.1. Tire Tread Depth		9.7	. Wheel/Rim (Applies to a	ll wheel types)	<b>-</b>
9.2. Tire Tread Condition	· · · · · · · · · · · · · · · · · · ·	1	Multi-Piece Wheel/Rim	c none m	· · · · · · · · · · · · · · · · · · ·
9.3. Tire Sidewall & Manufacturer Mar	kings		. Spoke Wheel/Demounta	ble Rim System	
9.4. Tire Inflation Pressure 9.5. Wheel Hub			0. Disc Wheel System		Y
9.6. Wheel Bearing		9.1	1. Wheel Fasteners (Nuts	, Bolts and Studs)	Y
			1/42************************************	200700 (1 12 C 10 E 10	
NOTES:					
t and the state of	Cartier 1	n Caumlana	and Hitches		and the second s
Component Component	P Section (			ponent	STATE OF THE PARTY.
10.1. Hitch Assembly, Structure & Atta				ponent	P P P
10.2. Secondary Attachment (Safety C			<ol> <li>Roll-Coupling Hitch</li> <li>Automated Coupling De</li> </ol>	ovice	
10.3. Pintle Hook, Pin Hitch, or Couple			7. Fifth Wheel Coupler	svice	
10.4. Ball Type Hitch			B. Oscillating Fifth Wheel	Coupler	
NOTES:					
NOTES.					
Certification					
The Vehicle for which this Record of	Inspection is issued has PASS	ED (Certifica	ite #6775269) the insp	ection and I certify it I	nas been inspected in
accordance with the Vehicle Inspecti	of printer in the second secon				
Date of Inspection	Technician Number		Facility Number	Si	gnature
2019/12/03	C4729		16128	75	The
Customer Acknowledgment	. Time the state of the same	24-1487	and the second		jan-
I understand if a vehicle inspection	identifies defects and repairs ar	e required, or	nce repaired, the vehicle	Date (Ye	ear/Month/Day)
and this Record of Inspection (ROI) the initial inspection and only the fa	may be presented to any Vehicle	required to b	-acility within 10 days o	f 2	2019/12/03
vehicle is not returned for re-inspec	tion within 10 days of the initial	date of inspe	ction, a new inspection	0	man Clamatura
must be conducted.	•			Custo	mer Signature