



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Odometer:	2	22386 KM	1	Lic	ence	nce Plate Number: CBL4673 F					Province	е:	AB	
Year: 2014						Unit Number:								
Make:	I	nternatio	nal					Мо	del:	7000 Se	ries			
Vehicle Ide	ntific	ation Nu	mber:		11	HTGSSJT	OEH4	1981	58					
City: BARRHEAD P		14												
j.,,				Province: A						Posta	al Code:	T7N	I1N3	
Telephone Number: (780) 674-2114														
Owner Nam	ne:	THOMA	S ELEC	TRIC	(198	5)LTD								
Address: BOX 7, SITE 13, R.R. City: BARRHEAD					Brake 7	Гуре:			Air					
Vehicle Typ	e:	Truck				Seating Capacity:								

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:	
All Around Manufacturing & Mecha		16128	
Inspection Technician Name:			Technician Number:
Kevin Miller			B5858
Inspection Technician Signature:		1/4	LA-
Inspection Date:	2019/10/09		



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

ehicle IN													4	3000 I	κg		
IN	e Inform	nation		199													
1	1	Н	T	G	S	S	J	T	0	Ε	H	4	9	8	1	5	3
Unit I	Numbe	•		Year 2014	\ <u>-</u>	lı	Mal nternat				Mode 7000 S		, ,			ometer 2,386	1
					Rea	istered	Owner	's Name			3 99 9		21	1	Plate	Number	
								(1985)LT	'D							L4673	
N 2			7. 14		Address						#1 (0) 10	Postal (^ada	1	0.00		
	1 555			BOX 7,		, R.R.	2					T7N1				one Nun 0) 674-2	
D	rum Bra	kes:	A-F	ull Inspect	ion with [Orum Re	emoved		Disc B	rakes:		2 10		140		, "	
				1		.EFT		FR	ONT		RIGHT	т. Г					
	1	100	nsi			16.51	in		/Rotors	0.000	16.		1	400			
		21/32	-			13/16	in	Lining	s/Pads		13/	16 in		100	psi		
	į	~		/		11/8	in	Push R	od Travel		11	/8 in	i	21/3	2 in		
				1					-			*		e e			
. 41	00: V	400		\	× **	16.51	in	Drums	/Rotors		16.	52 in		í.	9 88 8	N 21 N 2	200
, ——	00 psi		psi			13/16	in	Lining	s/Pads		13/		1		psi	100 ps	si
23/3	32 in	25/32	in 	/ I		11/4	in		od Travel		11	/4 in		26/32	? in	25/32 in	(- e
				1, 22													
****						16.51	in	Drums	/Rotors		16.	51 in			3		
11	00 psi	100	psi			13/16	in	Lining	s/Pads		13/			100	psi	100 ps	3i
19/	/32 in	21/32	! in			11/4	in	Push Ro	od Travel	5mc 10	11	/4 in		24/32	in	21/32 in	200
											=						
		,					in	Drums	/Rotors			in			* 1	9 20 31	
-	psi		psi				in	Lining	s/Pads			in			psi	ps	d
	in	/	in	1			in		od Travel		2 200	in			in	in	į
									~~~~~		715 77 1		555000			***	
616							in	Drums	/Rotors			in					
	psi	1	psi				in		s/Pads			in	9 22		psi	ps	i i
	in		in	-			in		od Travel	0-000		in	11		in j	in	
*	seen a s	S=0									delination of a	200	ē		NO 20		22
	****	2601 S					in	Drume	/Rotors			in					
1	psi	·	psi				in		s/Pads			in	1		psi	ps	i i
	in	٨	in				in		od Travel			in			in	ir	
0 = 0		*		1							171			2.0			
					rake Linir el Torque		eft N/	in F	Right N	A in	Trans	NA	in				

THE CONTROL OF THE CO	Section 1	- Power Train
Component	PF	NA Component P F
1.1. Accelerator Pedal/Throttle Actuator	<b>✓</b>	1.8. Engine Start Safety Feature
1.2. Exhaust System	<b>✓</b>	1.9. Gear Position Indicator
1.3. Emission Control Systems and Devices	✓.	1.10. Engine or Accessory Drive Belt
1.4. Drive Shaft	✓	1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System
1.5. Clutch and Clutch Pedal		✓ 1.12. Gasoline or Diesel Fuel System
1.6. Engine/Transmission Mount	✓	1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*
1.7. Engine/Shut Down	<b>~</b> .	

#### NOTES:

AP	PENDIX "A"
Component P F	NA Component P F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	✓ A.3. Liquefied Natural Gas (LNG) Fuel System
A.2. Compressed Natural Gas (CNG) Fuel System	
NOTES:	

	Section 2	- Suspension	100000000000000000000000000000000000000
Component	PF	NA Component	PFN
2.1. Suspension & Frame Attachments	<b>✓</b>	2.5. Air Suspension	<b>✓</b>
2.2. Axle Attaching & Tracking Components	1	2.6. Self-Steer and Controlled-Steer Axle	1
2.3. Axle & Axle Assembly	<b>✓</b>	2.7. Shock Absorber/Strut Assembly	1
2.4. Spring & Spring Attachment	1		

### NOTES:

	Section 3H - Hy	draulic Brakes
Component	P F NA	Component P F N
3H.1. Hydraulic System Components		3H.13. Disc Brake System Components
3H.2. Brake Pedal/Actuator		3H.14. Mechanical Parking Brake
3H.3. Vacuum Assist (Boost) System		3H.15. Spring-Applied Air-Released Parking Brake
3H.4. Hydraulic Assist (Boost) System	<b>✓</b>	3H.16. Spring-Applied Hydraulic-Released Parking Brake
3H.5. Air Assist (Boost) System	<b>1</b>	3H.17. Anti-Lock Brake System (ABS)
3H.6. Air-Over-Hydraulic Brake System	1	3H.18. Stability Control System
3H.11. Brake System Indicator Lamps	<b>✓</b>	3H.19. Brake Performance
3H.12. Drum Brake System Components		

### NOTES:

Company of the Compan	Section 3A -	Air Brakes	
Component	PFNA	Component	PFN
3A.1. Air Compressor	<b>✓</b>	3A.13. Air System Components	<b>✓</b>
3A.2. Air Supply System	1	3A.14. Brake Chamber	<b>✓</b>
3A.4. Air Tank	<b>✓</b>	3A.15. Drum Brake System Components	<b>/</b>
3A.5. Air Tank Check Valves	✓	3A.16. S-Cam Drum Brake System	<b>✓</b>
3A.6. Brake Pedal/Actuator	✓	3A.17. Brake Shoe Travel (Wedge Brakes)	
3A.7. Treadle Valve and Trailer Hand Valve	1	3A.18. Disc Brake System Components	
3A.8. Brake Valves & Controls	<b>✓</b>	3A.19. Anti-Lock Brake System (ABS)	<b>✓</b>
3A.9. Proportioning, Inversion or Modulation Valve	<b>√</b>	3A.21. Stability Control System	/
3A.10. Towing Vehicle (Tractor) Protection System	<b>✓</b>	3A.23. Brake Performance	

VSSROI2018

The state of the s	Section 3	A - Air Brakes		100	
Companent	PF	NA	Component		PFN
3A.11. Parking Brake & Emergency Application			A ACCORDANCE OF THE PARTY OF TH		
NOTES:					
	Section	4 - Steering			
Component	PF	NA DEL	Component	1.50	PFN
4.1. Steering Control and Linkage	<b>/</b>	4.4. Kingpin			<b>✓</b>
4.2. Power Steering System (Hydraulic and Electric)		4.5. Self-Steer ar	nd Controlled-Steer Axle		
4.3. Steering Operation (Active Steer Axle)			2.50 0 0	a a summer	
NOTES:					
Social State of the Social State of the Social State of the Social State of the Sta	tion 5 - Instrument	s and Auxiliary Eq	ulpment .	1923642	
Component	PF		Component		PEN
5.1. Fire Extinguisher	1		ndshield Defroster		
5.2. Hazard Warning Kit	<b>~</b>	5.9. Fuel-Burning	Auxiliary Heater		
5.3. Horn		5.10. Chain/"Hea			
5.5. Speedometer	· · · · · · · · · · · · · · · · · · ·		ontrols and Devices	2 0 00000	<b>√</b> ,
5.6. Odometer		5.12. Auxiliary Dr	rive Controls	n is 1000 -000	1
5.7. Windshield Wiper/Washer		* 17/274 - 1 sa	· · · · · · · · · · · · · · · · · · ·	00 1 E P1	
NOTES:					
	Sortio	n 6 - Lamps			
			_	494	
Component	P F		Component	19	PFN
6.1. Required Lamps		6.4. Instrument P			<b>/</b>
6.2. Reflex Reflector 6.3. Retro-Reflective Marking		6.5. Headlamp A	im		
	<u></u>		· v ·	0 ° ° ' 273	
NOTES:					
	Section 7 - E	lectrical System			117
Component	PF	NA	Component	100	PFN
7.1. Wiring	<b>-</b>	in an	(output to towed vehicle)		
7.2. Battery	<b>/</b>		• 1000 M		
NOTES:					
	Cartia	n 8 - Body			
			CONTRACTOR OF THE CONTRACTOR O	199	T _ T _ 184
Component	PF	4.00 A. 20 B. C.	Component	34 E	PFN
8.1. Hood or Engine Enclosure 8.2. Tilt Cab		8.12. Bumper	ē.		
8.3. Air-Suspended Cab		<ul><li>8.13. Windshield</li><li>8.14. Side Windo</li></ul>	we	e v	1
8.4. Cab and Passenger-Vehicle Body	1	8.15. Rear Windo			4
8.5. Cargo Body	~	8.16. Interior Sun	<del></del>	*COM 25 C 6	
8.6. Frame, Rails & Mounts	Ż		ndshield Sun Visor	ar wearing	Ž
8.7. Unitized Body Elements		✓ 8.18. Rear-View I			

VSSROI2018

8.8. Cab or Cargo Door

8.9. Cargo Tank or Vessel

8.10. Body, Device or Equipment Attached or Mounted to the

8.19. Seat

8.20. Seat Belt/Occupant Restraint

8.21. Fender/Mud Flap

Section 8 - Body											
Component	P	F	NA	Component	Р	F	NA				
Vehicle											
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1				

### NOTES:

	Section	9 -	Tire	s and Wheels			
Component	P	F	NA	Component	Р	F	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	<b>/</b>		
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System			1
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1						

#### NOTES:

REPLACE WHEEL SEAL

Section 10 - Couplers and Hitches												
Component	P	F	NA	Component	P	F	NA					
10.1. Hitch Assembly, Structure & Attaching Components			1	10.5. Roll-Coupling Hitch			1					
10.2. Secondary Attachment (Safety Chain or Cable)	1			10.6. Automated Coupling Device			1					
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	1			10.7. Fifth Wheel Coupler			1					
10.4. Ball Type Hitch			1	10.8. Oscillating Fifth Wheel Coupler			1					

#### NOTES:

#### Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #6775242) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	1 ) Signature
2019/10/09	B5858	16128	

#### **Customer Acknowledgment**

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2019/10/09

**Customer Signature**