



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 24600 kg							
Vehicle Information																	
VIN	2	F	Z	H	C	H	D	C	4	6	A	W	7	3	6	1	4
Unit Number 139		Year 2006		Make Sterling			Model Sterling			Odometer 435,231							
Registered Owner's Name Twin City Excavating Inc.													Plate Number 09N302				
Address 25846 115 Avenue									Postal Code T7X6C5			Phone Number (780) 447-4737					

Drum Brakes: A-Full Inspection with Drum Removed	Disc Brakes:
---	---------------------

		LEFT	FRONT	RIGHT		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">16 in</div>	16.583 in	Drums/Rotors	16.587 in	16.587 in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">16 in</div>	3/8 in
	3/8 in	Linings/Pads	3/8 in	3/8 in		3/4 in
	3/4 in	Push Rod Travel	3/4 in	3/4 in		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	16.547 in	Drums/Rotors	16.551 in	16.551 in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">20 in</div>	5/8 in
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	5/8 in	Linings/Pads	5/8 in	5/8 in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	1 1/2 in
	1 1/2 in	Push Rod Travel	1 1/2 in	1 1/2 in		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	16.593 in	Drums/Rotors	16.595 in	16.595 in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	7/16 in
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">21 in</div>	7/16 in	Linings/Pads	7/16 in	7/16 in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">19 in</div>	1 1/2 in
	1 1/2 in	Push Rod Travel	1 1/2 in	1 1/2 in		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Drums/Rotors	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Linings/Pads	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
	in	Push Rod Travel	in	in		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Drums/Rotors	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Linings/Pads	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
	in	Push Rod Travel	in	in		
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Drums/Rotors	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in	Linings/Pads	in	in	<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; text-align: center;">in</div>	in
	in	Push Rod Travel	in	in		

Park Brake Lining Left NA in Right NA in Trans NA in
 Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
repaired air leak

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage				4.4. Kingpin			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						✓

NOTES:
adjust lfs wheel brg

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher				5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						✓

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper			
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab				8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓		✓	8.21. Fender/Mud Flap	✓		

P=PASS F=FAIL NA=Not Applicable

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle

Truck

Gross Vehicle Weight registered

24600 kg

Vehicle Information

VIN **2 F Z H C H D C 4 6 A W 7 3 6 1 4**

Unit Number
139

Year
2006

Make
Sterling

Model
Sterling

Odometer
395,466

Registered Owner's Name
TWIN CITY EXCAVATING INC.

Plate Number
09N302

Address
25846 115 AVENUE

Postal Code
T7X6C5

Phone Number
(780) 447-4737

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

LEFT

FRONT

RIGHT

100 psi
10 in

16.589 in	Drums/Rotors	16.596 in
3/8 in	Linings/Pads	3/8 in
1 in	Push Rod Travel	1 in

100 psi
13 in

100 psi
10 in

100 psi
01 in

16.547 in	Drums/Rotors	16.545 in
5/8 in	Linings/Pads	5/8 in
1 1/4 in	Push Rod Travel	1 1/4 in

100 psi
12 in

100 psi
8 in

100 psi
19 in

100 psi
19 in

16.556 in	Drums/Rotors	16.589 in
5/8 in	Linings/Pads	7/16 in
1 1/4 in	Push Rod Travel	1 1/2 in

100 psi
16 in

100 psi
17 in

psi
in

psi
in

in	Drums/Rotors	in
in	Linings/Pads	in
in	Push Rod Travel	in

psi
in

psi
in

psi
in

psi
in

in	Drums/Rotors	in
in	Linings/Pads	in
in	Push Rod Travel	in

psi
in

psi
in

psi
in

psi
in

in	Drums/Rotors	in
in	Linings/Pads	in
in	Push Rod Travel	in

psi
in

psi
ir

Park Brake Lining Left NA in Right NA in Trans NA in
Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:
STEERING LINKAGE REPAIRED

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door			✓	8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		