



COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Trailer														
Gross Vehicle Weight registered														
Vehicle Information														
VIN 2 T 9 F T 7 E 2 2 6 1 4 1 6 1 7 4			Unit Number 43			Year 2006			Make Trailer Factory			Model F+14-6518-FE		
Plate Number 4LW334			Registered Owner's Name Economy Landscape			Address 14940-131 Ave			Postal Code T5V 1S6			Phone Number		

Drum Brakes:

Disc Brakes:

Before

psi mm
4 mm

psi mm
80 psi 8 mm

psi mm
mm mm

psi mm
80 psi mm

psi mm
mm mm

psi mm
mm mm

LEFT
mm mm 305.98
mm mm 2.34
mm mm 306.41
Drums/Rotors
Linings/Pads
Push Rod Travel

mm mm 306.21
mm mm 1.97
mm mm 306.89
Drums/Rotors
Linings/Pads
Push Rod Travel

mm mm
mm mm
mm mm
Drums/Rotors
Linings/Pads
Push Rod Travel

mm mm 305.29
mm mm 4.81
mm mm 305.17
Drums/Rotors
Linings/Pads
Push Rod Travel

mm mm 305.15
mm mm 4.78
mm mm 305.05
mm mm 4.81
Drums/Rotors
Linings/Pads
Push Rod Travel

mm mm
mm mm
mm mm
Drums/Rotors
Linings/Pads
Push Rod Travel

Park Brake Lining Left mm Right mm Trans mm
Wheel Torque Checked ☐ Inner ☐ Outer ft lbs

No Requestion in tube

P=PASS F=FAIL NA=Not Applicable

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train									
Component	P	F	NA	Component	P	F	NA		
1.2. Exhaust System				1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*					

NOTES:

APPENDIX "A"										
Component				P	F	NA	Component			
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System							A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System										

NOTES:

Section 2 - Suspension									
Component				P	F	NA	Component		
2.1. Suspension & Frame Attachments							2.5. Air Suspension		
2.2. Axle Attaching & Tracking Components							2.6. Self-Steer & Controlled-Steer Axle		
2.3. Axle & Axle Assembly							2.7. Shock Absorber/Strut Assembly		
2.4. Spring & Spring Attachment									

NOTES:

Section 3H - Hydraulic Brakes									
Component				P	F	NA	Component		
3H.1. Hydraulic System Components							3H.10. Electric Brake System		
3H.6. Air-Over-Hydraulic Brake System							3H.12. Drum Brake System Components		
3H.7. Surge Brake Controller							3H.13. Disc Brake System Components		
3H.8. Vacuum System							3H.19. Brake Performance		
3H.9. Air-Boosted Trailer Brake System									

NOTES:

Section 3A - Air Brakes									
Component				P	F	NA	Component		
3A.3. Air System Leakage							3A.16. S-Cam Drum Brake System		
3A.4. Air Tank							3A.17. Brake Shoe Travel (Wedge Brakes)		
3A.8. Brake Valves & Controls							3A.18. Disc Brake System Components		
3A.12. Parking Brake & Emergency Application							3A.20. Anti-Lock Brake System (ABS)		
3A.13. Air System Components							3A.22. Stability Control System (ESC) or (RSS)		
3A.14. Brake Chamber							3A.23. Brake Performance		
3A.15. Drum Brake System Components									

NOTES:

Section 4 - Steering									
Component				P	F	NA	Component		
4.1. Steering Control & Linkage							4.5. Self Steer & Controlled-Steer Axle		
4.4. Kingpin									

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	NA	Component	P	F	NA	Component	P
5.1. Fire Extinguisher									
NOTES:									
Section 6 - Lamps									
Component	P	F	NA	Component	P	F	NA	Component	P
6.1. Required Lamps									
6.2. Reflex Reflector									
6.3. Retro-Reflective Marking									
NOTES:									
Section 7 - Electrical System									
Component	P	F	NA	Component	P	F	NA	Component	P
7.1. Wiring									
7.2. Battery									
7.3. Trailer Cord (output to towed vehicle)									
NOTES:									
Section 8 - Body									
Component	P	F	NA	Component	P	F	NA	Component	P
8.5. Cargo Body									
8.6. Frame Rails & Mounts									
8.7. Unitized Body Elements									
8.8. Cab or Cargo Door									
8.9. Cargo Tank or Vessel									
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle									
8.11. Refrigeration/Heater Unit Fuel System									
8.21. Fender/Mud Flap									
8.22. Landing Gear on Trailer									
8.23. Sliding Axle Assembly (Sliding Bogie)									
8.24. Aerodynamic Device & Attachment									
8.25. Rear Impact Guard (RIG)									
NOTES:									
Section 9 - Tires and Wheels									
Component	P	F	NA	Component	P	F	NA	Component	P
9.1. Tire Tread Depth									
9.2. Tire Tread Condition									
9.3. Tire Sidewall & Manufacturer Markings									
9.4. Tire Inflation Pressure									
9.5. Wheel Hub									
9.6. Wheel Bearing									
9.7. Wheel/Rim									
9.8. Multi-Piece Wheel/Rim									
9.9. Spoke Wheel/Dismountable Rim System									
9.10. Disc Wheel System									
9.11. Wheel Fasteners (Nuts, Bolts, & Studs)									
NOTES:									
Section 10 - Couplers and Hitches									
Component	P	F	NA	Component	P	F	NA	Component	P
10.1. Hitch Assembly, Structure & Attaching Components									
10.2. Secondary Attachment (Safety Chain or Cable)									
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch									
10.4. Ball Type Hitch									
10.5. Roll-Coupling Hitch									
10.6. Automated Coupling Device									
10.7. Fifth Wheel Coupler									
10.8. Oscillating Fifth Wheel Coupler									
10.9. Ball-Bearing Type Turntable on Trailer									

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 21/1/2006 and the applicable inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.		Date (Year/Month/Day)	
		Customer Signature	

Category: Trailers

Location: ECONOMY LANDSCAPE

Work Order #: ELC3359

Work Order #: ELC3359
Date Issued: 18/01/2012
Date Completed: 0
Mileage
Vendor:
Assigned To: CARVALHO, TONY

Notes: repair for CVIP

Technician Notes:

Repairs Due:

☒	Complete?
01/18/2012	Date
Repair Performed	repair as required
Cost	\$0.00
Total:	\$0.00

** End Work Order # ELC3359

Work Order Total: \$0.00

Department Subtotal: \$0.00

Location Subtotal: \$0.00

Grand Total: \$0.00

ENTERED

Commercial Vehicle Record of Inspection

Registered Owner's Name: _____

Address: _____

City: _____

Postal Code: _____

Vehicle Make: _____

Model: _____

Year: _____

GWWR or Bus Capacity: _____

Odometer: _____

Unit No.: 43

License Plate No.: W264-81

Jurisdiction of Issue: _____

Type of Vehicle: ☐ School Bus ☐ Commercial Bus ☐ Light Truck ☐ Truck/Truck-tractor ☒ Trailer/Converter ☐ Motorcoach

Items in Red require measurements to be documented.

Inspection Technician Comments (if applicable, write the section number and sub-section letter from the second page)

LEFT		FRONT		RIGHT	
DRUMS/ROTORS	12.020	DRUMS/ROTORS	12.020	DRUMS/ROTORS	12.025
LININGS/PADS	4.22/4.25	LININGS/PADS	4.36/4.35	LININGS/PADS	4.35/4.40
PUSH ROD TRAVEL		PUSH ROD TRAVEL		PUSH ROD TRAVEL	
CAM ROTATION		CAM ROTATION		CAM ROTATION	
DRUMS/ROTORS		DRUMS/ROTORS		DRUMS/ROTORS	
LININGS/PADS		LININGS/PADS		LININGS/PADS	
PUSH ROD TRAVEL		PUSH ROD TRAVEL		PUSH ROD TRAVEL	
CAM ROTATION		CAM ROTATION		CAM ROTATION	
DRUMS/ROTORS		DRUMS/ROTORS		DRUMS/ROTORS	
LININGS/PADS		LININGS/PADS		LININGS/PADS	
PUSH ROD TRAVEL		PUSH ROD TRAVEL		PUSH ROD TRAVEL	
CAM ROTATION		CAM ROTATION		CAM ROTATION	
Wheel Torque Checked (_____)		Wheel Torque Checked (_____)		Wheel Torque Checked (_____)	

m.m. PSI

5/32 80

m.m. PSI

8/32 80

m.m. PSI

8/32 80

m.m. PSI

8/32 80

Work Order #: ELC4039

ECONOMY LANDSCAPE
Trailers

Issued: 1/15/2013
Completed: 01/16/2013
Mileage: 0
Vendor: CARVALHO, TONY
Assigned To: CARVALHO, TONY
Notes:

Eric's Trailer

Mileage: 0
Unit #: 43
Tag #: 4LN334
Type: BOBCAT TRAILER
Driver: VIN #: 2T9FT7E2261416174

Repair Maintenance

☒ repair as required

Parts Required

Name	Qty	Unit Cost	Cost
TRAILER PLUG	1	\$12.00	\$12.00
trailer break away battery charger	1	\$37.97	\$37.97
SHOE KIT	1	\$19.62	\$19.62
Technician			
CARVALHO, TONY			
repair trailer as required			
replace trailer plug			
replace battery charger			
repair jack			
inspect brakes and replace one set #2			
axle drivers side			
Description	Hours	Rate	Cost
repair trailer as required	16	\$40.00	\$640.00

Total: \$709.59

Technician Notes:

*** End Work Order # ***
ELC4039

PM: \$0.00
Repairs: \$709.59
Parts: \$69.59
Labor: \$640.00
Custom: \$0.00
Taxes: \$0.00
TOTAL: \$709.59

Work Order #: ELC4039

Issued: 1/15/2013

Completed: 0

Mileage: 0

Vendor:

Assigned To:

Notes:

Repair Maintenance

☒ repair as required

Total:

\$0.00

\$0.00

Cost

Type

Eric's Trailer

Type: BOBCAT TRAILER

Driver:

VIN #: 2T9FTT7E2261416174

Mileage: 0

Unit #: 43

Tag #: 4LA982

Technician Notes:

Parts

QTY

Part #

Part Description

20110502B

NO part NO → not on part / NEW trailer plug.

1 set of brake shoes

AX-71-48-ST / 19.62

#2024 = 37.97

Labour

Date

Jan 15/13

TONY.C.

9:00 AM

Out

Work Performed

Maintaining trailer

*** End Work Order # ELC4039

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Work Order Number

CV 5006470

Type of Vehicle		Truck / Tractor ☐ Light Truck ☐	
Gross Vehicle Weight Registered			
Vehicle Information			
VIN	2	T	9
Unit Number	43	Year	2006
Make	Beothuck		
Model	FT146518FE		
Odometer			
Registered Owner's Name		Signature	
Address		Postal Code	Phone Number

LEFT	305.308	4.30/4.30	Drums / Rotors	305.054	3.94/3.94	Cam Rotation
			Linings / Pads			Push Rod Travel
			Drums / Rotors			Cam Rotation
FRONT			Linings / Pads			Push Rod Travel
			Drums / Rotors			Cam Rotation
			Linings / Pads			Push Rod Travel
			Drums / Rotors			Cam Rotation
RIGHT			Linings / Pads			Push Rod Travel
			Drums / Rotors			Cam Rotation
			Linings / Pads			Push Rod Travel
			Drums / Rotors			Cam Rotation

Park Brake Lining Left mm Right mm Trans mm

Wheel Torque Checked ☐ Inner ft lbs Outer ft lbs

mm	mm
psi	psi

mm	mm
psi	psi

mm	mm
psi	psi

mm
psi

mm
psi

mm	mm
psi	psi

mm	mm
psi	psi

mm	mm
psi	psi

mm
psi

mm
psi

Section 1 Power Train									
Component	P	F	R	Component					
1.1 Accelerator Pedal									
1.2 Fuel System									
1.3 Exhaust System									
1.4 Drive Shaft									
NOTES:									
Section 2 Suspension									
Component	P	F	R	Component					
2.1 Suspension Attachments									
2.2 Leaf Springs and Attachments									
2.3 Coil Spring Suspension									
2.4 Torsion Bar Suspension									
2.5 Rubber Load Cushion									
NOTES:									
Section 3 - Hydraulic Brake System									
Component	P	F	R	Component					
3.1 Parking Brake									
3.2 Dual Brake System Hydraulic Circuit									
3.3 Hydraulic System									
3.4 Hydraulic Brake Leakage & Pedal Reserve									
3.5 Hydraulic-Assisted Brake System									
3.6 Vacuum-Assisted Power Brakes									
3.7 Vacuum System									
NOTES:									
Section 3A - Air Brakes									
Component	P	F	R	Component					
3A.1 Air Compressor									
3A.2 Compressor Air-Build Time									
3A.3 Air Governor									
3A.4 Low Air Pressure Warning System									
3A.5 Air System Leakage									
3A.6 Compressed Air Reserve									
3A.7 Air Tank and Check Valves									
3A.8 Treadle Valve									
3A.9 Trailer Brake Hand Control Valve (if equipped)									
3A.10 Quick Release Valves									
3A.11 Relay/Limiting/Proportioning Valves									
3A.12 Tractor Protection System									
NOTES:									
Section 4 - Steering									
Component	P	F	R	Component					
4.1 Steering Wheel Test									
4.2 Travel									
4.3 Steering Linkage (including lag axle where applicable)									
4.4 Front Wheel Bearings									
NOTES:									
Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	R	Component					
5.1 Fire Extinguisher									
5.2 Hazard Warning Kit									
5.3 Clutch & Brake Pedal									
5.4 Horn									
5.5 Speedometer									
NOTES:									
Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	R	Component					
5.6 Indicator Lamps									
5.7 Instruments									
5.8 Chain/Headache Rack									
5.9 Manufacturer's Label									
NOTES:									

NOTES: I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the				Date (Year/Month/Day)			
Customer Acknowledgment							
Date of Inspection		Technician Number		Facility Number		Signature	
The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # _____) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.							
Certification							
Section 10 - Couplers and Hitches							
Component		P		F		R	
10.1 Trailer Hitch							
10.2 No Slack Hitch							
10.3 Fifth Wheel Coupler							
Component		P		F		R	
10.4 Oscillation Fifth Wheel							
10.5 Permanently Attached Equipment							
Section 9 - Tires and Wheels							
Component		P		F		R	
9.1 Tread Depth							
9.2 Tread Section of Tire							
9.3 Sidewalls							
9.4 Tire Pressure							
9.5 Hubs							
9.6 Wheel Bearings							
Component		P		F		R	
9.7 Wheel/Rim (General)							
9.8 Multi-Piece Wheel/Rim							
9.9 Spoke Wheel/Demountable Rim System							
9.10 Disc Wheel System							
9.11 Wheel Fasteners (Nuts and Studs)							
Section 8 - Body							
Component		P		F		R	
8.1 Hood							
8.2 Tilt Cab							
8.3 Air-Suspended Cabs							
8.4 Vehicle Body							
8.5 Load Securement Points							
8.6 Front Bumper							
8.7 Doors							
8.8 Grab Handle and Step							
8.9 Windshield							
8.10 Side Windows							
Component		P		F		R	
8.11 Rear Window							
8.12 Frame Rails & Mounts							
8.13 Sun Visor							
8.14 Rear View Mirrors							
8.15 Seats							
8.16 Seat Belts/Occupant Restraints							
8.17 Windshield Wipers/Washers							
8.18 Heater & Windshield Defroster							
8.19 Fenders/Mud Flaps							
Section 7 - Electrical System							
Component		P		F		R	
7.1 Wiring							
7.2 Battery							
Component		P		F		R	
7.3 Switches							
7.4 Trailer Cord							
Section 6 - Lamps							
Component		P		F		R	
6.1 Lamps							
6.2 Reflex Reflector							
6.3 Retroreflective Markings							
Component		P		F		R	
6.4 Instrument Lamps							
6.5 Headlamp Aiming							
6.6 Aiming Screen							

Customer Signature	failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.
--------------------	--

Work Order #: ELC4618

Issued: 4/8/2014

Completed: 04/09/2014

Mileage: 0

Vendor: SIMAO, KEVIN

Notes: repair as required for CVI

Mileage: 0
Unit #: 043
Tag #: 4LN334
Type: BOBCAT TRAILER
Driver: VIN #: 2T9FT7E2261416174

043

Repair Maintenance

☒ repair as required for CVIP

Total: \$0.00

Cost	Type
------	------

Part

Part	Name	Used	Unit Cost	Cost
11-700	7 WAY MALE PLUG	1	\$9.16	\$9.16
20099	BREAK AWAY SWITCH	1	\$30.00	\$30.00
640801	trailer coupler	1	\$65.00	\$65.00
667-7040	7 POLE JUNCTION BOX	1	\$8.19	\$8.19

Total: \$112.35

Labor	Description	Hours	Rate	Cost
-------	-------------	-------	------	------

SIMAO, KEVIN	repair deck	7	\$130.00	\$910.00
	check brakes			
	replace trailer cable			
	rewire and replace trailer plug			

Total: \$910.00

Technician Notes:

*** End Work Order # ***
ELC4618

PM:	\$0.00
Repairs:	\$0.00
Parts:	\$112.35
Labor:	\$910.00
Custom	\$0.00
Taxes:	\$0.00
TOTAL:	\$1,022.35

Work Order #: ELC4618

Issued: 4/8/2014

Completed:

Mileage: 0

Vendor:

Assigned To: SIMAO, KEVIN

Notes:

Repair Maintenance

☒ repair as required for CVIP

Total:

\$0.00

\$0.00

Cost

Type

Eric's Trailer

Type: BOBCAT TRAILER

Driver:

VIN #: 2T9FTT7E2261416174

Mileage: 0

Unit #: 043

Tag #: 4LN334

Technician Notes:

Parts

QTY

Part #

Part Description

64 0801

20099

Coupler Repair Kit
Trailer Break away System
165-51-667-7040 Junction Box
11-700 Trailer plug

Labour

Date

Name

In

Out

Work Performed

Apr 18/14

Kevin Simao

11:30am

4:30pm

Welded new Jack all new wiring for Junction Box
and new break away system and new trailer plug.
Need some welding on Ramps.

*** End Work Order # ELC4618

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Trailer ☐ Converter ☐	
Gross Vehicle Weight Registered			
Vehicle Information			
VIN	Unit Number	Year	Make
Registered Owner's Name		Model	
Signature		Odometer	
Address		Postal Code	Phone Number

C/V. 513 7872

Work Order Number

LEFT	FRONT	RIGHT
Drums / Rotors 305.308 3.95 / 3.35	Drums / Rotors 305.181 3.90 / 3.94	Drums / Rotors 305.054 3.88 / 3.90
Linings / Pads	Linings / Pads	Linings / Pads
Push Rod Travel	Push Rod Travel	Push Rod Travel
Cam Rotation	Cam Rotation	Cam Rotation
Drums / Rotors	Drums / Rotors	Drums / Rotors
Linings / Pads	Linings / Pads	Linings / Pads
Push Rod Travel	Push Rod Travel	Push Rod Travel
Cam Rotation	Cam Rotation	Cam Rotation
Drums / Rotors	Drums / Rotors	Drums / Rotors
Linings / Pads	Linings / Pads	Linings / Pads
Push Rod Travel	Push Rod Travel	Push Rod Travel
Cam Rotation	Cam Rotation	Cam Rotation
Left	Right	Trans
mm	mm	mm
ft lbs	ft lbs	ft lbs
Outer	Inner	Wheel Torque Checked ☐

mm	mm
psi	psi

mm	mm
psi	psi

mm	mm
psi	psi

mm	psi
6/32	80

mm	psi
6/32	80

mm	mm
psi	psi

mm	mm
psi	psi

mm	mm
psi	psi

mm	psi
4/32	80

mm	psi
6/32	80

Component		P		F		R	
2.1 Suspension Attachments		P		F		R	
2.2 Leaf Springs and Attachments		P		F		R	
2.3 Rubber Load Cushion		P		F		R	
2.4 Air Suspension		P		F		R	
NOTES:							
Section 2, Suspension							
Component		P		F		R	
3.1 Hydraulic System		P		F		R	
3.2 Vacuum System		P		F		R	
3.3 Vacuum Reserve		P		F		R	
NOTES:							
Section 3, Hydraulic Brake System							
Component		P		F		R	
3A.1 Air Brake Components		P		F		R	
3A.2 Air System Leakage		P		F		R	
3A.3 Quick Release/Relay Valves		P		F		R	
3A.4 Air Parking and Emergency Brake Application		P		F		R	
3A.5 Spring Brake Control Valve		P		F		R	
3A.6 Brake Camshafts		P		F		R	
3A.7 Camshaft Rotation		P		F		R	
NOTES:							
Section 3A-Air Brakes							
Component		P		F		R	
3A.8 Mechanical Components		P		F		R	
3A.9 Drum Brakes		P		F		R	
3A.10 Brake Drums		P		F		R	
3A.11 Brake Adjustment		P		F		R	
3A.12 Disc Brakes		P		F		R	
3A.13 Anti-Lock Brake System		P		F		R	
NOTES:							
Section 4, Steering							
Component		P		F		R	
4.1 Travel		P		F		R	
4.2 Steering Linkage		P		F		R	
NOTES:							
Section 5, Instruments and Auxiliary Equipment							
Component		P		F		R	
5.1 Manufacturer's Label		P		F		R	
5.2 Permanently Attached Equipment		P		F		R	
NOTES:							
Section 6 - Lamps							
Component		P		F		R	
6.1 Lamps		P		F		R	
6.2 Reflex Reflector		P		F		R	
NOTES:							
Section 7 - Electrical System							
Component		P		F		R	
7.1 Wiring		P		F		R	
NOTES:							
Section 8 - Body							
Component		P		F		R	
8.1 Body		P		F		R	
8.2 Fenders/Mud Flaps		P		F		R	
8.3 Landing Gear		P		F		R	
8.4 Frame and Cross members		P		F		R	
NOTES:							
Section 8 - Body							
Component		P		F		R	
8.5 Load Securement Points		P		F		R	
8.6 Rear Impact Guards		P		F		R	
8.7 Corrosion		P		F		R	
NOTES:							

NOTES:																																																	
Section 9 - Tires and Wheels <table border="1"> <tr> <th>Component</th> <th>P</th> <th>F</th> <th>R</th> </tr> <tr> <td>9.1 Tread Depth</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.2 Tread Section of Tire</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.3 Sidewalls</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.4 Tire Pressure</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.5 Hubs</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.6 Wheel Bearings</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.7 Wheel/Rim</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.8 Multi-Piece Wheel/Rim</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.9 Spoke Wheel/Demountable Rim System</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.10 Disc Wheel System</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9.11 Wheel Fasteners</td> <td></td> <td></td> <td></td> </tr> </table>		Component	P	F	R	9.1 Tread Depth				9.2 Tread Section of Tire				9.3 Sidewalls				9.4 Tire Pressure				9.5 Hubs				9.6 Wheel Bearings				9.7 Wheel/Rim				9.8 Multi-Piece Wheel/Rim				9.9 Spoke Wheel/Demountable Rim System				9.10 Disc Wheel System				9.11 Wheel Fasteners			
Component	P	F	R																																														
9.1 Tread Depth																																																	
9.2 Tread Section of Tire																																																	
9.3 Sidewalls																																																	
9.4 Tire Pressure																																																	
9.5 Hubs																																																	
9.6 Wheel Bearings																																																	
9.7 Wheel/Rim																																																	
9.8 Multi-Piece Wheel/Rim																																																	
9.9 Spoke Wheel/Demountable Rim System																																																	
9.10 Disc Wheel System																																																	
9.11 Wheel Fasteners																																																	
Section 10 - Couplers and Hitches <table border="1"> <tr> <th>Component</th> <th>P</th> <th>F</th> <th>R</th> </tr> <tr> <td>10.1 Upper Fifth Wheel</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.2 Trailer Hitch</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.3 No Slack Hitch</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.4 Secondary Attachments</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.5 Fifth Wheel Coupler & Converter Dolly</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10.6 Oscillating Fifth Wheel</td> <td></td> <td></td> <td></td> </tr> </table>		Component	P	F	R	10.1 Upper Fifth Wheel				10.2 Trailer Hitch				10.3 No Slack Hitch				10.4 Secondary Attachments				10.5 Fifth Wheel Coupler & Converter Dolly				10.6 Oscillating Fifth Wheel																							
Component	P	F	R																																														
10.1 Upper Fifth Wheel																																																	
10.2 Trailer Hitch																																																	
10.3 No Slack Hitch																																																	
10.4 Secondary Attachments																																																	
10.5 Fifth Wheel Coupler & Converter Dolly																																																	
10.6 Oscillating Fifth Wheel																																																	
Certification The vehicle for which this Record of Inspection is issued has ☐ PASSED ☐ (Certificate # _____) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.																																																	
Date of Inspection	Technician Number	Facility Number	Signature																																														
Customer Acknowledgment I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.																																																	
Customer Signature		Date (Year/Month/Day)																																															

Work Order #: 4895

ECONOMY MAIN Trailers

Issued: 1/20/2015
 Completed: 01/20/2015
 Mileage: 0
 Vendor: SIMAO, KEVIN
 Assigned To: SIMAO, KEVIN
 Notes:

Mileage: 0
 Unit #: 043
 Tag #: 4LN334
 Type: BOBCAT TRAILER
 Driver: RAGINE, ERIC
 VIN #: 2T9FT7E2261416174

043

Preventive Maintenance
☒ Annual Maintenance
 Cost \$925.00

Technician	Description	Hours	Rate	Cost
OMOREGBE, STEVEN	REPAIR FRAME BY WELDING AND FISHPLATING FOR REINFORCEMENT.	4	\$130.00	\$520.00
SIMAO, KEVIN	REPLACE 2 BOARDS. CHECK ALL BREAKS AND LIGHTS	3	\$135.00	\$405.00

Technician Notes:

*** End Work Order # ***
 4895

PM: \$925.00
 Repairs: \$0.00
 Parts: \$0.00
 Labor: \$925.00
 Custom: \$0.00
 Taxes: \$0.00
TOTAL: \$925.00

Total: \$925.00

Work Order #: 4895

ECONOMY MAIN Trailers

Issued: 1/20/2015

Completed:

Mileage 0

Vendor:

Assigned To: SIMAO, KEVIN

Notes:

Preventive Maintenance

☒ Annual Maintenance

Total:

\$0.00

Type

Cost

Other

\$0.00

Technician Notes:

PM:

\$0.00

Repairs:

\$0.00

Parts:

\$0.00

Labor:

\$0.00

Custom

\$0.00

Taxes:

\$0.00

TOTAL:

\$0.00

Parts

QTY

Part #

Part Description

Labour

Date

Name

In

Out

Work Performed

Jan 20/15 Kevin/Roy 12:00pm 2:45pm Full Service -> Couple of board repairs + welding on frame done by Steve.

*** End Work Order # 4895

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Work Order Number

Type of Vehicle												Gross Vehicle Weight Registered																							
Trailer ☐ Converter ☐												Vehicle Information																							
VIN				2 T 9				F T 7				E 2 2				6 1 4				1 6 1 7 4															
Unit Number				43				Year				2006				Make				Bedbuck															
Registered Owner's Name				Signature																															
Address												Postal Code												Phone Number											

80 psi

Spare

80 psi

80 psi

80 psi

80 psi

LEFT FRONT RIGHT

Drums / Rotors	305.308	3.33 / 3.08
Linings / Pads		
Push Rod Travel		
Cam Rotation		
Drums / Rotors	305.816	4.62 / 3.25
Linings / Pads		
Push Rod Travel		
Cam Rotation		
Drums / Rotors	305.181	3.38 / 3.80
Linings / Pads		
Push Rod Travel		
Cam Rotation		

Park Brake Lining Left mm Right mm Trans mm

Wheel Torque Checked ☐ Inner ft lbs Outer ft lbs

80 psi

80 psi

80 psi

80 psi

80 psi

Component									
2.1 Suspension Attachments									
2.2 Leaf Springs and Attachments									
2.3 Rubber Load Cushion									
2.4 Air Suspension									
NOTES:									
3.1 Hydraulic System									
3.2 Vacuum System									
3.3 Vacuum Reserve									
NOTES:									
3.4 Drum Brakes									
3.5 Disc Brakes									
3.6 Electric Brakes									
Section 3. Hydraulic Brake System									
Component									
3A.1 Air Brake Components									
3A.2 Air System Leakage									
3A.3 Quick Release/Relay Valves									
3A.4 Air Parking and Emergency Brake Application									
3A.5 Spring Brake Control Valve									
3A.6 Brake Camshafts									
3A.7 Camshaft Rotation									
NOTES:									
4.1 Travel									
4.2 Steering Linkage									
NOTES:									
4.3 Gauges and Operating Instructions									
4.4 Kingpin Play									
Section 4. Steering									
Component									
5.1 Manufacturer's Label									
5.2 Permanently Attached Equipment									
NOTES:									
6.1 Lamps									
6.2 Reflex Reflector									
NOTES:									
6.3 Retroreflective Markings									
Section 6 - Lamps									
Component									
7.1 Wing									
NOTES:									
8.1 Body									
8.2 Fenders/Mud Flaps									
8.3 Landing Gear									
8.4 Frame and Cross members									
8.5 Load Securement Points									
8.6 Rear Impact Guards									
8.7 Corrosion									
Section 8 - Body									
Component									

NOTES:

Customer Acknowledgment I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any failed items identified on this Record of Inspection need to be re-inspected, only the Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the understand the whole vehicle must be re-inspected.		Customer Signature
Date (Year/Month/Day)		Customer Signature
Signature	Facility Number	Technician Number
Date of Inspection		
The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate #) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.		
Certification		
Section 9 - Tires and Wheels		
9.1 Tread Depth	9.2 Tread Section of Tire	9.3 Sidewalls
9.4 Tire Pressure	9.5 Hubs	9.6 Wheel Bearings
Section 10 - Couplers and Hitches		
10.1 Upper Fifth Wheel	10.2 Trailer Hitch	10.3 No Slack Hitch
10.4 Secondary Attachments	10.5 Fifth Wheel Coupler & Converter Dolly	10.6 Oscillating Fifth Wheel

STANDENS

IMT Standens Limited
Partnership
P.O. Box 67, Station T
1222-58th Avenue S.E.

REPAIR REQUEST FORM RR 01701

ECONOMY LANDSCAPE CONTRACTORS LTD.
14940 - 131 AVENUE, EDMONTON, ALBERTA T5V 1S8
PHONE: (780) 452 - 4465 • (780) 452 - 4479 • FAX: (780) 452 - 7793



DATE: Feb 18/15
NAME: Joe Connolly
UNIT: # 43
UNIT TYPE: Trailer
(bobcat / dump truck / 1 ton / loader. etc.)

DESCRIPTION OF PROBLEM - PLEASE BE PRECISE (FRONT, REAR, LEFT, RIGHT ETC.)

ramps (rungs on ramp broken) left side
pin on right side (holds bar for ramp) broken
brakes are sticking

8.28

8.28

0.41

8.69

0.00
=====

SHIPMENT NO. 1063036		DATE SHIPPED 02/19/15		BILL OF LADING PAGE 1	
FREIGHT TERMS		FREIGHT COLLECT			
CUSTOMER P.O. NUMBER EL004778		CONTRACT NUMBER			
131 AVENUE		LANDSCAPE CONTR. LTD			
131 AVENUE		131 AVENUE			
N, AB		T5V 1S8			
ID					
CE NET EXTENSION		TAX		TOTAL DISC %	

Work Order Number

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		☒ Trailer ☐ Converter							
Gross Vehicle Weight Registered									
Vehicle Information									
VIN	2	T	9	F	T	E	2	2	6
Unit Number	43	Year	2006	Make	BEUTHUCK			Model	FT146518FE
Registered Owner's Name				Signature					
Address				Postal Code		Phone Number			

LEFT		FRONT		RIGHT	
Drums / Rotors	305 mm	Drums / Rotors	305 mm	Drums / Rotors	305 mm
Linings / Pads	3.08/2.61 mm	Linings / Pads	2.62/3.39 mm	Linings / Pads	2.62/3.39 mm
Push Rod Travel		Push Rod Travel		Push Rod Travel	
Cam Rotation		Cam Rotation		Cam Rotation	
Drums / Rotors		Drums / Rotors		Drums / Rotors	
Linings / Pads		Linings / Pads		Linings / Pads	
Push Rod Travel		Push Rod Travel		Push Rod Travel	
Cam Rotation		Cam Rotation		Cam Rotation	
Drums / Rotors		Drums / Rotors		Drums / Rotors	
Linings / Pads		Linings / Pads		Linings / Pads	
Push Rod Travel		Push Rod Travel		Push Rod Travel	
Cam Rotation		Cam Rotation		Cam Rotation	
Park Brake Lining	Left mm Right mm Trans mm				
Wheel Torque Checked	Inner ft lbs Outer ft lbs				

mm	psi	mm	psi	mm	psi
8/32	80	8/32	80	8/32	80

mm	psi	mm	psi	mm	psi
8/32	80	8/32	80	8/32	80

Section 2. Suspension									
Component									
2.1 Suspension Attachments									
2.2 Leaf Springs and Attachments									
2.3 Rubber Load Cushion									
2.4 Air Suspension									
NOTES:									
3.1 Hydraulic System									
Component									
3.2 Vacuum System									
3.3 Vacuum Reserve									
NOTES:									
3.4 Drum Brakes									
3.5 Disc Brakes									
3.6 Electric Brakes									
Component									
Section 3. A-Air Brakes									
Component									
3A.1 Air Brake Components									
3A.2 Air System Leakage									
3A.3 Quick Release/Relay Valves									
3A.4 Air Parking and Emergency Brake Application									
3A.5 Spring Brake Control Valve									
3A.6 Brake Camshafts									
3A.7 Camshaft Rotation									
NOTES:									
Section 4. Steering									
Component									
4.1 Travel									
4.2 Steering Linkage									
NOTES:									
4.3 Gauges and Operating Instructions									
4.4 Kingpin Play									
Component									
Section 5. Instruments and Auxiliary Equipment									
Component									
5.1 Manufacturer's Label									
5.2 Permanently Attached Equipment									
NOTES:									
Section 6 - Lamps									
Component									
6.1 Lamps									
6.2 Reflex Reflector									
NOTES:									
6.3 Retroreflective Markings									
Component									
Section 7 - Electrical System									
Component									
7.1 Wiring									
NOTES:									
Section 8 - Body									
Component									
8.1 Body									
8.2 Fenders/Mud Flaps									
8.3 Landing Gear									
8.4 Frame and Cross members									
8.5 Load Securement Points									
8.6 Rear Impact Guards									
8.7 Corrosion									
Component									

NOTES:																			
Section 9 – Tires and Wheels																			
Component 9.1 Tread Depth 9.2 Tread Section of Tire 9.3 Sidelwalls 9.4 Tire Pressure 9.5 Hubs 9.6 Wheel Bearings	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>P</td><td>F</td><td>R</td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> </table>	P	F	R															
P	F	R																	
Section 10 – Couplers and Hitches																			
Component 10.1 Upper Fifth Wheel 10.2 Trailer Hitch 10.3 No Slack Hitch 10.4 Secondary Attachments 10.5 Fifth Wheel Coupler & Converter Dolly 10.6 Oscillating Fifth Wheel	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>P</td><td>F</td><td>R</td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> <tr> <td></td><td></td><td></td> </tr> </table>	P	F	R															
P	F	R																	
Certification																			
The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # _____) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.																			
Date of Inspection	Technician Number	Facility Number	Signature																
Customer Acknowledgment																			
I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.																			
Date (Year/Month/Day)		Customer Signature																	