

028 I.H.C. 4900 1998 I.H.C. 4900

Economy Landscape Group Ltd.
Economy Landscape Group (main facility) > Deck Trucks

WO# 1083

Jason Curoe
Status: Closed

Kilometers: 324,780
Hours: 0

Scheduled: Jun 14, 2017
Due: Jun 16, 2017
Started: Jun 14, 2017 1:35 PM
Closed: Jun 19, 2017 2:48 PM

1. 5000 km service

SCHEDULED MAINTENANCE CHECKLIST LIGHT TRUCK/SUV'S
MULTI-POINT INSPECTION CHECKLIST FOR BELOW:
CHECK AND TOP UP FLUID LEVELS FOR: ☐
BRAKE POWER STEERING ☐
CLUTCH RESERVOIR WINDOW WASHER ☐
COOLANT RECOVERY RESERVOIR 4X4 TRANSFER CASE ☐
MANUAL AND AUTOMATIC TRANSMISSION FRONT DRIVE AXLE ☐

CHECK EXHAUST SYSTEM FOR LEAKS, DAMAGE, LOOSE PARTS & FOREIGN MATERIAL ☐
CHECK BATTERY PERFORMANCE ☐
CHECK OPERATION OF HORN, EXTERIOR LAMPS, TURN SIGNALS & HAZARD WARNING LIGHTS ☐
CHECK RAD, COOLERS, HEATER & AIR COND HOSES FOR DEBRIS, LEAKS OR LOOSE ITEMS ☐
CHECK WINDSHIELD WASHER SPRAY AND WIPER OPERATION ☐
INSPECT ACCESSORY DRIVE BELTS FOR PROPER TENSION, CRACKING, CHUNKING ☐
INSPECT AIR CLEANER FILTER ☐
INSPECT HALF SHAFT DUST BOOTS, IF EQUIPPED ☐
CHECK AND LUBRICATE STEERING, SUSPENSION, BALL JOINTS, DRIVE SHAFT U-JOINTS, & SLIP YOKE (IF SERVICEABLE)

3 MONTHS/5000 KM SERVICE
CHANGE ENGINE OIL ☐
REPLACE OIL FILTER ☐
MULTI-POINT INSPECTION ☐

Part	Bin	Quantity	Unit Cost	Cost
591219C1 Mainshaft nut		1.0	\$42.93	\$42.93
213882R1 U-JOINT KIT		1.0	\$47.31	\$47.31
2502522C92 POWER HEAD		1.0	\$656.50	\$656.50
2004504C1 EXHAUST PIPE		1.0	\$195.13	\$195.13
S-23256 CLAMP 4.25 INCH		1.0	\$28.55	\$28.55
LF3883 oil filter		1.0	\$26.00	\$26.00
FF5269 fuel filter		1.0	\$12.00	\$12.00
166880R1 BRAKE PEDAL PAD		1.0	\$10.09	\$10.09
FLTMIR4049 MIRROR		1.0	\$12.93	\$12.93
596372C1 OIL SEAL		1.0	\$27.43	\$27.43

028 I.H.C. 4900 1998 I.H.C. 4900

Economy Landscape Group Ltd.

Economy Landscape Group (main facility) > Deck Trucks

WO# 1083

Jason Curoe
Status: Closed

Part	Bin	Quantity	Unit Cost	Cost
1841217C91 BRAKE PRESSURE CONTROLLER		1.0	\$698.86	\$698.86
169129C92 MASTER CYLINDER		1.0	\$567.08	\$567.08
1669561C2 HYDRAULIC PUMP MOTOR		1.0	\$501.71	\$501.71
AF979 M air filter		1.0	\$16.00	\$16.00
LF3883 oil filter		1.0	\$26.00	\$26.00
1822588C1 FUEL FILTER		1.0	\$26.00	\$26.00
15W40 motor oil MOTOR OIL	OIL ROOM	20.0	\$3.70	\$74.00
Technician		Hours	Rate	Cost
Jason Curoe		48.0	\$30.00	\$1,440.00

Parts Cost: \$2,968.52 | Labor Cost: \$1,440.00 | Total Cost: \$4,408.52

2. cvip inspection

Parts Cost: \$0.00 | Labor Cost: \$0.00 | Total Cost: \$0.00

Subtotal	\$4,408.52
Tax 1 (0.0%)	\$0.00
Tax 2 (0.0%)	\$0.00
Credit	(\$0.00)
Total Cost	\$4,408.52

Notes

PLEASE REMEMBER TO MARK MILEAGE AND OR MACHINE HOURS, START AND END TIME AS WELL ANY PART NUMBER USED, AND QUANTITIES OF ALL FLUIDS USED.

Carlos Vieira
Fleet Manager
Economy Landscape Group.

#28

CV#5977004

- ? - ~~Front Crank Seal wet~~
- ? - ~~Tranny output Seal wet~~
- ? - ~~Rear diff. input Seal wet~~
- ? - ~~Master Cylinder - major leak~~
- ? - ~~Oil Seal on H&I pump~~
- ~~Brake pedal rubber pad~~
- ? - ~~Exhaust clamp near turbo~~
- ~~U-joint Caps Spinning~~
- ~~No engine Safety Start~~
- ? - ~~license plate sticker?~~
- ~~Pintle Hook~~
- ~~Step broken P.S. onto deck~~
- ~~Fire Extn~~
- ~~Right Signal light wks on dash~~
- ~~Battery hold down / test~~
- ~~Torque tires → replace tire~~
- ~~Trailer Cord - brakes applied with hazards~~
- ~~Convex Circular Side View mirror P.S.~~
- ? - ~~2 Way Not Working~~
- ~~Air Filter AF 979 ~~AF 977~~~~
- ? - ~~Tires tread?~~
- ~~Grease~~
- ~~Tranny fluid level~~
- ~~Diff " "~~
- ~~Engine Oil Top Up~~
- ~~Air~~
- ~~Fuel~~
- ~~cab?~~
- ~~Roll IPR~~
- ~~Economy loop~~

Air Filter: AF 979
Oil - LF3883
Fuel - 1822588C1

~~Verify tilt deck~~

16021-121 A Ave.

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered													
										kg													
Vehicle Information																							
VIN																							
Unit Number				Year				Make				Model				Odometer							
28																324 780							
Registered Owner's Name																Plate Number							
Address																Postal Code				Phone Number			

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
105 psi 14 mm		36.40 mm	Drums/Rotors	36.37 mm		105 psi 18 mm			
		12.00 mm	Linings/Pads	12.10 mm					
		N/A mm	Push Rod Travel	N/A mm					
		N/A mm	Cam Rotation	N/A mm					
105 psi 15 mm	105 psi 15 mm	35.80 mm	Drums/Rotors	35.67 mm		105 psi 26 mm	105 psi 16 mm		
		12.13 mm	Linings/Pads	12.50 mm					
		N/A mm	Push Rod Travel	N/A mm					
		N/A mm	Cam Rotation	N/A mm					
			Drums/Rotors						
			Linings/Pads						
			Push Rod Travel						
			Cam Rotation						
			Drums/Rotors						
			Linings/Pads						
			Push Rod Travel						
			Cam Rotation						
			Drums/Rotors						
			Linings/Pads						
			Push Rod Travel						
			Cam Rotation						
Park Brake Lining Left 1 mm Right 1 mm Trans 4.00 mm									
Wheel Torque Checked <input checked="" type="checkbox"/> Inner 1 ft lbs Outer 350 ft lbs									

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)				✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*				

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension				✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components	✓			3H.13. Disc Brake System Components	✓			
3H.2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake	✓			
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance	✓			
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor			✓	3A.13. Air System Components				✓
3A.2. Air Supply System			✓	3A.14. Brake Chamber				✓
3A.4. Air Tank			✓	3A.15. Drum Brake System Components				✓
3A.5. Air Tank Check Valves			✓	3A.16. S-Cam Drum Brake System				✓
3A.6. Brake Pedal/Actuator			✓	3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls			✓	3A.19. Anti-Lock Brake System (ABS)				✓
3A.9. Proportioning, Inversion or Modulation Valve			✓	3A.21. Stability Control System				✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance				✓
3A.11. Parking Brake & Emergency Application			✓					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle		✓
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices		✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls		✓
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector			✓	6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab			✓	8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor		✓
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓	
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
	C2422		

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
										kg									
Vehicle Information																			
VIN																			
Unit Number				Year				Make				Model				Odometer			
28																324 780			
Registered Owner's Name																Plate Number			
Address												Postal Code				Phone Number			

LEFT		FRONT		RIGHT	
110 psi 14 mm	36.40 mm 12.00 mm N/A mm N/A mm	Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation	36.37 mm 12.10 mm N/A mm N/A mm	86 psi 18 mm	
110 psi 11 mm	35.80 mm 12.13 mm N/A mm N/A mm	Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation	35.67 mm 12.50 mm N/A mm N/A mm	110 psi 26 mm	110 psi 16 mm
psi mm		Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation		psi mm	psi mm
psi mm		Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation		psi mm	psi mm
psi mm		Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation		psi mm	psi mm
psi mm		Drums/Rotors Linings/Pads Push Rod Travel Cam Rotation		psi mm	psi mm

Park Brake Lining Left 1 mm Right 1 mm Trans 4.00 mm

Wheel Torque Checked ☒ Inner 1 ft lbs Outer 350 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature				
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft			✓	1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System				✓
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)				✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*				

NOTES: (1.4) U-joint caps Spinning
(1.12) Fuel pump oil seal leaking

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.2. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension				✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components	✓			
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake	✓			
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance	✓			
3H.12. Drum Brake System Components			✓					

NOTES: (3H.1) Hyd. leak at master cylinder
(3H.2) No rubber pad on pedal

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor			✓	3A.13. Air System Components				✓
3A.2. Air Supply System			✓	3A.14. Brake Chamber				✓
3A.4. Air Tank			✓	3A.15. Drum Brake System Components				✓
3A.5. Air Tank Check Valves			✓	3A.16. S-Cam Drum Brake System				✓
3A.6. Brake Pedal/Actuator			✓	3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls			✓	3A.19. Anti-Lock Brake System (ABS)				✓
3A.9. Proportioning, Inversion or Modulation Valve			✓	3A.21. Stability Control System				✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance				✓
3A.11. Parking Brake & Emergency Application			✓					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓	✓	✓	4.4. Kingpin	✓	✓	✓
4.2. Power Steering System (Hydraulic and Electric)	✓	✓	✓	4.5. Self-Steer and Controlled-Steer Axle	✓	✓	✓
4.3. Steering Operation (Active Steer Axle)	✓	✓	✓				

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓	✓	✓	5.8. Heater & Windshield Defroster	✓	✓	✓
5.2. Hazard Warning Kit	✓	✓	✓	5.9. Fuel-Burning Auxiliary Heater	✓	✓	✓
5.3. Horn	✓	✓	✓	5.10. Chain/"Headache" Rack	✓	✓	✓
5.5. Speedometer	✓	✓	✓	5.11. Auxiliary Controls and Devices	✓	✓	✓
5.6. Odometer	✓	✓	✓	5.12. Auxiliary Drive Controls	✓	✓	✓
5.7. Windshield Wiper/Washer	✓	✓	✓				

NOTES: (5.1) Fire ext. missing

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓	✓	✓	6.4. Instrument Panel Lamps	✓	✓	✓
6.2. Reflex Reflector	✓	✓	✓	6.5. Headlamp Aim	✓	✓	✓
6.3. Retro-Reflective Marking	✓	✓	✓				

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓	✓	✓	7.3. Trailer Cord (output to towed vehicle)	✓	✓	✓
7.2. Battery	✓	✓	✓				

NOTES: (7.2) Battery hold down loose - Test batteries
(7.3) Brakes applied to trailer with hazards

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓	✓	✓	8.12. Bumper	✓	✓	✓
8.2. Tilt Cab	✓	✓	✓	8.13. Windshield	✓	✓	✓
8.3. Air-Suspended Cab	✓	✓	✓	8.14. Side Windows	✓	✓	✓
8.4. Cab and Passenger-Vehicle Body	✓	✓	✓	8.15. Rear Window	✓	✓	✓
8.5. Cargo Body	✓	✓	✓	8.16. Interior Sun Visor	✓	✓	✓
8.6. Frame, Rails & Mounts	✓	✓	✓	8.17. Exterior Windshield Sun Visor	✓	✓	✓
8.7. Unitized Body Elements	✓	✓	✓	8.18. Rear-View Mirror	✓	✓	✓
8.8. Cab or Cargo Door	✓	✓	✓	8.19. Seat	✓	✓	✓
8.9. Cargo Tank or Vessel	✓	✓	✓	8.20. Seat Belt/Occupant Restraint	✓	✓	✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓	✓	✓	8.21. Fender/Mud Flap	✓	✓	✓
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓	✓	✓	8.24. Aerodynamic Device & Attachment	✓	✓	✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

NOTES: (8.18) P.S. Circular Convex mirror

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim	✓		
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES: (9.2) Chunks of tread missing (9.5) P.S. front axle sight glass leaking
(9.4) Low air pressure

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES: (10.1) Hitch missing

Certification

The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
	C2422		

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature



ECONOMY LANDSCAPE CONTRACTORS LTD.

14940 - 131 AVENUE, EDMONTON, ALBERTA T5V 1S8
PHONE: (780) 452-4465 • (780) 452-4479 • FAX (780) 452-7793

TRUCK /trailer DAILY/WEEKLY CHECKLIST

Applicable checks must take place, and form must be signed to insure proper maintenance protocol.

Unit # 28 Driver Joe Teixeira Sign Joe Teixeira
Date Sep 21/16 Date Sep 30/16 Mileage 016489 km

Daily	x	Weekly	x		
Engine oil	✓	Lube (grease) points			
Coolant level	✓	Brake adjustment (Is it to spec?)			
Power steering fluid	✓	Tires and Wheels (Pressure and Torque)			
Auto Trans fluid	✓	Wiper Blades (Quality)			
Brake fluid	✓	Wash Exterior			
Tire pressure (visual)	✓	Vacuum, clean cab			
Tire condition (visual)	✓				
Fluid leaks (visual)					
Air leaks (Audible)					
Lights	✓				
Wipers (functional)	✓				
Gauges (Operational)					
Controls (PTO,Tarp,Valves, Etc.)					
Glass (Windshield, door, etc.)	✓				

COMMENTS Carlos no blind spot mirror on
this truck #28 Driver side

Fleet Manager Carlos Vieira

Sign Carlos

Work Order #: ELC4606ECONOMY MAIN
Water trucks

Issued: 3/28/2014
Completed: 04/11/2014
Mileage 313,276
Vendor:
Assigned To: VAIL, BRUCE A
Notes:

028 - I.H.C. 4900

Mileage 313,276
Unit #: 028
Tag #: 21-J816

Type: WATER TRUCK
Driver: ,
VIN #: 1HTSCAAP2WH493839

Repair Maintenance**Type****Cost**☒ CVIP**\$4,508.32**

Parts Required	Name	Qty	Unit Cost	Cost
1671766C1	PIN	2	\$23.71	\$47.42
206258R3	PIN	8	\$1.35	\$10.80
26070R1	washer	8	\$4.42	\$35.36
465912C1	Bolt	4	\$46.72	\$186.88
471292C91	SPRING	2	\$460.85	\$921.70
BHNMK225PREM	BRAKE PADS	1	\$75.36	\$75.36
CR1630	SEAL KIT	1	\$14.98	\$14.98
DN7/8	7/8 deep nut	8	\$2.20	\$17.60
VIC-77-400	4" COUPLING	1	\$78.22	\$78.22
ZCP3828036	Front WH	1	\$0.00	\$0.00

Technician	Description	Hours	Rate	Cost
VAIL, BRUCE A	GREASE AND CHECK ALL LEVELS REPLACE REAR LEAF SPRINGS REPLACE FRON WHEEL SEAL REPLACE REAR BRAKE PADS DRAIN AND REFILL TRANSMISSION CHANGE ALL FILTERS REPAIR ALL PLUMBING FOR WATERING SYSTEM	24	\$130.00	\$3,120.00

Total:**\$4,508.32****Technician Notes:**

PM:	\$0.00
Repairs:	\$4,508.32
Parts:	\$1,388.32
Labor:	\$3,120.00
Custom	\$0.00
Taxes:	\$0.00
TOTAL:	\$4,508.32

***** End Work Order # *******ELC4606**

Work Order #: ELC4606

Issued: 3/28/2014
Completed:
Mileage 298,521
Vendor:
Assigned To: VAIL, BRUCE A
Notes:

028 - I.H.C. 4900

Mileage 298,521
Unit #: 028
Tag #: 21-J816

Type: WATER TRUCK
Driver: ,
VIN #: 1HTSCAAP2WH493839

Repair Maintenance	Type	Cost
<input type="checkbox"/> CVIP		\$0.00
Total:		\$0.00

Technician Notes:

PM:	\$0.00
Repairs:	\$0.00
Parts:	\$0.00
Labor:	\$0.00
Custom:	\$0.00
Taxes:	\$0.00
TOTAL:	\$0.00

Parts

QTY	Part #	Part Description
		rebuild water piping to pump from tank
2		rear leaf spring + U-bolts
		air fuel oil filters
1		rear drive tire
1		wheel bearing seal.
1		rear brake pads
1		valve stem - front left tire
1		rear tire drive

Labour

Date	Name	In	Out	Work Performed
				grease & check levels
				install rear leaf springs L+R
				repair lights - rear
				install seal front right rim - wheel seal
				" rear brake pads & slider on right side
				drain & refill trans
				fuel & air & oil filters

***** End Work Order # ELC4606**

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight Registered									
Truck / Tractor <input checked="" type="checkbox"/> Light Truck <input type="checkbox"/>																			
Vehicle Information																			
VIN																			
Unit Number	Year	Make								Model								Odometer	
28																		313276 km	
Registered Owner's Name										Signature									
Address										Postal Code					Phone Number				

Hub meter → 310149 km

LEFT		FRONT		RIGHT	
100 psi	350 mm	Drums / Rotors	350 mm	100 psi	
12 mm	16 mm	Linings / Pads	15 mm	14 mm	
		Push Rod Travel			
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			
120 psi	360 mm	Drums / Rotors	350 mm	120 psi	
12 mm	11 mm	Linings / Pads	11 mm	120 psi	
		Push Rod Travel		15 mm	22 mm
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			

Park Brake Lining Left ____ mm Right ____ mm Trans 7 mm
 Wheel Torque Checked ☐ Inner 350 ft lbs Outer ____ ft lbs

Section 1 Power Train							
Component	P	F	R	Component	P	F	R
1.1 Accelerator Pedal	✓			1.5 Clutch	✓		
1.2 Fuel System	✓			1.6 Engine/Transmission Mount	✓		
1.3 Exhaust System	✓			1.7 Engine Shut Down	✓		
1.4 Drive Shaft	✓			1.8 Neutral Safety Switch & Shift Pattern	✓		
NOTES:							

Section 2 Suspension							
Component	P	F	R	Component	P	F	R
2.1 Suspension Attachments	✓			2.6 Tandem Axle Walking Beams			
2.2 Leaf Springs and Attachments	✓			2.7 Air Suspension			
2.3 Coil Spring Suspension				2.8 Air-Suspended Non-Driving Axle			
2.4 Torsion Bar Suspension				2.9 Self-Steering Axles			
2.5 Rubber Load Cushion	✓			2.10 Shock Absorbers	✓		
NOTES:							

Section 3 - Hydraulic Brake System							
Component	P	F	R	Component	P	F	R
3.1 Parking Brake	✓			3.8 Vacuum Booster	✓		
3.2 Dual Brake System Hydraulic Circuit	✓			3.9 Vacuum Reserve			
3.3 Hydraulic System	✓			3.10 Vacuum Pump (if equipped)			
3.4 Hydraulic Brake Leakage & Pedal Reserve	✓			3.11 Drum Brakes	✓		
3.5 Hydraulic-Assisted Brake System	✓			3.12 Disc Brakes	✓		
3.6 Vacuum-Assisted Power Brakes				3.13 Proportioning Valve	✓		
3.7 Vacuum System				3.14 Anti-lock Brakes (if OEM equipped)			
NOTES:							

Section 3A - Air Brakes							
Component	P	F	R	Component	P	F	R
3A.1 Air Compressor				3A.13 Air System Control Valves			
3A.2 Compressor Air-Build Time				3A.14 Air Parking & Emergency Brake Application			
3A.3 Air Governor				3A.15 Air Components			
3A.4 Low Air Pressure Warning System				3A.16 Mechanical Components			
3A.5 Air System Leakage				3A.17 Brake Controls			
3A.6 Compressed Air Reserve				3A.18 Camshaft Rotation			
3A.7 Air Tank and Check Valves				3A.19 Drum Brakes			
3A.8 Treadle Valve				3A.20 Brake Drums	✓		
3A.9 Trailer Brake Hand Control Valve (if equipped)				3A.21 Brake Adjustment	✓		
3A.10 Quick Release Valves				3A.22 Disc Brakes	✓		
3A.11 Relay/Limiting/Proportioning Valves				3A.23 Anti-Lock Brake System (if OEM equipped)			
3A.12 Tractor Protection System							
NOTES:							

Section 4 - Steering							
Component	P	F	R	Component	P	F	R
4.1 Steering Wheel Test	✓			4.5 Kingpin Play	✓		
4.2 Travel	✓			4.6 Ball Joints	✓		
4.3 Steering Linkage (including tag axle where applicable)	✓			4.7 Power Steering			
4.4 Front Wheel Bearings	✓			4.8 Telescopic/Tilt Steering			
NOTES:							

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	R	Component	P	F	R
5.1 Fire Extinguisher	✓			5.6 Indicator Lamps	✓		
5.2 Hazard Warning Kit	✓			5.7 Instruments	✓		
5.3 Clutch & Brake Pedal	✓			5.8 Chain/Headache Rack			
5.4 Horn	✓			5.9 Manufacturer's Label	✓		
5.5 Speedometer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	R	Component	P	F	R
6.1 Lamps	✓			6.4 Instrument Lamps	✓		
6.2 Reflex Reflector	✓			6.5 Headlamp Aiming	✓		
6.3 Retroreflective Markings	✓			6.6 Aiming Screen	✓		

NOTES:

Section 7 - Electrical System

Component	P	F	R	Component	P	F	R
7.1 Wiring	✓			7.3 Switches	✓		
7.2 Battery	✓			7.4 Trailer Cord			

NOTES:

Section 8 - Body

Component	P	F	R	Component	P	F	R
8.1 Hood	✓			8.11 Rear Window	✓		
8.2 Tilt Cab	✓			8.12 Frame Rails & Mounts	✓		
8.3 Air-Suspended Cabs				8.13 Sun Visor	✓		
8.4 Vehicle Body	✓			8.14 Rear view Mirrors	✓		
8.5 Load Securement Points	✓			8.15 Seat(s)	✓		
8.6 Front Bumper	✓			8.16 Seat Belts/Occupant Restraints	✓		
8.7 Doors	✓			8.17 Windshield Wipers/Washers	✓		
8.8 Grab Handle and Step	✓			8.18 Heater & Windshield Defroster	✓		
8.9 Windshield				8.19 Fenders/Mud Flaps	✓		
8.10 Side Windows							

NOTES:

Section 9 - Tires and Wheels

Component	P	F	R	Component	P	F	R
9.1 Tread Depth	✓			9.7 Wheel/Rim (General)	✓		
9.2 Tread Section of Tire	✓			9.8 Multi-Piece Wheel/Rim			
9.3 Sidewalls	✓			9.9 Spoke Wheel/Demountable Rim System			
9.4 Tire Pressure	✓			9.10 Disc Wheel System			
9.5 Hubs	✓			9.11 Wheel Fasteners (Nuts and Studs)	✓		
9.6 Wheel Bearings	✓						

Section 10 - Couplers and Hitches

Component	P	F	R	Component	P	F	R
10.1 Trailer Hitch				10.4 Oscillation Fifth Wheel			
10.2 No Slack Hitch				10.5 Permanently Attached Equipment			
10.3 Fifth Wheel Coupler							

Certification

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # _____) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, *Alberta Regulation 211/2006* and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature

Customer Acknowledgment

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the

Date (Year/Month/Day)

failed items identified on this Record of Inspection need to be re-inspected.
Additionally, if my vehicle is not presented within 10 days from the date of inspection, I
understand the whole vehicle must be re-inspected.

Customer Signature

45
years of being
PROUDLY CANADIAN

NO KIDDING!

PICK TICKET

GREGG DISTRIBUTORS LP
16215 - 118 AVENUE
EDMONTON, AB T5V 1C7
(780)447-3447 FAX (780)451-2528



SHIP TO

BILL TO	CUSTOMER NO.	TERRITORY	TIME	CUSTOMER NO.	TERRITORY
	074600	AAB	7:59	074600	AAB
ECONOMY LANDSCAPE CONTRACTORS 14940 - 131 AVENUE EDMONTON, AB T5V 1S8 (780)452-4479			ECONOMY LANDSCAPE CONTRACTORS 14940 - 131 AVENUE EDMONTON, AB T5V 1S8 (780)452-4479		

B/O Check

ORDER NUMBER

107386

GREGG DISTRIBUTORS

REGULAR ORDER PICK TICKET

MO.	DAY	YR.	ENTERED BY	YOUR ORDER NUMBER	TERMS	SHIPPED VIA
4	10	14	STJ	4048	NET 30 DAYS	CUST. PICK UP

BIN LOCATION	QTY ORDERED	UNIT	QTY SHIPPED	BACK ORDERED	PROD. ABBR.	PART NUMBER/DESCRIPTION	INPUT CODE	LIST PRICE	NET PRICE	CODE
C28E17 D1 360	1	EA				VIC VIC-77-400 4" VIC#77 COUPLING	1	117.33	78.220	

UNIT#28
W.O.# ELC 4606

TOTAL	BOX	BAG	COIL	BDL	REEL	BRL	PALE	FILLED BY	CHECKED BY
								STJ	STJ
OTHER	1	2	3	4	5	PALETT	SHIPPED BY	PROC. BY	
							STJ		

ALL CLAIMS FOR SHORTAGES MUST BE MADE WITHIN 5 DAYS OF RECEIVING GOODS.
ALL RETURNS MUST BE PRE-AUTHORIZED AND SUBJECT TO A RESTOCKING CHARGE.

ID #

148046-132

[Signature]
RECEIVED BY

[Signature]
PRINT NAME

C27122-0011



DIAMOND INTERNATIONAL TRUCKS LTD.

17020 - 118th Avenue
Edmonton, Alberta T5S 1S4
Phone: (780) 454-1541
Fax: (780) 451-2958
Toll Free: 1-800-252-7987
Parts Fax: (780) 452-7003
www.diamondintltrucks.com

Customer Invoice

**FLEET
CHARGE**



A N.VISTAR COMPANY

MAXXFORCE
INTERNATIONAL DIESEL POWER



DATE ENTERED	YOUR ORDER NO.	DATE SHIPPED	INVOICE DATE	INVOICE NUMBER
08 APR 14	-	08 APR 14	08 APR 14	1007169D

S
O
L
D
T
O

ACCOUNT NO. 16431
ECONOMY LANDSCAPE CONTRACTORS
14940 - 131 AVENUE
EDMONTON, AB T5V 1S8

S
H
I
P
T
O

PAGE 1 OF 1
452-4465
ECONOMY LANDSCAPE CONTRACTORS
14940 - 131 AVENUE
EDMONTON, AB T5V 1S8

SHIP VIA		SLSM.		B/L NO.		TERMS		F.O.B. POINT					
CALL		108				DUE THE 10TH		EDMONTON ALTA					
QUANTITY				PART NO.		DESCRIPTION		LIST		NET		AMOUNT	
ORD.	SHIP	B.O.											
✓	1	1		471292C91		SPRING				460.85		460.85	
✓	2	2		465912C1		BOLT				38.38		76.76	
✓	8	0		26070R1		WASHER				4.12		32.96	
✓	8	0		DN7/8		7/8 DEEPNU				1.35		10.80	
✓	4	0		206258R3		PIN				12.63		50.52	
✓	2	0		1671766C1		PIN				23.71		47.42	
✓	1	0		ZCP3828036		SEAL SET				33.48		33.48	
1	1	0		CR1630		KT SEAL				14.98		14.98	
				Part number		CR1630		replaces		1695989			
1	1	0		BHNMK225PREM		COST CHG				75.36		75.36	
PO # 4047													
*** DUPLICATE INVOICE ***													
#28													
W.O.# ELC 4606													
*****STORE HOURS*****													
MON THRU FRI 7:30 AM TO 12 MIDNIGHT													
SATURDAY 7:30 AM TO 5 PM													
CALL 454-1541 FOR EMERGENCY AFTER													
HOURS CALL-OUT													
CUSTOMER'S SIGNATURE										PARTS		803.13	
X										SUBLET			
										FREIGHT		0.00	
										SALES TAX		40.16	
										TOTAL		\$843.29	

☆☆☆

Thank
You
For
Your
Business

☆☆☆

★ ★ ★

Thank
You
For
Your
Business

★ ★ ★

G.S.T. NO. R101382109

ALL CLAIMS AND RETURNED GOODS MUST BE ACCOMPANIED BY THIS INVOICE.
NO RETURNS ON ELECTRICAL OR SPECIAL ORDER PARTS.
NO RETURNS AFTER 30 DAYS. 15% RE-STOCK CHARGE ON ALL RETURNED PARTS.

DISCLAIMER OF WARRANTIES

Any warranties on the product sold hereby are those made by the manufacturer. The seller hereby expressly disclaims all warranties, either express or implied, including any implied warranty of merchantability or fitness for a particular purpose, and the seller neither assumes nor authorizes any other person to assume for it any liability in connection with the sale of said products.

DIAMOND
INTERNATIONAL TRUCKS LTD.

INVOICE



The Gear Centre
14811-116 Avenue
Edmonton, AB T5M 3E8
780-452-6933 Fax:780-455-8612

www.gearcentre.com

Ord./Invoice#	3361418-00
Invoice Date	08/23/2013
Customer #	1619
P.O. #	ELC01801
Taken By	Gordon Wills
Sales Rep	CHRIS GILLIES (EDMONTON NORTH)
Ship Point	GEAR CENTRE - EDMONTON N/S
Ship Via	CUST P/U
Shipped Date	08/23/2013
Terms	N30-NET 30
Instructions	

Bill To	ECONOMY LANDSCAPE CONTRACTORS 14940-131 AVE EDMONTON, AB T5V 1S8
Ship To	ECONOMY LANDSCAPE CONTRACTORS 14940-131 AVE EDMONTON, AB T5V 1S8 780-452-4465 Fax:780-452-7793

Remit to:
ADMINISTRATION
14713 116 AVENUE
EDMONTON, AB T5M 3E8

Line	Product/Description	Qty Ord	Qty Shp/Qty BO	Qty Unit	Net Price/Unit	Amount (Net)
1	101-118-2 GASKET	1	1 0	EA	5.95 EA	5.95
1	Lines Total	Qty Shipped Total	1		Total	5.95
					GST/HST	0.30
					Net Amount	6.25
<p>*****</p> <p>PARTS LISTED ARE NOT NECESSARILY MANUFACTURED BY THE ORIGINAL EQUIPMENT MANUFACTURER AND ANY REFERENCE TO THE TRADEMARKS OR PART NUMBERS OF OTHERS ARE FOR CROSS REFERENCE INFORMATIONAL PURPOSES ONLY.</p> <p>*****</p> <p>UNIT #28</p> <p>INVOICE</p> <p>RECEIVED</p> <p>** I acknowledge receipt of the above goods/services and that I have read and understand the warranty policy stated on the back of this invoice.</p>						

SUPERIOR INDUSTRIAL FRICTIONS LTD.

ISO 9001:2008
REGISTERED

Your Heavy Duty Parts Specialists

11570-154 Street, Edmonton, AB T5M 3N8
Ph: 780.451.6894 Fax: 780.451.1564
Toll: 1.800.661.6374 Web: www.sifbrake.com



BILL TO		SHIP TO		PG 1 OF 1																																																																
001811 DEA		001811 DEA																																																																		
ECONOMY LANDSCAPING CONTRACTORS LTD 14940 - 131 AVENUE EDMONTON, AB T5V 1S8		ECONOMY LANDSCAPING CONTRACTORS LTD 14940 - 131 AVENUE EDMONTON, AB T5V 1S8 (780)452-4465																																																																		
CHARGE				INVOICE																																																																
SUPERIOR INDUSTRIAL - EDMONTON				GST Number 104851860RT																																																																
				REFERENCE NUMBER 001-821310																																																																
MTH. DAY YR. WRITER		ORDER NO.		CUSTOMER P.O. NUMBER																																																																
8/20/13 JOK		8/20/13 821310		UNIT 28																																																																
		TERMS		SHIP VIA																																																																
		NET 30 DAYS		COMPANY TRUCK JOK																																																																
QUANTITY ORDERED	QUANTITY SHIPPED	BACK ORDERED	PART NUMBER AND DESCRIPTION	CODE	PRICE (LIST & SELL)																																																															
<p>***** *** 99% OF ALL VISCOUS FAN DRIVES IN STOCK NOW ! *****COME IN AND CHECK OUT ALL OUR NEW PRODUCTS AT S.I.F *****</p> <p>W/O 44062</p> <table style="width:100%;"> <tr> <td style="width:10%;">1.00</td> <td style="width:10%;">1.00</td> <td style="width:10%;"></td> <td style="width:40%;">SIL FRL-13</td> <td style="width:10%;">TG</td> <td style="width:10%;">59.980 EA</td> <td style="width:10%;">59.98</td> </tr> <tr> <td>1</td> <td>1</td> <td></td> <td>NTN 6206-2RSJ</td> <td>TG 95</td> <td>4.780 EA</td> <td>4.78</td> </tr> <tr> <td>1</td> <td>1</td> <td></td> <td>CPP BU127747CB</td> <td>TG 111C02</td> <td>357.300 EA</td> <td>357.30</td> </tr> <tr> <td>1</td> <td>1</td> <td></td> <td>CPP BU127747CBSC</td> <td>TG</td> <td>95.000 EA</td> <td>95.00</td> </tr> <tr> <td colspan="7">PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!</td> </tr> <tr> <td>1-</td> <td>1-</td> <td></td> <td>CPP BU127747CBSC</td> <td>Core Credit Re Inv. 821310 CTG</td> <td>95.000 EA</td> <td>95.00CR</td> </tr> <tr> <td colspan="7">PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!</td> </tr> <tr> <td colspan="7"><D> A JOK</td> </tr> <tr> <td colspan="5" style="text-align: right;">GOODS & SERVICES TAX (CODE G)</td> <td colspan="2" style="text-align: right;">\$21.10</td> </tr> </table> <p style="text-align: center; font-size: 1.2em; margin-top: 20px;">UNIT # 28</p>						1.00	1.00		SIL FRL-13	TG	59.980 EA	59.98	1	1		NTN 6206-2RSJ	TG 95	4.780 EA	4.78	1	1		CPP BU127747CB	TG 111C02	357.300 EA	357.30	1	1		CPP BU127747CBSC	TG	95.000 EA	95.00	PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!							1-	1-		CPP BU127747CBSC	Core Credit Re Inv. 821310 CTG	95.000 EA	95.00CR	PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!							<D> A JOK							GOODS & SERVICES TAX (CODE G)					\$21.10	
1.00	1.00		SIL FRL-13	TG	59.980 EA	59.98																																																														
1	1		NTN 6206-2RSJ	TG 95	4.780 EA	4.78																																																														
1	1		CPP BU127747CB	TG 111C02	357.300 EA	357.30																																																														
1	1		CPP BU127747CBSC	TG	95.000 EA	95.00																																																														
PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!																																																																				
1-	1-		CPP BU127747CBSC	Core Credit Re Inv. 821310 CTG	95.000 EA	95.00CR																																																														
PLEASE RETURN CORE IN ORIGINAL BOX WITH INVOICE # TO RECEIVE CORE CREDIT!!																																																																				
<D> A JOK																																																																				
GOODS & SERVICES TAX (CODE G)					\$21.10																																																															
			GOODS RECEIVED BY		SUB-TOTAL	422.06																																																														
			X		TAX	21.10																																																														
RETURNED GOODS: 1. ALL NEW PART RETURNS SUBJECT TO A RESTOCKING FEE. 2. CORES NOT RETURNABLE AFTER 180 DAYS. 3. WARRANTY LIABILITY ON PARTS SUPPLIED ONLY.				TIME PREPARED 15:33		TOTAL	443.16																																																													

INVOICE/CUSTOMER COPY
FORM 501-B (03/09)

AUTHORIZED
DISTRIBUTOR FOR



STEERING GEARS
AND PUMPS

AUTHORIZED
DISTRIBUTOR FOR

Canadian

PREMIER PRODUCTS

REMANUFACTURED
COMPONENTS



History (Detailed)
Date Completed: 01/10/2010 - 08/04/2011



CATEGORY: Water trucks

LOCATION: ECONOMY LANDSCAPE

028 - I.H.C. 4900

1998 I.H.C. 4900

Vehicle #: 028
Tag #: 21-J816
Mileage 298,521

Serial #: 1HTSCAAP2WH493839

Date	Notes	Vendor	Employee	Total Cost
24/03/2011 8:07:11 AM				\$62.96

Maintenance Performed

Maintenance Service

Cost

FILTERS

\$59.96

Total:

\$59.96

Part Details

Part Number	Name	Used	Unit Cost	Cost
L65063	OIL FILTER	1	\$29.65	\$29.65
EHC-302	LARGE FILTER E.H.C.	1	\$1.00	\$1.00
F65255	FUEL FILTER	1	\$17.25	\$17.25
EHC-301	SMALL FILTER E.H.C.	1	\$0.50	\$0.50
W54452	WATER FILTER	1	\$11.06	\$11.06
EHC-301	SMALL FILTER E.H.C.	1	\$0.50	\$0.50

Total:

\$59.96

24/03/2011 3:01:41 PM

SIMAO, KEVIN

\$0.00

Maintenance Performed

Maintenance Service

Cost

complete service

\$0.00

Total:

\$0.00

29/03/2011 12:13:26 PM

\$12.68

Maintenance Performed

Maintenance Service

Cost

BLADE

\$12.08

Total:

\$12.08

Part Details

Part Number	Name	Used	Unit Cost	Cost
ANCO3116	BLADE	2	\$6.04	\$12.08

Total:

\$12.08

Total:

\$0.00

\$75.64

Grand Total:

\$75.64

CU2162374

ECONOMY LANDSCAPE FLEET MAINTENANCE CHECKLIST

Unit #: 28

Milage: 298521

Date: march 24/2011

Year: 1998

Make International

Model: Sa475

Serial #:

Inspected by:

Items Inspected	OK	Needs Attention	Notes	Technician Initial
A. Visual Inspection Under Hood				
1. Belts	✓			KS/TS
2. Hoses	✓			KS/TS
3. Cables	✓			KS/TS
4. Air Filter	✓	✓		KS/TS
5. Windshield Washer Fluid	✓	✓		KS/TS
6. Brake Fluid	✓			KS/TS
7. P/S Fluid	✓	✓		KS/TS
8. Battery Fluid	✓			KS/TS
9. Coolant Level	✓	✓		KS/TS
10. Trans Fluid	✓			KS/TS
11. Cleanliness	✓			KS/TS
B. Lighting				
1. Headlamps	✓			KS/TS
2. Taillights	✓			KS/TS
3. Cl Lights	✓			KS/TS
4. Brake Lights	✓			KS/TS
5. Turn Signals	✓			KS/TS
6. Hazard Lights	✓			KS/TS
7. Beacon	✓			KS/TS
8. Spot Light	✓			KS/TS
9. Reflectors	✓			KS/TS
C. Under Chasis Inspection				
1. Change Oil	✓	✓		KS/TS
2. Change Filter	✓	✓		KS/TS
3. Differential (s)	✓			KS/TS
4. All other gear boxes	✓			KS/TS
5. Exhaust	✓			KS/TS

D. Steering & Suspension

1. Balljoints

2. Tire Rods

3. Wheel Bearings

4. Springs

5. Pitman

6. Drive Shaft

7. Brakes

8. Tires, Condition

9. Tires, Rotate

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

KS/TS

E. Multi Purpose Grease

1. Drive Shaft

2. Suspension Components

3. Steering Components

4. All Misc Zerts

KS/TS

KS/TS

KS/TS

KS/TS

F. Vehicle Tare Weights

1. Displayed on vehicle

KS/TS

G. Final Inspection

1. All Plugs & Filters Tight

Run & Check for 5 minutes for

2. fluid leaks

3. Body Condition

4. Park Brake Test

5. Road Test

KS/TS

KS/TS

KS/TS

Signed: _____

		LEFT	FRONT	RIGHT		
m.m. PSI	<div>18 32</div>	#1 1.393	DRUM/ROTORS	1.395	m.m. PSI	<div>18 32</div>
		0.358/0.358	LININGS/PADS	0.374/0.351		
			PUSH ROD TRAVEL			
			CAM ROTATION			
m.m. PSI	<div>17 32</div>	1.425	DRUM/ROTORS	1.416	m.m. PSI	<div>18 32</div>
		0.460/0.450	LININGS/PADS	0.440/0.325		<div>18 32</div>
			PUSH ROD TRAVEL			
			CAM ROTATION			
m.m. PSI			DRUM/ROTORS		m.m. PSI	
			LININGS/PADS			
			PUSH ROD TRAVEL			
			CAM ROTATION			
m.m. PSI			DRUM/ROTORS		m.m. PSI	
			LININGS/PADS			
			PUSH ROD TRAVEL			
			CAM ROTATION			

☐ Wheel Torque Checked (_____ lbs)

ECONOMY LANDSCAPE FLEET EQUIPMENT CHECKLIST

Unit #:

Technician's Name:

Date:

Driver's Name:

Date:

Equipment	Technician Checked	Driver's Initials
1. Spare tires		
2. Broom		
3. Leveling shovel		
4. Round shovel		
5. Square shovel		
6. Rake		
7. Tire wrench		
8. Jack		
9. _____		
10. _____		
11. _____		
12. _____		
13. _____		
14. _____		
15. _____		
Safety		
1. Fire Extinguisher		
a) Recharged		
b) Mounted		
c) Pin in place		
d) Tag		
2. First Aid Kit		
3. Reflectors		
4. 2-Way Radios		
5. _____		
6. _____		

Driver's Signature: _____

By signing this you are agreeing that this information is correct and are taking responsibility for the above items. If anything is lost, stolen or broken it is your responsibility to report it immediately. Please note that some items will incur a replacement cost at the driver's expense.

Work Order #: 4840ECONOMY MAIN
Water trucks

Issued: 11/4/2014
Completed: 11/04/2014
Mileage 313,276
Vendor:
Assigned To:
Notes:

028 - I.H.C. 4900

Mileage 313,276 Type: WATER TRUCK
Unit #: 028 Driver: ,
Tag #: 21-J816 VIN #: 1HTSCAAP2WH493839

Repair Maintenance**Type****Cost**☒ stalling

\$669.41

Parts Required	Name	Qty	Unit Cost	Cost
1841217C91	IPRP valve.	1	\$589.41	\$589.41

Technician	Description	Hours	Rate	Cost
VIEIRA, CARLOS	REPLACE IPR VALVE	2	\$40.00	\$80.00

Total:

\$669.41

Technician Notes:

PM:	\$0.00
Repairs:	\$669.41
Parts:	\$589.41
Labor:	\$80.00
Custom	\$0.00
Taxes:	\$0.00
TOTAL:	\$669.41

*** End Work Order # ***
4840

Work Order: Annual inspection (CVIP) [1132]

Equipment: TRUCK, IHC 4900 1998 [WT028]
Work Location(s): Economy Landscape Mechanic Shop
Mechanic(s): Allan Bruce Vail [0203]

Status: Scheduled
Business Unit: Economy Landscape Group Ltd
Serial Number: 1HTSCAAP2WH4 93839
Completed Date:

Notes: Annual inspection
Filters: Work order ID - 1132

Start Date: 6/3/2015 **Stop Date:** 6/3/2015

Item ID	Description	Type	Item Status	Start Date	End Date	Planned Hours	Reported Hours
Allan Bruce Vail [0203]							
1181	CVIP	CVIP Inspection	Scheduled	06/03/2015	06/03/2015	12.00	
Economy Landscape Mechanic Shop, 14940 131 Ave, Edmonton, AB T5V1S8							
Part		Estimated Quantity					
DL4761 windshield		1.00 EACH					
		Reported Quantity					
		1.00 EACH					

WEFIX AUTOGLASS LTD.

13165-156 Street NW, Edmonton, AB T5V 1V2

P: (780) 710-3608 F: (780) 453-0085

weifixautoglass@yahoo.ca

NAME:

ECONOMY LANDSCAPE

ADDRESS:

EMAIL:

YEAR:

MAKE:

MODEL:

VIN:

INV NO:

1345723

PAGE NO:

PO NO:

ELC 05469

UNIT NO:

PHONE:

PHONE 2:

FAX:

ODO IN:

ODO OUT:

TIME IN:

TIME OUT:

QUANTITY	ITEM NO:	DESCRIPTION	UNIT PRICE	PRICE
1	DL4761 QTN	1998 INTERNATIONAL 4900 20R, CONVENTIONAL UNIT # 28 FRONT WINDSHIELD supply & install		270.00

REMARKS/COMMENTS/ADDITIONAL INFOR:

SUBTOTAL

GST

\$ 10.50

TOTAL

\$ 280.50

TERMS AND CONDITIONS

I am the person, authorized agent/person for the organization who requested the above work and materials be supplied. I acknowledge indebtedness for the amount as indicated per this invoice. I agree to pay 2% interest per month (26.82% per annum) for all unpaid amounts and any and all costs incurred in order to collect the balance outstanding. WEFIX AUTOGLASS LTD. May use the vehicle for the amount of the invoice and costs involved in the collection of the invoice. WEFIX AUTOGLASS LTD. Does not assume responsibility for vehicles and contents left at our premises.

PRINT NAME

SIGNATURE

GST NO: 812208452

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight Registered									
Truck / Tractor <input type="checkbox"/> Light Truck <input type="checkbox"/>																			
Vehicle Information																			
VIN																			
Unit Number		Year		Make						Model						Odometer			
28																321263 Km			
Registered Owner's Name										Signature									
Address												Postal Code				Phone Number			

LEFT	FRONT	RIGHT	LEFT	RIGHT
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">100 psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">11 mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">160 psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">13 mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div>	<div style="text-align: center;">35mm</div> <div style="text-align: center;">17mm</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div> <div style="text-align: center;">37mm</div> <div style="text-align: center;">15 mm</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div>	<div style="text-align: center;">35mm</div> <div style="text-align: center;">17mm</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div> <div style="text-align: center;">37mm</div> <div style="text-align: center;">16 mm</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div> <div style="text-align: center;">Drums / Rotors</div> <div style="text-align: center;">Linings / Pads</div> <div style="text-align: center;">Push Rod Travel</div> <div style="text-align: center;">Cam Rotation</div>	<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">100 psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">15 mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">100 psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">21 mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div>	<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">100 psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">16 mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">psi</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">mm</div>

Park Brake Lining Left mm Right mm Trans 6 mm

Wheel Torque Checked ☒ Inner 350 ft lbs Outer 350 ft lbs

Section 1 Power Train							
Component	P	F	R	Component	P	F	R
1.1 Accelerator Pedal	<input checked="" type="checkbox"/>			1.5 Clutch	<input checked="" type="checkbox"/>		
1.2 Fuel System	<input checked="" type="checkbox"/>			1.6 Engine/Transmission Mount	<input checked="" type="checkbox"/>		
1.3 Exhaust System	<input checked="" type="checkbox"/>			1.7 Engine Shut Down	<input checked="" type="checkbox"/>		
1.4 Drive Shaft	<input checked="" type="checkbox"/>			1.8 Neutral Safety Switch & Shift Pattern	<input checked="" type="checkbox"/>		
NOTES:							
Section 2 Suspension							
Component	P	F	R	Component	P	F	R
2.1 Suspension Attachments	<input checked="" type="checkbox"/>			2.6 Tandem Axle Walking Beams			
2.2 Leaf Springs and Attachments	<input checked="" type="checkbox"/>			2.7 Air Suspension			
2.3 Coil Spring Suspension				2.8 Air-Suspended Non-Driving Axle			
2.4 Torsion Bar Suspension				2.9 Self-Steering Axles			
2.5 Rubber Load Cushion	<input checked="" type="checkbox"/>			2.10 Shock Absorbers	<input checked="" type="checkbox"/>		
NOTES:							
Section 3 - Hydraulic Brake System							
Component	P	F	R	Component	P	F	R
3.1 Parking Brake	<input checked="" type="checkbox"/>			3.8 Vacuum Booster			
3.2 Dual Brake System Hydraulic Circuit	<input checked="" type="checkbox"/>			3.9 Vacuum Reserve			
3.3 Hydraulic System	<input checked="" type="checkbox"/>			3.10 Vacuum Pump (if equipped)			
3.4 Hydraulic Brake Leakage & Pedal Reserve	<input checked="" type="checkbox"/>			3.11 Drum Brakes			
3.5 Hydraulic-Assisted Brake System				3.12 Disc Brakes	<input checked="" type="checkbox"/>		
3.6 Vacuum-Assisted Power Brakes				3.13 Proportioning Valve	<input checked="" type="checkbox"/>		
3.7 Vacuum System				3.14 Anti-lock Brakes (if OEM equipped)			
NOTES:							
Section 3A - Air Brakes							
Component	P	F	R	Component	P	F	R
3A.1 Air Compressor				3A.13 Air System Control Valves			
3A.2 Compressor Air-Build Time				3A.14 Air Parking & Emergency Brake Application			
3A.3 Air Governor				3A.15 Air Components			
3A.4 Low Air Pressure Warning System				3A.16 Mechanical Components			
3A.5 Air System Leakage				3A.17 Brake Controls			
3A.6 Compressed Air Reserve				3A.18 Camshaft Rotation			
3A.7 Air Tank and Check Valves				3A.19 Drum Brakes			
3A.8 Treadle Valve				3A.20 Brake Drums			
3A.9 Trailer Brake Hand Control Valve (if equipped)				3A.21 Brake Adjustment			
3A.10 Quick Release Valves				3A.22 Disc Brakes			
3A.11 Relay/Limiting/Proportioning Valves				3A.23 Anti-Lock Brake System (if OEM equipped)			
3A.12 Tractor Protection System							
NOTES:							
Section 4 - Steering							
Component	P	F	R	Component	P	F	R
4.1 Steering Wheel Test	<input checked="" type="checkbox"/>			4.5 Kingpin Play	<input checked="" type="checkbox"/>		
4.2 Travel	<input checked="" type="checkbox"/>			4.6 Ball Joints	<input checked="" type="checkbox"/>		
4.3 Steering Linkage (including tag axle where applicable)	<input checked="" type="checkbox"/>			4.7 Power Steering	<input checked="" type="checkbox"/>		
4.4 Front Wheel Bearings	<input checked="" type="checkbox"/>			4.8 Telescopic/Tilt Steering			
NOTES:							
Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	R	Component	P	F	R
5.1 Fire Extinguisher	<input checked="" type="checkbox"/>			5.6 Indicator Lamps	<input checked="" type="checkbox"/>		
5.2 Hazard Warning Kit	<input checked="" type="checkbox"/>			5.7 Instruments	<input checked="" type="checkbox"/>		
5.3 Clutch & Brake Pedal	<input checked="" type="checkbox"/>			5.8 Chain/Headache Rack	<input checked="" type="checkbox"/>		
5.4 Horn	<input checked="" type="checkbox"/>			5.9 Manufacturer's Label	<input checked="" type="checkbox"/>		
5.5 Speedometer	<input checked="" type="checkbox"/>						

NOTES:

Section 6 - Lamps

Component	P	F	R	Component	P	F	R
6.1 Lamps	/			6.4 Instrument Lamps	/		
6.2 Reflex Reflector				6.5 Headlamp Aiming	/		
6.3 Retroreflective Markings	/			6.6 Aiming Screen	/		

NOTES:

Section 7 - Electrical System

Component	P	F	R	Component	P	F	R
7.1 Wiring	/			7.3 Switches			
7.2 Battery	/			7.4 Trailer Cord			

NOTES:

Section 8 - Body

Component	P	F	R	Component	P	F	R
8.1 Hood	/			8.11 Rear Window	/		
8.2 Tilt Cab	/			8.12 Frame Rails & Mounts	/		
8.3 Air-Suspended Cabs	/			8.13 Sun Visor	/		
8.4 Vehicle Body	/			8.14 Rear view Mirrors	/		
8.5 Load Securement Points	/			8.15 Seat(s)	/		
8.6 Front Bumper	/			8.16 Seat Belts/Occupant Restraints	/		
8.7 Doors	/			8.17 Windshield Wipers/Washers	/		
8.8 Grab Handle and Step	/			8.18 Heater & Windshield Defroster	/		
8.9 Windshield	/			8.19 Fenders/Mud Flaps	/		
8.10 Side Windows	/						

NOTES:

Section 9 - Tires and Wheels

Component	P	F	R	Component	P	F	R
9.1 Tread Depth	/			9.7 Wheel/Rim (General)	/		
9.2 Tread Section of Tire	/			9.8 Multi-Piece Wheel/Rim	/		
9.3 Sidewalls	/			9.9 Spoke Wheel/Demountable Rim System	/		
9.4 Tire Pressure	/			9.10 Disc Wheel System	/		
9.5 Hubs	/			9.11 Wheel Fasteners (Nuts and Studs)	/		
9.6 Wheel Bearings	/						

Section 10 - Couplers and Hitches

Component	P	F	R	Component	P	F	R
10.1 Trailer Hitch				10.4 Oscillation Fifth Wheel	/		
10.2 No Slack Hitch				10.5 Permanently Attached Equipment	/		
10.3 Fifth Wheel Coupler							

Certification

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # _____) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature

Customer Acknowledgment

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the

Date (Year/Month/Day)

failed items identified on this Record of Inspection need to be re-inspected.
Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.

Customer Signature

PARTS-

- 2 - 12v. Batteries
- 1 - oil filter
- 1 - fuel "
- 1 - AIR "
- 1 - FRONT windshield
- 2 - wiper blades
- 1 - flasher - 2 prong

Re+Re all filters + engine oil
Brake pedal rubber Boot glued on.
Repair hose for power steering to Brake Booster
replace Booster relay.
Zip-tie Brake switch for park Brake.
Reseal shifter gasket and reverse switch on trans
Clean primary fuel screen.
repair oil leak at left side engine
repair water hose Bracket on tank
Clean Battery cable ends.
repair rear lights

Work Order #: 4932

Issued: 9/3/2015

Completed: 9/8/2015

Mileage 313,276

Vendor:

Assigned To: CUROE, JASON

Notes: Driver noticed that the oil pressure would get low before the engine would stall.
Check engine oil pressure and also dash cluster fluctuations

028 - I.H.C. 4900

Mileage 313,276

Unit #: 028

Tag #: 21-J816

Type: WATER TRUCK

Operator:

Serial #: 1HTSCAAP2WH493839

Repair Maintenance☒ stallig at low RPM**Type**

Engine

Cost

\$0.00

Total:**\$0.00**

Part	Name	Used	Unit Cost	Cost
1699949c1	Heater motor	1	\$206.04	\$206.04
1812818C93	injector pressure sensor	1	\$317.43	\$317.43
2607117C91	sensor	1	\$286.20	\$286.20

Total:**\$809.67**

Labor	Description	Hours	Rate	Cost
CUROE, JASON	repair for stalling at low idle found that oil pressure was dropping too low at idle when engine was at operating temp Throttle position sensor was out of range injector pressure reading was also out of range low.	8	\$60.00	\$480.00

Total:**\$480.00****Technician Notes:**

PM:	\$0.00
Repairs:	\$0.00
Parts:	\$809.67
Labor:	\$480.00
Custom	\$0.00
Taxes:	\$0.00
TOTAL:	\$1,289.67

***** End Work Order # *******4932**

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight Registered																									
Truck / Tractor <input checked="" type="checkbox"/> Light Truck <input type="checkbox"/>										25,000 Kg																									
Vehicle Information																																			
VIN		I		H		T		S		C		A		A		P		2		W		H		4		9		3		8		3		9	
Unit Number		100		Year		1988		Make		INTERNATIONAL		Model		4700 DT 466E		Odometer		232169 Km																	
Registered Owner's Name										Signature																									
ECONOMY LANDSCAPE																																			
Address										Postal Code										Phone Number															
14940-131 AVE Edmonton AB.										T5V 1S8																									

LEFT		FRONT		RIGHT	
100 psi	35.43 mm	Drums / Rotors	35.75 mm	100 psi	35.75 mm
7 mm	16.43 mm	Linings / Pads	16.00 mm	13 mm	16.00 mm
		Push Rod Travel			
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			
90 psi	36.06 mm	Drums / Rotors	35.79 mm	90 psi	35.79 mm
12 mm	15.16 mm	Linings / Pads	15.93 mm	21 mm	15.93 mm
		Push Rod Travel			
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			
		Drums / Rotors			
		Linings / Pads			
		Push Rod Travel			
		Cam Rotation			

Park Brake Lining Left _____ mm Right _____ mm Trans 6.1 mm

Wheel Torque Checked ☐ Inner 350 ft lbs Outer 350 ft lbs

Section 1 Power Train							
Component	P	F	R	Component	P	F	R
1.1 Accelerator Pedal	/			1.5 Clutch	/		
1.2 Fuel System	/			1.6 Engine/Transmission Mount	/		
1.3 Exhaust System	/			1.7 Engine Shut Down	/		
1.4 Drive Shaft	/			1.8 Neutral Safety Switch & Shift Pattern	/		
NOTES: 1.3 Flex pipe to muffler ROTTEN							

Section 2 Suspension							
Component	P	F	R	Component	P	F	R
2.1 Suspension Attachments	/			2.6 Tandem Axle Walking Beams			
2.2 Leaf Springs and Attachments	/			2.7 Air Suspension			
2.3 Coil Spring Suspension				2.8 Air-Suspended Non-Driving Axle			
2.4 Torsion Bar Suspension				2.9 Self-Steering Axles			
2.5 Rubber Load Cushion	/			2.10 Shock Absorbers	/		
NOTES:							

Section 3 - Hydraulic Brake System							
Component	P	F	R	Component	P	F	R
3.1 Parking Brake	/			3.8 Vacuum Booster			
3.2 Dual Brake System Hydraulic Circuit	/			3.9 Vacuum Reserve			
3.3 Hydraulic System	/			3.10 Vacuum Pump (if equipped)			
3.4 Hydraulic Brake Leakage & Pedal Reserve	/			3.11 Drum Brakes			
3.5 Hydraulic-Assisted Brake System	/			3.12 Disc Brakes	/		
3.6 Vacuum-Assisted Power Brakes				3.13 Proportioning Valve	/		
3.7 Vacuum System				3.14 Anti-lock Brakes (if OEM equipped)			
NOTES:							

Section 3A - Air Brakes							
Component	P	F	R	Component	P	F	R
3A.1 Air Compressor				3A.13 Air System Control Valves	/		
3A.2 Compressor Air-Build Time				3A.14 Air Parking & Emergency Brake Application			
3A.3 Air Governor				3A.15 Air Components			
3A.4 Low Air Pressure Warning System				3A.16 Mechanical Components			
3A.5 Air System Leakage				3A.17 Brake Controls			
3A.6 Compressed Air Reserve				3A.18 Camshaft Rotation			
3A.7 Air Tank and Check Valves				3A.19 Drum Brakes			
3A.8 Treadle Valve				3A.20 Brake Drums			
3A.9 Trailer Brake Hand Control Valve (if equipped)				3A.21 Brake Adjustment			
3A.10 Quick Release Valves				3A.22 Disc Brakes			
3A.11 Relay/Limiting/Proportioning Valves				3A.23 Anti-Lock Brake System (if OEM equipped)			
3A.12 Tractor Protection System							
NOTES:							

Section 4 - Steering							
Component	P	F	R	Component	P	F	R
4.1 Steering Wheel Test	/			4.5 Kingpin Play	/		
4.2 Travel	/			4.6 Ball Joints	/		
4.3 Steering Linkage (including tag axle where applicable)	/			4.7 Power Steering	/		
4.4 Front Wheel Bearings	/			4.8 Telescopic/Tilt Steering			
NOTES:							

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	R	Component	P	F	R
5.1 Fire Extinguisher	/			5.6 Indicator Lamps	/		
5.2 Hazard Warning Kit	/			5.7 Instruments	/		
5.3 Clutch & Brake Pedal	/			5.8 Chain/Headache Rack	/		
5.4 Horn	/			5.9 Manufacturer's Label	/		
5.5 Speedometer	/						

NOTES:

Section 6 - Lamps

Component	P	F	R	Component	P	F	R
6.1 Lamps	/			6.4 Instrument Lamps		/	
6.2 Reflex Reflector				6.5 Headlamp Aiming	/	/	
6.3 Retroreflective Markings		/		6.6 Aiming Screen			

NOTES:

6.3 Rear mudflaps - No reflex tape and sides of deck - front 6.4 - Burned out dash lights

Section 7 - Electrical System

Component	P	F	R	Component	P	F	R
7.1 Wiring	/			7.3 Switches	/	/	
7.2 Battery	/			7.4 Trailer Cord		/	

NOTES:

7.4 - Need trailer plug - in - Rear.

Section 8 - Body

Component	P	F	R	Component	P	F	R
8.1 Hood	/			8.11 Rear Window	/		
8.2 Tilt Cab	/			8.12 Frame Rails & Mounts	/		
8.3 Air-Suspended Cabs	/			8.13 Sun Visor	/		
8.4 Vehicle Body	/			8.14 Rear view Mirrors	/		
8.5 Load Securement Points	/			8.15 Seat(s)	/		
8.6 Front Bumper	/			8.16 Seat Belts/Occupant Restraints	/		
8.7 Doors	/			8.17 Windshield Wipers/Washers	/		
8.8 Grab Handle and Step	/			8.18 Heater & Windshield Defroster	/		
8.9 Windshield	/			8.19 Fenders/Mud Flaps	/		
8.10 Side Windows	/						

NOTES:

8.17 right wiper missing washer nozzle.
8.19 rear flaps - No tape.

Section 9 - Tires and Wheels

Component	P	F	R	Component	P	F	R
9.1 Tread Depth	/			9.7 Wheel/Rim (General)	/		
9.2 Tread Section of Tire	/			9.8 Multi-Piece Wheel/Rim			
9.3 Sidewalls	/			9.9 Spoke Wheel/Demountable Rim System			
9.4 Tire Pressure		/		9.10 Disc Wheel System			
9.5 Hubs				9.11 Wheel Fasteners (Nuts and Studs)	/		
9.6 Wheel Bearings	/						

9.4 Tire pressure - low

Section 10 - Couplers and Hitches

Component	P	F	R	Component	P	F	R
10.1 Trailer Hitch				10.4 Oscillation Fifth Wheel			
10.2 No Slack Hitch				10.5 Permanently Attached Equipment	/		
10.3 Fifth Wheel Coupler							

Certification

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # _____) FAILED ☒ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2016.04.24	CO 841	10940	Allan Brumbyail

Customer Acknowledgment

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the

Date (Year/Month/Day)

2016.04.24

failed items identified on this Record of Inspection need to be re-inspected.
Additionally, if my vehicle is not presented within 10 days from the date of inspection, I
understand the whole vehicle must be re-inspected.

Customer Signature