

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

14hrs

Type of Vehicle		Gross Vehicle Weight registered	
Vehicle Information			
VIN	2	T	9
F	T	8	m
3	9	6	1
4	1	6	0
8	8		
Unit Number	83	Year	2006
Make	Beothuck	Model	F+21
Registered Owner's Name		Odometer	
Economy Landscape Group LTD		✓ 77287	
Address		Postal Code	Phone Number
14940-131 Ave Edmonton		T5V 1S8	

Drum Brakes:

Disc Brakes:

Before

psi	psi
mm	mm
10	

LEFT	FRONT	RIGHT
304.78 mm	Drums/Rotors	305.06 mm
2.52 mm	Linings/Pads	2.79 mm
	Push Rod Travel	

psi	psi
mm	mm
10	

psi	psi
mm	mm
7	

304.88 mm	Drums/Rotors	304.89 mm
2.64 mm	Linings/Pads	2.54 mm
	Push Rod Travel	

psi	psi
mm	mm
9	

psi	psi
mm	mm
9	

305.08 mm	Drums/Rotors	305.08 mm
2.80 mm	Linings/Pads	2.60 mm
	Push Rod Travel	

psi	psi
mm	mm
8	

After

psi	psi
mm	mm
80	10

255.34 mm	Drums/Rotors	255.33 mm
4.54 mm	Linings/Pads	4.48 mm
	Push Rod Travel	

psi	psi
mm	mm
80	10

psi	psi
mm	mm
80	7

255.35 mm	Drums/Rotors	255.48 mm
4.49 mm	Linings/Pads	4.51 mm
	Push Rod Travel	

psi	psi
mm	mm
80	9

psi	psi
mm	mm
80	9

255.60 mm	Drums/Rotors	255.45 mm
4.52 mm	Linings/Pads	4.48 mm
	Push Rod Travel	

psi	psi
mm	mm
80	8

Change

Park Brake Lining Left mm Right mm Trans mm  
Wheel Torque Checked ☐ Inner ft lbs Outer ft lbs

Change

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System				1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System		
A.2. Compressed Natural Gas (CNG) Fuel System						

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly		
2.4. Spring & Spring Attachment						

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components				3H.10. Electric Brake System	✓	
3H.6. Air-Over-Hydraulic Brake System				3H.12. Drum Brake System Components	✓	
3H.7. Surge Brake Controller				3H.13. Disc Brake System Components	✓	
3H.8. Vacuum System				3H.19. Brake Performance	✓	
3H.9. Air-Boosted Trailer Brake System						

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage				3A.16. S-Cam Drum Brake System		
3A.4. Air Tank				3A.17. Brake Shoe Travel (Wedge Brakes)		
3A.8. Brake Valves & Controls				3A.18. Disc Brake System Components		
3A.12. Parking Brake & Emergency Application				3A.20. Anti-Lock Brake System (ABS)		
3A.13. Air System Components				3A.22. Stability Control System (ESC) or (RSS)		
3A.14. Brake Chamber				3A.23. Brake Performance		
3A.15. Drum Brake System Components						

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage				4.5. Self Steer & Controlled-Steer Axle		
4.4. Kingpin						

NOTES:

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

## Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher							

NOTES:

## Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	/			6.3. Retro-Reflective Marking			
6.2. Reflex Reflector	/						

NOTES:

## Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery							

NOTES:

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body				8.11. Refrigeration/Heater Unit Fuel System			
8.6. Frame Rails & Mounts				8.21. Fender/Mud Flap			
8.7. Unitized Body Elements				8.22. Landing Gear on Trailer	/		
8.8. Cab or Cargo Door				8.23. Sliding Axle Assembly (Sliding Bogie)			
8.9. Cargo Tank or Vessel				8.24. Aerodynamic Device & Attachment			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle				8.25. Rear Impact Guard (RIG)			

*Rear ramp had bent*

NOTES:

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	/			9.7. Wheel/Rim	/		
9.2. Tire Tread Condition	/			9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings	/			9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure	/			9.10. Disc Wheel System			
9.5. Wheel Hub	/			9.11. Wheel Fasteners (Nuts, Bolts & Studs)	/		
9.6. Wheel Bearing	/						

NOTES:

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	/			10.6. Automated Coupling Device			
10.2. Secondary Attachment (Safety Chain or Cable)	/			10.7. Fifth Wheel Coupler			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	/			10.8. Oscillating Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.9. Ball-Bearing Type Turntable on Trailer			
10.5. Roll-Coupling Hitch							

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

## NOTES:

### Certification

The Vehicle for which this Record of Inspection is issued has \_\_\_\_\_ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
05/07/2018	A1759	10940	

### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

05/07/2018

Customer Signature



## Work Order #: WO5477

Issued: 5/19/2017

Completed:

Mileage 0

Vendor:

Assigned To: Kozak, Ray

Notes: Right side marker lights out.

### Toro Trailer

Mileage 0

Unit #: 083

Tag #: V772-87

Type: TRIPLE AXLE

Operator: Mitchell, Wayne

Serial #: 2T9FT8M3961416088

### Repair Maintenance

☒ Repair right side marker lights

Type

Cost

\$0.00

Total:

\$0.00

Technician Notes: Removed Damaged Marker light box

Replaced with P/T# 46792 (Clearance light) box

Noticed safety chains were unacceptable, Replaced  
chains and used #2 Hlinks P/T# 66139.

PM: \$0.00

Repairs: \$0.00

Parts: \$0.00

Labor: \$0.00

Custom: \$0.00

Taxes: \$0.00

**TOTAL: \$0.00**

\*\*\* End Work Order # \*\*\*

WO5477

DRIVER'S DAILY VEHICLE INSPECTION REPORT

Economylandscape Farm ELC  
CARRIER LOCATION OF INSPECTION  
14940-13 Ave May 18/17  
ADDRESS INSPECTION DATE  
Edmonton Boothuck  
CITY VEHICLE MAKE / MODEL  
ODOMETER (MILES / KM)

☒ PRE-TRIP ☐ POST-TRIP  
WA NA  
TRACTOR/TRUCK LIC. PLATE # JURISDICTION  
83#V722-87 AB  
TRAILER #1 LIC. # JURISDICTION  
NA WA  
TRAILER #2 LIC. # JURISDICTION

No Defects Found ☐ I declare that the vehicle(s) shown above has (have) been inspected in accordance with the applicable requirements of Schedule 1 and / or jurisdiction legislation.  
Wayne Mitchell Wayne Mitchell  
Inspector / Driver's Name Print Inspector / Driver's Signature  
Driver's Signature (If different from Inspector) NA

CHECK ANY DEFECTIVE ITEM AND GIVE DETAILS UNDER REMARKS REFER TO ACCOMPANYING SCHEDULE 1 TO IDENTIFY DEFECTS

TRACTOR/ TRUCK	TRAILER #	TRACTOR/ TRUCK	TRACTOR/ TRUCK
	1	2	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Air Brake Adjustments
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Brakes - Pedal/Booster/Gauges
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Brakes - Warning Lights: Low Pressure, Vacuum/Failure
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Compressor
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Hoses & Connections
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Hydraulic Brake Fluid
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Parking Brakes
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Battery
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Defroster/Heater
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Documents - Registration, etc.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Driver Controls
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Driver Seat
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Emergency Equipment/Safety Devices
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Exhaust System
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Fifth Wheel
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Fuel System
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> General
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Glass & Mirrors
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Horn
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Pintle Hook
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Power Steering System
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Radiator
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Steering Mechanism
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Towing Attachment
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Windshield Wiper/Washer
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Brake Adjustments
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Brake Connections
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Cargo Securement
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Coupling Devices
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Dangerous Goods Placard/Holder
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Frame & Cargo Body
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Inspection Decal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Lamps & Reflectors
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Plate Validation Sticker
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Suspension System
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Tires
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Wheels/Hubs/Fasteners

DEFECTS EN ROUTE left and right marker lights  
REMARKS Trailer

Vehicle/Load: Height/Width  
(MB Reg. 95/2008)  
/   
/   
/

☐ Above defects corrected ☐ Above defects need not be corrected for safe operation of vehicle  
[Signature] [Signature] [Signature]  
Signature of Authorized Repair Person Date Driver's Signature Date  
PRINTED IN CANADA Form 712/ (REV 01/15)

# Work Order #: ELC5420

Issued: 4/20/2017  
Completed: 4/20/2017  
Mileage: 0  
Vendor:  
Assigned To: CUROE, JASON  
Notes: Perform 3 month inspection and inspect for CVIP.

## Toro Trailer

Mileage: 0  
Unit #: 083  
Tag #: V772-87  
Type: TRIPLE AXLE  
Operator: ,  
Serial #: 2T9FT8M3961416088

Preventive Maintenance	Type	Cost
<input checked="" type="checkbox"/> 3 month inspection	Inspection	\$0.00
Total:		\$0.00

Labor	Description	Hours	Rate	Cost
CUROE, JASON	Remove all wheels and drums. check, and measure brakes as well wheel bearings. Inspect all lights and reflective tape. Inspect brake-away system	4	\$60.00	\$240.00
Total:				\$240.00

Technician Notes: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

PM:	\$0.00
Repairs:	\$0.00
Parts:	\$0.00
Labor:	\$240.00
Custom:	\$0.00
Taxes:	\$0.00
<b>TOTAL:</b>	<b>\$240.00</b>

\*\*\* End Work Order # \*\*\*

ELC5420

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY AND COVERTER**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered kg									
Vehicle Information																			
VIN	2	T	9	F	T	8	M	3	9	6	1	4	1	6	0	8	8		
Unit Number		Year		Make				Model				Odometer							
83		2006		Beothuck				F+21											
Registered Owner's Name																Plate Number			
																V77287			
Address												Postal Code				Phone Number			

		LEFT	FRONT	RIGHT		
psi	85 psi	306.08	mm Drums/Rotors	305.85	mm	85 psi
mm	10 mm	3.67	mm Linings/Pads	4.00	mm	6 mm
			mm Push Rod Travel		mm	
			mm Cam Rotation		mm	
psi	85 psi	306.01	mm Drums/Rotors	305.75	mm	85 psi
mm	6 mm	4.96	mm Linings/Pads	3.93	mm	8 mm
			mm Push Rod Travel		mm	
			mm Cam Rotation		mm	
psi	85 psi	305.98	mm Drums/Rotors	306.06	mm	85 psi
mm	9 mm	4.74	mm Linings/Pads	4.73	mm	10 mm
			mm Push Rod Travel		mm	
			mm Cam Rotation		mm	
psi	psi		mm Drums/Rotors		mm	psi
mm	mm		mm Linings/Pads		mm	mm
			mm Push Rod Travel		mm	
			mm Cam Rotation		mm	
psi	psi		mm Drums/Rotors		mm	psi
mm	mm		mm Linings/Pads		mm	mm
			mm Push Rod Travel		mm	
			mm Cam Rotation		mm	

Park Brake Lining Left \_\_\_\_\_ mm Right \_\_\_\_\_ mm Trans \_\_\_\_\_ mm

Wheel Torque Checked ☐ Inner \_\_\_\_\_ ft lbs Outer \_\_\_\_\_ ft lbs



# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY AND COVERTER

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System				1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System		
A.2. Compressed Natural Gas (CNG) Fuel System						

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	X			2.5. Air Suspension		
2.2. Axle Attaching & Tracking Components	X			2.6. Self-Steer & Controlled-Steer Axle		
2.3. Axle & Axle Assembly	X			2.7. Shock Absorber/Strut Assembly		
2.4. Spring & Spring Attachment						

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components				3H.10. Electric Brake System	X	
3H.6. Air-Over-Hydraulic Brake System				3H.12. Drum Brake System Components	X	
3H.7. Surge Brake Controller				3H.13. Disc Brake System Components		
3H.8. Vacuum System				3H.19. Brake Performance	X	
3H.9. Air-Boosted Trailer Brake System						

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage				3A.16. S-Cam Drum Brake System		
3A.4. Air Tank				3A.17. Brake Shoe Travel (Wedge Brakes)		
3A.8. Brake Valves & Controls				3A.18. Disc Brake System Components		
3A.12. Parking Brake & Emergency Application				3A.20. Anti-Lock Brake System (ABS)		
3A.13. Air System Components				3A.22. Stability Control System (ESC) or (RSS)		
3A.14. Brake Chamber				3A.23. Brake Performance		
3A.15. Drum Brake System Components						

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage				4.5. Self Steer & Controlled-Steer Axle		
4.4. Kingpin						

NOTES:

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY AND COVERTER

## Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher							

NOTES:

## Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	X			6.3. Retro-Reflective Marking	X		
6.2. Reflex Reflector	X						

NOTES:

## Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	X			7.3. Trailer Cord (output to towed vehicle)	X		
7.2. Battery	X						

NOTES:

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	X			8.11. Refrigeration/Heater Unit Fuel System	X		
8.6. Frame Rails & Mounts	X			8.21. Fender/Mud Flap	X		
8.7. Unitized Body Elements				8.22. Landing Gear on Trailer			
8.8. Cab or Cargo Door				8.23. Sliding Axle Assembly (Sliding Bogle)			
8.9. Cargo Tank or Vessel				8.24. Aerodynamic Device & Attachment			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	X			8.25. Rear Impact Guard (RIG)			

NOTES:

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	X			9.7. Wheel/Rim	X		
9.2. Tire Tread Condition	X			9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings	X			9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure	X			9.10. Disc Wheel System			
9.5. Wheel Hub	X			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	X		
9.6. Wheel Bearing	X						

NOTES:

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	X			10.6. Automated Coupling Device			
10.2. Secondary Attachment (Safety Chain or Cable)	X			10.7. Fifth Wheel Coupler			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	X			10.8. Oscillating Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.9. Ball-Bearing Type Turntable on Trailer			
10.5. Roll-Coupling Hitch							

NOTES:

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY AND COVERTER**

**Certification**

The Vehicle for which this Record of Inspection is issued has PASS the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

Technician Number

Facility Number

Signature

2017/4/19

C2422

10940



**Customer Acknowledgment**

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2017/4/19

Customer Signature



**Work Order #: ELC4183**ECONOMY LANDSCAPE  
Trailers

Issued: 4/4/2013  
Completed: 04/04/2013  
Mileage: 0  
Vendor:  
Assigned To: CARVALHO, TONY  
Notes:

**Toro Trailer**

Mileage	0	Type:	TRIPLE AXLE
Unit #:	083	Driver:	,
Tag #:	V772-87	VIN #:	2T9FT8M3961416088

**Preventive Maintenance**☒ Annual Maintenance

Type	Cost
Other	\$365.00

Parts Required	Name	Qty	Unit Cost	Cost
DUST CAP		2	\$2.50	\$5.00

Technician	Description	Hours	Rate	Cost
CARVALHO, TONY	CHECK BRAKES CHECK WHEEL BEARINGS CHECK LIGHTS CHECK BRAKE AWAY SYSTEM	8	\$45.00	\$360.00

<b>Total:</b>	<b>\$365.00</b>
---------------	-----------------

**Technician Notes:**

PM:	\$365.00
Repairs:	\$0.00
Parts:	\$5.00
Labor:	\$360.00
Custom	\$0.00
Taxes:	\$0.00
<b>TOTAL:</b>	<b>\$365.00</b>

**\*\*\* End Work Order # \*\*\*****ELC4183**

**Work Order #:**

Issued:

Completed:

Vendor:

Assigned To:

Notes:

Unit #: 83

Tag #: V772-87

Type:

Beothuck Trailer

Driver:

VIN #:

					Type	Cost
<input type="checkbox"/>	Parts Required	Name	Qty	Unit Cost	Cost	
<input type="checkbox"/>	Technician	Description	Hours	Rate	Cost	
Total:						\$0.00

Part	Name	Used	Unit Cost	Cost
Total:				\$0.00
Labor	Description	Hours	Rate	Cost
Total:				\$0.00

**Parts**

QTY	Part #	Part Description
2		Dust caps for wheels

**Labour**

Date	Name	In	Out	Work Performed

\*\*\* End Work Order # \*\*\*

TOTAL:

m.m. PSI	
-------------	--

m.m. PSI	8	32
-------------	---	----

m.m. PSI	5	32
-------------	---	----

m.m. PSI	8	32
-------------	---	----

LEFT	FRONT	RIGHT
	DRUM/ROTORS	
	LININGS/PADS	
	PUSH ROD TRAVEL	
	CAM ROTATION	
312.42mm	DRUM/ROTORS	312.42mm
6.72mm	LININGS/PADS	6.39mm
	PUSH ROD TRAVEL	
	CAM ROTATION	
312.42mm	DRUM/ROTORS	313.69mm
5.71mm	LININGS/PADS	5.48mm
	PUSH ROD TRAVEL	
	CAM ROTATION	
313.69mm	DRUM/ROTORS	312.42mm
6.61mm	LININGS/PADS	6.59mm
	PUSH ROD TRAVEL	
	CAM ROTATION	

☐ Wheel Torque Checked ( \_\_\_\_\_ lbs)

m.m. PSI	
-------------	--

m.m. PSI	7	32
-------------	---	----

m.m. PSI	8	32
-------------	---	----

m.m. PSI	8	32
-------------	---	----

12.30  
12.30  
12.35

312.42  
313.69

12.30  
12.35  
12.30

*History (Detailed)*  
Date Completed: 01/10/2010 - 03/03/2011

**CATEGORY: Trailers**

**LOCATION: ECONOMY LANDSCAPE**

**Toro Trailer**  
2006 BEOTHUCK Flatdeck

Vehicle #: 083      Serial #: 2T9FT8M3961416088  
Tag #: V772-87  
Mileage 0

Date	Notes	Vendor	Employee	Total Cost
03/03/2011 10:22:01 AM			SIMAO, KEVIN	\$0.00

***Maintenance Performed***

**Maintenance Service**

**Cost**

**Annual Maintenance**

**\$0.00**

**Total:**

**\$0.00**

<b>Total:</b>	<b>\$0.00</b>	<b>\$0.00</b>
---------------	---------------	---------------

**Grand Total:**

**\$0.00**

# ECONOMY LANDSCAPE FLEET MAINTENANCE CHECKLIST

Unit #: 83

Milage:

Date: MAR 2/2011

Year:

Make Beothuck

Model: FT 21

Serial #: 2T9FT8M39614116088

Inspected by:

Items Inspected	OK	Needs Attention	Notes	Technician Initial
<b>A. Visual Inspection Under Hood</b>				
1. Belts				
2. Hoses				
3. Cables				
4. Air Filter				
5. Windshield Washer Fluid				
6. Brake Fluid				
7. P/S Fluid				
8. Battery Fluid				
9. Coolant Level				
10. Trans Fluid				
11. Cleanliness				

## B. Lighting

1. Headlamps				
2. Tailights	✓			KS/TS
3. Cl Lights	✓			KS/TS
4. Brake Lights	✓			KS/TS
5. Turn Signals	✓			KS/TS
6. Hazard Lights	✓			KS/TS
7. Beacon				
8. Spot Light				
9. Reflectors	✓			KS/TS

## C. Under Chasis Inspection

1. Change Oil				
2. Change Filter				
3. Differential (s)				
4. All other gear boxes				
5. Exhaust				



**D. Steering & Suspension**

1. Balljoints

2. Tire Rods

3. Wheel Bearings

4. Springs

5. Pitman

6. Drive Shaft

7. Brakes

8. Tires, Condition

9. Tires, Rotate

**E. Multi Purpose Grease**

1. Drive Shaft

2. Suspension Components

3. Steering Components

4. All Misc Zerts

**F. Vehicle Tare Weights**

1. Displayed on vehicle

**G. Final Inspection**

1. All Plugs & Filters Tight  
Run & Check for 5 minutes for

2. fluid leaks

3. Body Condition

4. Park Brake Test

5. Road Test

Signed: \_\_\_\_\_

	LEFT	FRONT	RIGHT	
m.m. PSI	9/32 80	DRUM/ROTORS 12.020 LININGS/PADS 0.269 PUSH ROD TRAVEL CAM ROTATION	12.020 0.269	m.m. PSI
m.m. PSI	10/32 80	DRUM/ROTORS 12.010 LININGS/PADS 0.240 PUSH ROD TRAVEL CAM ROTATION	12.010 0.267	m.m. PSI
m.m. PSI	7/32 80	DRUM/ROTORS 12.025 LININGS/PADS 0.262 PUSH ROD TRAVEL CAM ROTATION	12.010 0.260	m.m. PSI
m.m. PSI		DRUM/ROTORS LININGS/PADS PUSH ROD TRAVEL CAM ROTATION		m.m. PSI

☐ Wheel Torque Checked ( \_\_\_\_\_ lbs)

Category: Trailers

Location: ECONOMY LANDSCAPE

## Work Order #: ELC3438

Work Order #: ELC3438  
Date Issued: 05/03/2012  
Date Completed:  
Mileage: 0  
Vendor:  
Assigned To: CARVALHO, TONY

### Toro Trailer

Mileage: 0  
Vehicle #: 083  
Type: TRIPLE AXLE  
Color: Green  
Driver:  
VIN #: 2T9FT8M3961416088

### Notes:

### Repairs Due:

Complete?	Date	Repair Performed	Cost
<input checked="" type="checkbox"/>	03/05/2012	repair as required	\$0.00
Total:			\$0.00

### Parts

QTY	Part #	Part Description
1	30200RP	marker light
1	60151	Courtesy Lamp or licence plate light
1		brake auxiliary cable

### Labour

Date	Name	In	Out	Work Performed
MAR. 5/12	TONY CARVALHO	10:50 AM	4:30 PM	REPAIR AS REQUIRED FOR CUIP.

ENTERED

**\*\* End Work Order # ELC3438**

Work Order Total: \$0.00

**Grand Total: \$0.00**

LEFT		FRONT		RIGHT	
12.015		DRUM/ROTORS		12.015	
4.36/4.60		LININGS/PADS		4.96/4.40	
		PUSH ROD TRAVEL			
		CAM ROTATION			
m.m. PSI		m.m. PSI		m.m. PSI	
9/32	80			8/32	80
12.015		DRUM/ROTORS		12.015	
3.75/3.69		LININGS/PADS		4.58/3.67	
		PUSH ROD TRAVEL			
		CAM ROTATION			
m.m. PSI		m.m. PSI		m.m. PSI	
10/32	80			10/32	80
12.030		DRUM/ROTORS		12.015	
4.46/4.62		LININGS/PADS		4.70/4.10	
		PUSH ROD TRAVEL			
		CAM ROTATION			
m.m. PSI		m.m. PSI		m.m. PSI	
7/32	80			8/32	80
		DRUM/ROTORS			
		LININGS/PADS			
		PUSH ROD TRAVEL			
		CAM ROTATION			
m.m. PSI		m.m. PSI		m.m. PSI	

☐ Wheel Torque Checked ( \_\_\_\_\_ lbs)

**Work Order #: ELC4557****ECONOMY MAIN  
Trailers**

**Issued:** 2/25/2014  
**Completed:** 02/25/2014  
**Mileage:** 0  
**Vendor:**  
**Assigned To:** SILVA, TONY  
**Notes:**

**Toro Trailer**

**Mileage:** 0  
**Unit #:** 083  
**Tag #:** V772-87  
**Type:** TRIPLE AXLE  
**Driver:**  
**VIN #:** 2T9FT8M3961416088

Repair Maintenance	Type	Cost
<input checked="" type="checkbox"/> repair as required		\$0.00
<b>Total:</b>		<b>\$0.00</b>

Part	Name	Used	Unit Cost	Cost
11-700	7 WAY MALE PLUG	1	\$9.16	\$9.16
2028	BREAKAWAY KIT W/CHARGER	1	\$60.94	\$60.94
<b>Total:</b>				<b>\$70.10</b>

Labor	Description	Hours	Rate	Cost
SIMAO, KEVIN	repair as required	4	\$40.00	\$160.00
<b>Total:</b>				<b>\$160.00</b>

**Technician Notes:**

PM:	\$0.00
Repairs:	\$0.00
Parts:	\$70.10
Labor:	\$160.00
Custom	\$0.00
Taxes:	\$0.00
<b>TOTAL:</b>	<b>\$230.10</b>

**\*\*\* End Work Order # \*\*\***  
**ELC4557**

**Work Order #: ELC4557**ECONOMY MAIN  
Trailers

Issued: 2/25/2014  
Completed:  
Mileage 0  
Vendor:  
Assigned To: SILVA, TONY  
Notes:

**Toro Trailer**

Mileage 0 Type: TRIPLE AXLE  
Unit #: 083 Driver:  
Tag #: V772-87 VIN #: 2T9FT8M3961416088

Repair Maintenance	Type	Cost
<input type="checkbox"/> repair as required		\$0.00
<b>Total:</b>		<b>\$0.00</b>

**Technician Notes:**

PM: \$0.00  
Repairs: \$0.00  
Parts: \$0.00  
Labor: \$0.00  
Custom: \$0.00  
Taxes: \$0.00  
**TOTAL: \$0.00**

**Parts**

QTY	Part #	Part Description
1	<del>2028</del> 2028	Breakaway Switch Kit
1	11-700	Trailer plug

**Labour**

Date	Name	In	Out	Work Performed
Feb 25/14	Kevin Tony	1:00PM	3:00PM	Full service + maintenance

**\*\*\* End Work Order # ELC4557**

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>		<b>Gross Vehicle Weight Registered</b>	
Trailer <input checked="" type="checkbox"/>	Converter <input type="checkbox"/>		
<b>Vehicle Information</b>			
<b>VIN</b>	2	T	9
	F	T	8
	M	3	9
	6	1	4
	1	6	0
	8	8	
Unit Number <b>83</b>	Year <b>2006</b>	Make <b>Beethuck</b>	Model <b>Utility Trailer</b>
Registered Owner's Name		Signature	
Address		Postal Code	Phone Number

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>		
<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">5/32 mm</div>	<div style="border: 1px solid black; padding: 2px;">305.562 3.37/2.90</div>	Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation	<div style="border: 1px solid black; padding: 2px;">305.308 4.21/2.74</div>	<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">6/32 mm</div>
<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">5/32 mm</div>	<div style="border: 1px solid black; padding: 2px;">305.562 2.81/2.80</div>	Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation	<div style="border: 1px solid black; padding: 2px;">305.308 3.82/2.90</div>	<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">7/32 mm</div>
<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">9/32 mm</div>	<div style="border: 1px solid black; padding: 2px;">305.816 3.37/2.70</div>	Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation	<div style="border: 1px solid black; padding: 2px;">305.308 3.50/2.83</div>	<div style="border: 1px solid black; padding: 2px;">80 psi</div>	<div style="border: 1px solid black; padding: 2px;">7/32 mm</div>
<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>		Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation		<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>
<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>		Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation		<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>
<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>		Drums / Rotors Linings / Pads Push Rod Travel Cam Rotation		<div style="border: 1px solid black; padding: 2px;">psi</div>	<div style="border: 1px solid black; padding: 2px;">mm</div>

Park Brake Lining Left \_\_\_\_\_mm Right \_\_\_\_\_mm Trans \_\_\_\_\_mm

Wheel Torque Checked ☐ Inner \_\_\_\_\_ft lbs Outer \_\_\_\_\_ft lbs

Section 2. Suspension							
Component	P	F	R	Component	P	F	R
2.1 Suspension Attachments				2.5 Air Suspended Axle			
2.2 Leaf Springs and Attachments				2.6 Self-Steering Axles			
2.3 Rubber Load Cushion				2.7 Shock Absorbers			
2.4 Air Suspension							
NOTES:							
Section 3. Hydraulic Brake System							
Component	P	F	R	Component	P	F	R
3.1 Hydraulic System				3.4 Drum Brakes			
3.2 Vacuum System				3.5 Disc Brakes			
3.3 Vacuum Reserve				3.6 Electric Brakes			
NOTES:							
Section 3.A-Air Brakes							
Component	P	F	R	Component	P	F	R
3A.1 Air Brake Components				3A.8 Mechanical Components			
3A.2 Air System Leakage				3A.9 Drum Brakes			
3A.3 Quick Release/Relay Valves				3A.10 Brake Drums			
3A.4 Air Parking and Emergency Brake Application				3A.11 Brake Adjustment			
3A.5 Spring Brake Control Valve				3A.12 Disc Brakes			
3A.6 Brake Camshafts				3A.13 Anti-Lock Brake System			
3A.7 Camshaft Rotation							
NOTES:							
Section 4. Steering							
Component	P	F	R	Component	P	F	R
4.1 Travel				4.3 Gauges and Operating Instructions			
4.2 Steering Linkage				4.4 Kingpin Play			
NOTES:							
Section 6. Instruments and Auxiliary Equipment							
Component	P	F	R	Component	P	F	R
5.1 Manufacturer's Label				5.3 Heater/Refrigeration Unit			
5.2 Permanently Attached Equipment							
NOTES:							
Section 6 - Lamps							
Component	P	F	R	Component	P	F	R
6.1 Lamps				6.3 Retroreflective Markings			
6.2 Reflex Reflector							
NOTES:							
Section 7 - Electrical System							
Component	P	F	R	Component	P	F	R
7.1 Wiring							
NOTES:							
Section 8 - Body							
Component	P	F	R	Component	P	F	R
8.1 Body				8.5 Load Securement Points			
8.2 Fenders/Mud Flaps				8.6 Rear Impact Guards			
8.3 Landing Gear				8.7 Corrosion			
8.4 Frame and Cross members							



NOTES:

### Section 9 – Tires and Wheels

Component	P	F	R	Component	P	F	R
9.1 Tread Depth				9.7 Wheel/Rim			
9.2 Tread Section of Tire				9.8 Multi-Piece Wheel/Rim			
9.3 Sidewalls				9.9 Spoke Wheel/Demountable Rim System			
9.4 Tire Pressure				9.10 Disc Wheel System			
9.5 Hubs				9.11 Wheel Fasteners			
9.6 Wheel Bearings							

### Section 10 – Couplers and Hitches

Component	P	F	R	Component	P	F	R
10.1 Upper Fifth Wheel				10.4 Secondary Attachments			
10.2 Trailer Hitch				10.5 Fifth Wheel Coupler & Converter Dolly			
10.3 No Slack Hitch				10.6 Oscillating Fifth Wheel			

### Certification

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # \_\_\_\_\_) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, *Alberta Regulation 211/2006* and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

### Customer Acknowledgment

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.

Date (Year/Month/Day)

Customer Signature



UNIT #	TIME IN	TIME OUT	NOTES
83			
DATE FEB 26/2015	7:00am	12:00pm	Full Service
MAKE Beothuck			
MODEL F2a1			
MILEAGE			

*Acuvata rusteiron* (Cuv)



## TECH. NOTES

## PARTS

[illegible]

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight Registered</b>									
Trailer <input checked="" type="checkbox"/> Converter <input type="checkbox"/>																			
<b>Vehicle Information</b>																			
VIN		2	T	9	F	T	8	M	3	9	6	1	4	1	6	0	8	8	
Unit Number		Year		Make						Model						Odometer			
83		2006		Beothuch						FT21									
Registered Owner's Name										Signature									
Address										Postal Code				Phone Number					

  

		<b>LEFT</b>		<b>FRONT</b>		<b>RIGHT</b>			
<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">9/32 mm</div>		305.181		Drums / Rotors		305.181		<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">8/32 mm</div>	
		4.30/3.77		Linings / Pads		3.55/4.00			
				Push Rod Travel					
				Cam Rotation					
<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">4/32 mm</div>		305.181		Drums / Rotors		305.181		<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">5/32 mm</div>	
		2.90/3.30		Linings / Pads		2.80/3.55			
				Push Rod Travel					
				Cam Rotation					
<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">7/32 mm</div>		305.562		Drums / Rotors		305.181		<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">80 psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">5/32 mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div>	
		4.18/3.52		Linings / Pads		3.58/3.57			
				Push Rod Travel					
				Cam Rotation					
<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div>				Drums / Rotors				<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div>	
				Linings / Pads					
				Push Rod Travel					
				Cam Rotation					
<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div>				Drums / Rotors				<div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">psi</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div> <div style="border: 1px solid black; padding: 2px; width: 40px; float: left;">mm</div>	
				Linings / Pads					
				Push Rod Travel					
				Cam Rotation					

  

Park Brake Lining   Left \_\_\_\_\_ mm   Right \_\_\_\_\_ mm   Trans \_\_\_\_\_ mm

Wheel Torque Checked ☐   Inner \_\_\_\_\_ ft lbs   Outer 150 ft lbs

Section 2. Suspension									
Component	P	F	R	Component	P	F	R		
2.1 Suspension Attachments				2.5 Air Suspended Axle					
2.2 Leaf Springs and Attachments				2.6 Self-Steering Axles					
2.3 Rubber Load Cushion				2.7 Shock Absorbers					
2.4 Air Suspension									

NOTES:

Section 3. Hydraulic Brake System									
Component	P	F	R	Component	P	F	R		
3.1 Hydraulic System				3.4 Drum Brakes					
3.2 Vacuum System				3.5 Disc Brakes					
3.3 Vacuum Reserve				3.6 Electric Brakes					

NOTES:

Section 3.A-Air Brakes									
Component	P	F	R	Component	P	F	R		
3A.1 Air Brake Components				3A.8 Mechanical Components					
3A.2 Air System Leakage				3A.9 Drum Brakes					
3A.3 Quick Release/Relay Valves				3A.10 Brake Drums					
3A.4 Air Parking and Emergency Brake Application				3A.11 Brake Adjustment					
3A.5 Spring Brake Control Valve				3A.12 Disc Brakes					
3A.6 Brake Camshafts				3A.13 Anti-Lock Brake System					
3A.7 Camshaft Rotation									

NOTES:

Section 4. Steering									
Component	P	F	R	Component	P	F	R		
4.1 Travel				4.3 Gauges and Operating Instructions					
4.2 Steering Linkage				4.4 Kingpin Play					

NOTES:

Section 5. Instruments and Auxiliary Equipment									
Component	P	F	R	Component	P	F	R		
5.1 Manufacturer's Label				5.3 Heater/Refrigeration Unit					
5.2 Permanently Attached Equipment									

NOTES:

Section 6 - Lamps									
Component	P	F	R	Component	P	F	R		
6.1 Lamps				6.3 Retroreflective Markings					
6.2 Reflex Reflector									

NOTES:

Section 7 - Electrical System									
Component	P	F	R	Component	P	F	R		
7.1 Wiring									

NOTES:

Section 8 - Body									
Component	P	F	R	Component	P	F	R		
8.1 Body				8.5 Load Securement Points					
8.2 Fenders/Mud Flaps				8.6 Rear Impact Guards					
8.3 Landing Gear				8.7 Corrosion					
8.4 Frame and Cross members									

NOTES:

### Section 9 – Tires and Wheels

Component	P	F	R	Component	P	F	R
9.1 Tread Depth				9.7 Wheel/Rim			
9.2 Tread Section of Tire				9.8 Multi-Piece Wheel/Rim			
9.3 Sidewalls				9.9 Spoke Wheel/Demountable Rim System			
9.4 Tire Pressure				9.10 Disc Wheel System			
9.5 Hubs				9.11 Wheel Fasteners			
9.6 Wheel Bearings							

### Section 10 – Couplers and Hitches

Component	P	F	R	Component	P	F	R
10.1 Upper Fifth Wheel				10.4 Secondary Attachments			
10.2 Trailer Hitch				10.5 Fifth Wheel Coupler & Converter Dolly			
10.3 No Slack Hitch				10.6 Oscillating Fifth Wheel			

### Certification

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # \_\_\_\_\_) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, *Alberta Regulation 211/2006* and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

### Customer Acknowledgment

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.

Date (Year/Month/Day)

Customer Signature



# PICK TICKET

GREGG DISTRIBUTORS LP  
16215 - 118 AVENUE  
EDMONTON, AB T5V 1C7  
(780)447-3447 FAX (780)451-2528



## SHIP TO

BILL TO	CUSTOMER NO.	TERRITORY	TIME	CUSTOMER NO.	TERRITORY	PG	1 OF	1
	074600	AAB	9:13	074600	AAB			
ECONOMY LANDSCAPE CONTRACTORS 14940 - 131 AVENUE EDMONTON, AB T5V 1S8 (780)452-4479			ECONOMY LANDSCAPE CONTRACTORS 14940 - 131 AVENUE EDMONTON, AB T5V 1S8 (780)452-4479			074600596145 00100000009		

ORDER NUMBER  
596145

GREGG DISTRIBUTORS

REGULAR ORDER PICK TICKET

MO. DAY YR. ENTERED BY  
2/25/15 HLM

YOUR ORDER NUMBER  
04787

TERMS  
NET 30 DAYS

SHIPPED VIA  
CUST. PICK UP

BIN LOCATION	QTY ORDERED	UNIT	QTY SHIPPED	BACK ORDERED	PROD. ABBR.	PART NUMBER/DESCRIPTION	INPUT CODE	LIST PRICE	NET PRICE	CODE
X M03A26	3	EA				BRA 101-B	1	9.12	4.560	
X H1 141						1/4NPT FEMALE TEE				
X M03C08	3	EA				BRA 127-B	2	9.28	4.640	
X D1 489						1/4NPT RUN TEE				
X M09D31	3	EA				FAS AB3C-038-3600	3	6.17	2.470	
X D1 197						3/8 PL NC 3 FT ALLOY BAR				
						51543				
X P32B38	2	EA				BUY BDB125015	4	228.12	152.080	
X A1 054						4 BOLT MOUNT DRAWBAR				

UNIT# 83

W.O.# 1038

TOTAL	BOX	BAG	COIL	BDL.	REEL	BRL.	PAIL	FILLED BY	CHECKED BY	ALL CLAIMS FOR SHORTAGES MUST BE MADE WITHIN 5 DAYS OF RECEIVING GOODS. ALL RETURNS MUST BE PRE-AUTHORIZED AND SUBJECT TO A RESTOCKING CHARGE.	ID #	152789-020
								HLM	HLM			
								PALLET	SHIPPED BY	PROC. BY		
									HLM			
OTHER										RECEIVED BY		
											Raymond Korak	PRINT NAME

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight Registered									
Trailer <input checked="" type="checkbox"/> Converter <input type="checkbox"/>																			
Vehicle Information																			
VIN	2	T	9	F	T	8	M	3	9	6	1	4	1	6	0	8	8		
Unit Number		Year		Make						Model						Odometer			
83		2006		BEOTHUCK						FT21									
Registered Owner's Name										Signature									
Address										Postal Code					Phone Number				

  

Spare 9/32 80psi

LEFT		FRONT		RIGHT	
80 psi	306mm	Drums / Rotors	306mm	80 psi	306mm
8/32 mm	3.67/3.45mm	Linings / Pads	3.40/3.89mm	7/32 mm	3.40/3.89mm
		Push Rod Travel			
		Cam Rotation			
80 psi	306mm	Drums / Rotors	306mm	80 psi	306mm
3/32 mm	4.25/4.25mm	Linings / Pads	3.00/3.93mm	5/32 mm	3.00/3.93mm
		Push Rod Travel			
		Cam Rotation			
80 psi	306mm	Drums / Rotors	306mm	80 psi	306mm
6/32 mm	4.25/4.25mm	Linings / Pads	4.25/4.25mm	7/32 mm	4.25/4.25mm
		Push Rod Travel			
		Cam Rotation			
80 psi		Drums / Rotors		80 psi	
6/32 mm		Linings / Pads		7/32 mm	
		Push Rod Travel			
		Cam Rotation			
80 psi		Drums / Rotors		80 psi	
6/32 mm		Linings / Pads		7/32 mm	
		Push Rod Travel			
		Cam Rotation			

  

Park Brake Lining
Left \_\_\_\_mm Right \_\_\_\_mm Trans \_\_\_\_mm

Wheel Torque Checked ☐
Inner \_\_\_\_ft lbs Outer \_\_\_\_ft lbs

CV 566665 Feb. /2017

Section 2. Suspension							
Component	P	F	R	Component	P	F	R
2.1 Suspension Attachments				2.5 Air Suspended Axle			
2.2 Leaf Springs and Attachments				2.6 Self-Steering Axles			
2.3 Rubber Load Cushion				2.7 Shock Absorbers			
2.4 Air Suspension							
NOTES:							
Section 3. Hydraulic Brake System							
Component	P	F	R	Component	P	F	R
3.1 Hydraulic System				3.4 Drum Brakes			
3.2 Vacuum System				3.5 Disc Brakes			
3.3 Vacuum Reserve				3.6 Electric Brakes			
NOTES:							
Section 3.A-Air Brakes							
Component	P	F	R	Component	P	F	R
3A.1 Air Brake Components				3A.8 Mechanical Components			
3A.2 Air System Leakage				3A.9 Drum Brakes			
3A.3 Quick Release/Relay Valves				3A.10 Brake Drums			
3A.4 Air Parking and Emergency Brake Application				3A.11 Brake Adjustment			
3A.5 Spring Brake Control Valve				3A.12 Disc Brakes			
3A.6 Brake Camshafts				3A.13 Anti-Lock Brake System			
3A.7 Camshaft Rotation							
NOTES:							
Section 4. Steering							
Component	P	F	R	Component	P	F	R
4.1 Travel				4.3 Gauges and Operating Instructions			
4.2 Steering Linkage				4.4 Kingpin Play			
NOTES:							
Section 5. Instruments and Auxiliary Equipment							
Component	P	F	R	Component	P	F	R
5.1 Manufacturer's Label				5.3 Heater/Refrigeration Unit			
5.2 Permanently Attached Equipment							
NOTES:							
Section 6 - Lamps							
Component	P	F	R	Component	P	F	R
6.1 Lamps				6.3 Retroreflective Markings			
6.2 Reflex Reflector							
NOTES:							
Section 7 - Electrical System							
Component	P	F	R	Component	P	F	R
7.1 Wiring							
NOTES:							
Section 8 - Body							
Component	P	F	R	Component	P	F	R
8.1 Body				8.5 Load Securement Points			
8.2 Fenders/Mud Flaps				8.6 Rear Impact Guards			
8.3 Landing Gear				8.7 Corrosion			
8.4 Frame and Cross members							



**NOTES:****Section 9 – Tires and Wheels**

Component	P	F	R	Component	P	F	R
9.1 Tread Depth				9.7 Wheel/Rim			
9.2 Tread Section of Tire				9.8 Multi-Piece Wheel/Rim			
9.3 Sidewalls				9.9 Spoke Wheel/Demountable Rim System			
9.4 Tire Pressure				9.10 Disc Wheel System			
9.5 Hubs				9.11 Wheel Fasteners			
9.6 Wheel Bearings							

**Section 10 – Couplers and Hitches**

Component	P	F	R	Component	P	F	R
10.1 Upper Fifth Wheel				10.4 Secondary Attachments			
10.2 Trailer Hitch				10.5 Fifth Wheel Coupler & Converter Dolly			
10.3 No Slack Hitch				10.6 Oscillating Fifth Wheel			

**Certification**

The vehicle for which this Record of Inspection is issued has PASSED ☐ (Certificate # \_\_\_\_\_) FAILED ☐ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, *Alberta Regulation 211/2006* and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

**Customer Acknowledgment**

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.

Date (Year/Month/Day)

Customer Signature