


X\$D Ultra® 841
TEFC—Extra Severe Duty

Pricing



Volts: 460, 575
HP: 0.50 -300

USD


HP	RPM	Volts	Frame	FLA	Nom. Eff.	Cat No.	Model No.	List Price	Price Symbol	Norm. Stk.	Wt. (lbs)	C Dim. (in)	Notes
0.5	900	460	143T	1.3	66	M9344	5KS143XAA408	\$892	G4-7UX1	N	43	13.42	
0.5	900	575	143T	1.0	66	M9345	5KS143XAA404	\$892	G4-7UX1	N	43	13.42	
0.75	1200	460	143T	1.4	80	M354	5KS143XAA308	\$1,008	G4-7UX1	N	43	13.4	
0.75	1200	575	143T	1.1	80	M355	5KS143XAA304	\$1,008	G4-7UX1	N	43	13.4	
0.75	900	460	145T	1.9	72	M8901	5KS145XAA408	\$1,662	G4-7UX1	N	50	13.4	
0.75	900	575	145T	1.5	70	M9346	5KS145XAA404	\$1,662	G4-7UX1	N	50	13.42	
1	3600	460	143T	1.3	87.5	M8903	5KS143XAA122	\$1,035	G4-7UX1	N	43	11.6	
1	3600	575	143T	1.1	87.5	M8904	5KS143XAA120	\$1,035	G4-7UX1	N	43	11.6	
1	1800	460	143T	1.4	86.5	M352	5KS143XAA208	\$1,020	G4-7UX1	Y	43	11.6	
1	1800	575	143T	1.2	86.5	M353	5KS143XAA204	\$1,020	G4-7UX1	Y	43	11.6	
1	1200	460	145T	1.8	82.5	M363	5KS145XAA308	\$1,092	G4-7UX1	Y	50	13.4	
1	1200	575	145T	1.5	82.5	M364	5KS145XAA304	\$1,092	G4-7UX1	N	50	13.4	
1	900	460	182T	2.2	80	M9413	5KS182XAA408	\$1,334	G4-7UX1	N	76	15.9	
1	900	575	182T	1.8	80	M9482	5KS182XAA404	\$1,334	G4-7UX1	N	76	15.9	
1.5	3600	460	143T	2	87.5	M8905	5KS143XAA108	\$1,080	G4-7UX1	Y	43	11.6	
1.5	3600	575	143T	1.6	87.5	M8906	5KS143XAA104	\$1,080	G4-7UX1	N	43	11.6	
1.5	1800	460	145T	2.1	86.5	M359	5KS145XAA208	\$1,157	G4-7UX1	Y	50	11.6	
1.5	1800	575	145T	1.7	86.5	M360	5KS145XAA204	\$1,157	G4-7UX1	Y	50	11.6	
1.5	1200	460	182T	2.4	87.5	M9414	5KS182XAA308	\$1,194	G4-7UX1	Y	76	15.9	
1.5	1200	575	182T	1.9	87.5	M9483	5KS182XAA304	\$1,194	G4-7UX1	N	76	15.9	
1.5	900	460	184T	3.2	80	M9415	5KS184XAA408	\$1,577	G4-7UX1	N	101	15.9	
1.5	900	575	184T	2.6	80	M9485	5KS184XAA404	\$1,577	G4-7UX1	N	101	15.9	
2	3600	460	145T	2.7	86.5	M8907	5KS145XAA108	\$1,293	G4-7UX1	Y	43	11.6	
2	3600	575	145T	2.2	86.5	M8908	5KS145XAA104	\$1,293	G4-7UX1	N	43	11.6	
2	1800	460	145T	2.7	86.5	M361	5KS145XAA220	\$1,250	G4-7UX1	Y	50	13.4	
2	1800	575	145T	2.2	86.5	M362	5KS145XAA223	\$1,250	G4-7UX1	Y	50	13.4	
2	1200	460	184T	3	88.5	M9416	5KS184XAA308	\$1,278	G4-7UX1	Y	101	15.9	
2	1200	575	184T	2.5	88.5	M9486	5KS184XAA304	\$1,278	G4-7UX1	Y	101	15.9	
2	900	460	213T	3.8	86.5	M9417	5KS213XAA408	\$2,031	G4-7UX1	N	200	20.1	
2	900	575	213T	3	86.5	M9487	5KS213XAA404	\$2,031	G4-7UX1	N	200	20.1	
3	3600	460	182T	3.9	89.5	M9418	5KS182XAA108	\$1,178	G4-7UX1	Y	76	15.9	
3	3600	575	182T	3.1	89.5	M9488	5KS182XAA104	\$1,178	G4-7UX1	N	76	15.9	
3	1800	460	182T	4.2	89.5	M9419	5KS182XAA208	\$1,112	G4-7UX1	Y	76	15.9	
3	1800	575	182T	3.3	89.5	M9489	5KS182XAA204	\$1,112	G4-7UX1	Y	76	15.9	
3	1200	460	213T	4.2	89.5	M9420	5KS213XAA308	\$1,425	G4-7UX1	Y	200	20.1	
3	1200	575	213T	3.4	89.5	M9490	5KS213XAA304	\$1,425	G4-7UX1	Y	200	20.1	
3	900	460	215T	5.4	86.5	M9421	5KS215XAA408	\$2,621	G4-7UX1	N	220	20.1	
3	900	575	215T	4.3	86.5	M9491	5KS215XAA404	\$2,621	G4-7UX1	N	220	20.1	
5	3600	460	184T	6.3	90.2	M9422	5KS184XAA108	\$1,334	G4-7UX1	Y	101	15.9	
5	3600	575	184T	5	90.2	M9492	5KS184XAA104	\$1,334	G4-7UX1	N	101	15.9	
5	1800	460	184T	6.6	89.5	M9423	5KS184XAA208	\$1,182	G4-7UX1	Y	101	15.9	

2.1
X\$D Ultra® 841

1/4

X\$D Ultra® 841
TEFC—Extra Severe Duty

Pricing (cont.)



USD

Volts: 460, 575
HP: 0.50 - 300


HP	RPM	Volts	Frame	FLA	Nom. Eff.	Cat No.	Model No.	List Price	Price Symbol	Norm. Stk.	Wt. (lbs)	C Dim. (in)	Notes
5	1800	575	184T	5.3	89.5	M9493	5KS184XAA204	\$1,182	G4-7UX1	Y	101	15.9	
5	1200	460	215T	7.2	89.5	M9424	5KS215XAA308	\$2,007	G4-7UX1	Y	220	20.1	
5	1200	575	215T	5.4	89.5	M9494	5KS215XAA304	\$2,007	G4-7UX1	Y	220	20.1	
5	900	460	254T	8.1	89.5	M9425	5KS254XAA408	\$3,615	G4-7UX1	N	315	25.6	
5	900	575	254T	6.5	89.5	M9495	5KS254XAA404	\$3,615	G4-7UX1	N	315	25.6	
7.5	3600	460	213T	8.5	91	M9426	5KS213XAA108	\$1,740	G4-7UX1	Y	200	20.1	
7.5	3600	575	213T	6.8	91	M9496	5KS213XAA104	\$1,740	G4-7UX1	N	200	20.1	
7.5	1800	460	213T	9.1	91.7	M9427	5KS213XAA208	\$1,730	G4-7UX1	Y	200	20.1	
7.5	1800	575	213T	7.2	91.7	M9497	5KS213XAA204	\$1,730	G4-7UX1	Y	200	20.1	
7.5	1200	460	254T	9.8	91.7	M9428	5KS254XAA308	\$2,667	G4-7UX1	Y	315	25.6	
7.5	1200	575	254T	7.9	91.7	M9498	5KS254XAA304	\$2,667	G4-7UX1	Y	315	25.6	
7.5	900	460	256T	11.6	89.5	M9429	5KS256XAA408	\$4,577	G4-7UX1	N	350	25.6	
7.5	900	575	256T	9.3	89.5	M9499	5KS256XAA404	\$4,577	G4-7UX1	N	350	25.6	
10	3600	460	215T	11.2	91	M9430	5KS215XAA108	\$1,883	G4-7UX1	Y	220	20.1	
10	3600	575	215T	9	91	M9563	5KS215XAA104	\$1,883	G4-7UX1	N	220	20.1	
10	1800	460	215T	12	91.7	M9431	5KS215XAA208	\$1,929	G4-7UX1	Y	220	20.1	
10	1800	575	215T	9.6	91.7	M9564	5KS215XAA204	\$1,929	G4-7UX1	Y	220	20.1	
10	1200	460	256T	13.1	91	M9432	5KS256XAA308	\$3,260	G4-7UX1	Y	350	25.6	
10	1200	575	256T	10.5	91	M9565	5KS256XAA304	\$3,260	G4-7UX1	Y	350	25.6	
10	900	460	284T	13.8	90.2	M9433	5KS284XAA408	\$5,426	G4-7UX1	N	460	28.58	
10	900	575	284T	11	90.2	M9566	5KS284XAA404	\$5,426	G4-7UX1	N	460	28.58	
15	3600	460	254T	17.6	91.7	M9434	5KS254XAA108	\$2,588	G4-7UX1	Y	315	25.6	
15	3600	575	254T	14	91.7	M9567	5KS254XAA104	\$2,588	G4-7UX1	N	315	25.6	
15	1800	460	254T	18	92.4	M9435	5KS254XAA208	\$2,541	G4-7UX1	Y	315	25.6	
15	1800	575	254T	14.4	92.4	M9568	5KS254XAA204	\$2,541	G4-7UX1	Y	315	25.6	
15	1200	460	284T	19.6	91.7	M9436	5KS284XAA308	\$4,323	G4-7UX1	Y	460	28.58	
15	1200	575	284T	15.7	91.7	M9569	5KS284XAA304	\$4,323	G4-7UX1	Y	460	28.58	
15	900	460	286T	20.5	90.2	M9437	5KS286XAA408	\$7,089	G4-7UX1	N	510	28.58	
15	900	575	286T	16.4	90.2	M9570	5KS286XAA404	\$7,089	G4-7UX1	N	510	28.58	
20	3600	460	256T	22.6	92.4	M9438	5KS256XAA108	\$3,203	G4-7UX1	Y	350	25.6	
20	3600	575	256T	18.1	92.4	M9571	5KS256XAA104	\$3,203	G4-7UX1	N	350	25.6	
20	1800	460	256T	23.3	93	M9439	5KS256XAA208	\$3,167	G4-7UX1	Y	350	25.6	
20	1800	575	256T	18.6	93	M9572	5KS256XAA204	\$3,167	G4-7UX1	Y	350	25.6	
20	1200	460	286T	26	91.7	M9440	5KS286XAA308	\$5,268	G4-7UX1	Y	510	28.58	
20	1200	575	286T	20.8	91.7	M9573	5KS286XAA304	\$5,268	G4-7UX1	Y	510	28.58	
20	900	460	324T	29.8	91	M9441	5KS324XAA408	\$8,189	G4-7UX1	N	649	30.54	
20	900	575	324T	23.9	91	M9574	5KS324XAA404	\$8,189	G4-7UX1	N	649	30.54	
25	3600	460	284TS	27.8	93	M9442	5KS284XAA118	\$3,948	G4-7UX1	Y	460	27.2	
25	3600	460	284T	28.0	91.7	M9347	5KS284XAA108	\$3,948	G4-7UX1	N	460	28.58	
25	3600	575	284TS	22.2	93	M9575	5KS284XAA114	\$3,948	G4-7UX1	N	460	27.2	
25	3600	575	284T	22.4	91.7	M9348	5KS284XAA104	\$3,948	G4-7UX1	N	460	28.58	

X\$D Ultra® 841

20

X\$D Ultra® 841
TEFC—Extra Severe Duty

Pricing (cont.)



Volts: 460, 575
HP: 0.50 - 300

USD


HP	RPM	Volts	Frame	FLA	Nom. Eff.	Cat No.	Model No.	List Price	Price Symbol	Norm. Stk.	Wt. (lbs)	C Dim. (in)	Notes
25	1800	460	284TS	29.1	93.6	M9383	5KS284XAA218	\$3,771	G4-7UX1	N	460	27.2	
25	1800	460	284T	29.8	93.6	M9443	5KS284XAA208	\$3,771	G4-7UX1	Y	460	28.58	
25	1800	575	284T	23.8	93.6	M9576	5KS284XAA204	\$3,771	G4-7UX1	Y	460	28.58	
25	1200	460	324T	32.3	93	M9444	5KS324XAA308	\$6,669	G4-7UX1	Y	679	30.54	
25	1200	575	324T	25.8	93	M9577	5KS324XAA304	\$6,669	G4-7UX1	Y	679	30.54	
25	900	460	326T	37	91	M9445	5KS326XAA408	\$9,807	G4-7UX1	N	710	32.04	
25	900	575	326T	29.2	91	M9578	5KS326XAA404	\$9,807	G4-7UX1	N	710	32.04	
30	3600	460	286TS	33.4	93	M9446	5KS286XAA118	\$4,610	G4-7UX1	Y	510	27.2	
30	3600	460	286T	32.5	93	M9349	5KS286XAA108	\$4,610	G4-7UX1	N	510	28.58	
30	3600	575	286TS	26.7	93	M9579	5KS286XAA114	\$4,610	G4-7UX1	N	510	27.2	
30	3600	575	286T	26.0	93	M9350	5KS286XAA104	\$4,610	G4-7UX1	N	510	28.58	
30	1800	460	286TS	34.9	93.6	M9388	5KS286XAA218	\$4,383	G4-7UX1	N	510	27.2	
30	1800	460	286T	35.5	93.6	M9447	5KS286XAA208	\$4,383	G4-7UX1	Y	510	28.58	
30	1800	575	286T	28.4	93.6	M9580	5KS286XAA204	\$4,383	G4-7UX1	Y	510	28.58	
30	1200	460	326T	38.2	93	M9448	5KS326XAA308	\$7,443	G4-7UX1	Y	730	32.04	
30	1200	575	326T	30.8	93	M9581	5KS326XAA304	\$7,443	G4-7UX1	Y	730	32.04	
30	900	460	364T	42.2	92.4	M9449	5KS364XAA408	\$12,110	G4-7UX	N	1010	34.89	
30	900	575	364T	33.8	92.4	M9582	5KS364XAA404	\$12,110	G4-7UX	N	1010	34.89	
40	3600	460	324TS	46.8	94.1	M9450	5KS324XAA118	\$6,264	G4-7UX1	Y	649	29.04	
40	3600	460	324T	50.3	93.6	M9351	5KS324XAA108	\$6,264	G4-7UX1	N	640	32.04	
40	3600	575	324TS	37.4	94.1	M9583	5KS324XAA114	\$6,264	G4-7UX1	N	649	29.04	
40	3600	575	324T	39.7	93.6	M9352	5KS324XAA104	\$6,264	G4-7UX1	N	640	32.04	
40	1800	460	324TS	49.7	94.1	M9389	5KS324XAA218	\$6,077	G4-7UX1	N	670	30.54	
40	1800	460	324T	50.8	94.5	M9451	5KS324XAA208	\$6,077	G4-7UX1	Y	689	30.54	
40	1800	575	324T	40.6	94.5	M9584	5KS324XAA204	\$6,077	G4-7UX1	Y	689	30.54	
40	1200	460	364T	49.4	94.1	M9452	5KS364XAA308	\$9,950	G4-7UX	Y	1030	34.89	
40	1200	575	364T	39.8	94.1	M9585	5KS364XAA304	\$9,950	G4-7UX	Y	1030	34.89	
40	900	460	365T	55.9	93	M9453	5KS365XAA408	\$14,937	G4-7UX	N	1090	34.89	
40	900	575	365T	45	93	M9586	5KS365XAA404	\$14,937	G4-7UX	N	1090	34.89	
50	3600	460	326TS	57.3	94.5	M9454	5KS326XAA118	\$7,647	G4-7UX1	Y	700	30.48	
50	3600	460	326T	60.6	93.6	M9353	5KS326XAA108	\$7,647	G4-7UX1	N	660	32.04	
50	3600	575	326TS	45.5	94.5	M9587	5KS326XAA114	\$7,647	G4-7UX1	N	700	30.48	
50	3600	575	326T	48.5	93.6	M9354	5KS326XAA104	\$7,647	G4-7UX1	N	660	32.04	
50	1800	460	326TS	60.8	94.5	M9390	5KS326XAA218	\$6,923	G4-7UX1	N	710	30.54	
50	1800	460	326T	63.9	94.5	M9455	5KS326XAA208	\$6,923	G4-7UX1	Y	740	32.04	
50	1800	575	326T	51.1	94.5	M9588	5KS326XAA204	\$6,923	G4-7UX1	Y	740	32.04	
50	1200	460	365T	62.2	94.1	M9456	5KS365XAA308	\$11,343	G4-7UX	Y	1070	34.89	
50	1200	575	365T	49.7	94.1	M9589	5KS365XAA304	\$11,343	G4-7UX	Y	1070	34.89	
50	900	460	404T	66.6	93	M9457	5KS404XAA408	\$18,023	G4-7UX	N	1490	39.77	
50	900	575	404T	53	93	M9590	5KS404XAA404	\$18,023	G4-7UX	N	1490	39.77	
60	3600	460	364TS	70.4	95	M9458	5KS364XAA118	\$10,256	G4-7UX	Y	940	32.76	
60	3600	575	364TS	56.3	95	M9591	5KS364XAA114	\$10,256	G4-7UX	N	940	32.76	
60	1800	460	364TS	71.7	95.0	M9391	5KS364XAA218	\$9,924	G4-7UX	N	970	32.75	
60	1800	460	364T	71.2	95	M9459	5KS364XAA208	\$9,924	G4-7UX	Y	1020	34.89	

2.2

X\$D Ultra® 841

X\$D Ultra® 841
TEFC—Extra Severe Duty

Pricing (cont.)



Volts: 460, 575
HP: 0.50 -300

VSD

HP	RPM	Volts	Frame	FLA	Nom. Eff.	Cat No.	Model No.	List Price	Price Symbol	Norm. Stk.	Wt. (lbs)	C Dim. (in)	Notes
60	1800	575	364T	56.6	95	M9592	5KS364XAA204	\$9,924	G4-7UX	Y	1020	34.89	
60	1200	460	404T	72.5	95	M9460	5KS404XAA308	\$13,245	G4-7UX	Y	1480	39.77	
60	1200	575	404T	58	95	M9593	5KS404XAA304	\$13,245	G4-7UX	N	1480	39.77	
60	1200	575	404T	58.7	94.5	M9480	5KS404XAA370	\$14,347	G4-7UX	N	1410	39.77	98
60	900	460	405T	78.9	93	M9461	5KS405XAA408	\$20,340	G4-7UX	N	1570	39.77	
60	900	575	405T	63.1	93	M9594	5KS405XAA404	\$20,340	G4-7UX	N	1570	39.77	
75	3600	460	365TS	85.2	95.8	M9462	5KS365XAA118	\$12,261	G4-7UX	Y	1020	32.76	
75	3600	575	365TS	68.6	95.8	M8917	5KS365XAA114	\$12,261	G4-7UX	N	1020	32.76	
75	1800	460	365TS	87.1	95.4	M9392	5KS365XAA218	\$11,759	G4-7UX	N	1040	32.75	
75	1800	460	365T	86.6	95.4	M9463	5KS365XAA208	\$11,759	G4-7UX	Y	1090	34.89	
75	1800	575	365T	68.9	95.4	M9596	5KS365XAA204	\$11,759	G4-7UX	Y	1090	34.89	
75	1200	460	405T	89.6	95	M9464	5KS405XAA308	\$14,547	G4-7UX	Y	1540	39.77	
75	1200	460	405T	92.9	94.5	M9355	5KS405XAA370	\$14,547	G4-7UX	N	1460	39.77	98
75	1200	575	405T	71.2	95	M9597	5KS405XAA304	\$14,547	G4-7UX	N	1540	39.77	
75	1200	575	405T	73.8	94.5	M9481	5KS405XAA379	\$14,947	G4-7UX	N	1430	39.77	98
75	900	460	444T	94	94.5	M9465	5KS444XAA408	\$25,449	G4-7UX	N	1950	45.62	
75	900	575	444T	75.2	94.5	M9598	5KS444XAA404	\$25,449	G4-7UX	N	1950	45.62	
100	3600	460	405TS	108	95.4	M9466	5KS405XAA118	\$15,783	G4-7UX	Y	1530	36.76	112
100	3600	575	405TS	86.3	95.4	M8918	5KS405XAA114	\$15,783	G4-7UX	N	1530	36.76	112
100	1800	460	405TS	120.0	95.4	M9393	5KS405XAA218	\$14,477	G4-7UX	N	1450	36.77	
100	1800	460	405T	119	95.8	M9467	5KS405XAA208	\$14,477	G4-7UX	Y	1480	39.77	
100	1800	460	405T	120.0	95.4	M9356	5KS405XAA2088	\$14,477	G4-7UX	N	1450	39.77	98
100	1800	575	405T	95.3	95.8	M9693	5KS405XAA204	\$14,477	G4-7UX	Y	1480	39.77	
100	1800	575	405T	97.5	95.4	M9484	5KS405XAA2122	\$14,877	G4-7UX	N	1440	39.77	98
100	1200	460	444T	116	95.4	M9468	5KS444XAA308	\$18,723	G4-7UX	Y	2060	45.62	
100	1200	460	444T	125.0	95	M9357	5KS444XAA366	\$18,723	G4-7UX	N	1860	45.62	98
100	1200	575	444T	93	95.4	M9694	5KS444XAA304	\$18,723	G4-7UX	N	2060	45.62	
100	1200	575	444T	97.3	95.0	M9533	5KS444XAA373	\$19,323	G4-7UX	N	1880	45.62	98
100	900	460	445T	125	94.5	M9469	5KS445XAA408	\$32,247	G4-7UX	N	2020	45.62	
100	900	575	445T	100	94.5	M9695	5KS445XAA404	\$32,247	G4-7UX	N	2020	45.62	
125	3600	460	444TS	139	95.4	M9470	5KS444XAA118	\$20,169	G4-7UX	Y	1790	41.87	
125	3600	575	444TS	112	95.4	M8919	5KS444XAA114	\$20,169	G4-7UX	N	1790	41.87	
125	1800	460	444T	144	95.8	M9471	5KS444XAA208	\$18,651	G4-7UX	Y	1970	45.62	
125	1800	460	444T	143.0	95.4	M9358	5KS444XAA2028	\$18,651	G4-7UX	N	1830	45.62	98
125	1800	575	444T	115	95.8	M9697	5KS444XAA204	\$18,651	G4-7UX	Y	1970	45.62	
125	1800	575	444T	116.0	95.4	M9539	5KS444XAA2058	\$19,251	G4-7UX	N	1810	45.62	98
125	1200	460	445T	150	95.4	M9472	5KS445XAA308	\$22,307	G4-7UX	Y	2130	45.62	
125	1200	460	445T	153.0	95	M9359	5KS445XAA371	\$22,307	G4-7UX	N	1950	45.62	98

Notes:
98 For belted load only. Roller bearing.
112 Sound level exceeds IEEE 841

4/4

22

X\$D Ultra® 841