



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	000000 kg	Brake Type:	Air
Owner Name:	727619 Alberta L.T.D. O/A Roughrider INT.		
Address:	Box 5473 STN. Main		
City:	Fort McMurray	Province:	AB
		Postal Code:	T9H3G5
Telephone Number:	(587) 624-1666		
Vehicle Identification Number:	2C9HFD4Z0G1026009		
Make:	columbia remtec	Model:	0tam
Year:	1986	Unit Number:	SL-42
Odometer:	18888 KM	Licence Plate Number:	4ES589
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	727619 Alberta Ltd	Facility Number:	18825
Inspection Technician Name:	Donald Lewis	Technician Number:	B6400
Inspection Technician Signature:			
Inspection Date:	2020/03/31		



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered							
Trailer										000000 kg							
Vehicle Information																	
VIN	2	C	9	H	F	D	4	Z	0	G	1	0	2	6	0	0	9
Unit Number SL-42			Year 1986			Make columbia remtec			Model 0tam			Odometer 18,888					
Registered Owner's Name 727619 Alberta L.T.D. O/A Roughrider INT.												Plate Number 4ES589					
Address Box 5473 STN. Main									Postal Code T9H3G5			Phone Number (587) 624-1666					

Drum Brakes: **A-Full Inspection with Drum Removed** Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	100 psi	419.44 mm	Drums/Rotors	419.41 mm	100 psi	100 psi
15 mm	14 mm	16 mm	Linings/Pads	16 mm	16 mm	16 mm
		25.40 mm	Push Rod Travel	25.40 mm		
100 psi	100 psi	419.38 mm	Drums/Rotors	419.31 mm	100 psi	100 psi
16 mm	13 mm	17 mm	Linings/Pads	16 mm	13 mm	11 mm
		25.40 mm	Push Rod Travel	25.40 mm		
100 psi	100 psi	419.53 mm	Drums/Rotors	419.54 mm	100 psi	100 psi
16 mm	13 mm	21 mm	Linings/Pads	22 mm	13 mm	14 mm
		25.40 mm	Push Rod Travel	25.40 mm		
100 psi	100 psi	419.36 mm	Drums/Rotors	419.64 mm	100 psi	100 psi
14 mm	13 mm	18 mm	Linings/Pads	19 mm	13 mm	13 mm
		25.40 mm	Push Rod Travel	25.40 mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm

Wheel Torque Checked Inner 250 ft lbs Outer 250 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly			✓
2.4. Spring & Spring Attachment			✓				

NOTES:

Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)			✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components	✓						

NOTES:

switch air lines at brake valve to repair blue and red glad hands being backwards. Free up seized clevis pins and s cams.

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 5 - Instruments and Auxillary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Torqued all wheels to 250 lbs. ft.

Section 10 - Couplers and Hitches


Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #6732248) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2020/03/31	Technician Number B6400	Facility Number 18825	Signature 
---	-----------------------------------	---------------------------------	---

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2020/03/31

Customer Signature



**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle					Gross Vehicle Weight registered				
Vehicle Information									
VIN									
Unit Number SL-42		Year 1986		Make Columbia Romtec		Model OTAM		Odometer 18888	
Registered Owner's Name								Plate Number	
Address					Postal Code			Phone Number	

Drum Brakes:	Disc Brakes:
---------------------	---------------------

		LEFT		FRONT		RIGHT				
1st	INNER	100 psi 15 mm	100 psi 14 mm	419.44 mm 16 mm 25 mm	Drums/Rotors Linings/Pads Push Rod Travel	419.41 mm 16 mm 25 mm		INNER	100 psi 16 mm	100 psi 16 mm
	outer	100 psi 16 mm	100 psi 13 mm	419.38 mm 17 mm 25 mm	Drums/Rotors Linings/Pads Push Rod Travel	419.31 mm 16 mm 25 mm		outer	100 psi 13 mm	100 psi 11 mm
	INNER	100 psi 16 mm	100 psi 13 mm	419.53 mm 21 mm 25 mm	Drums/Rotors Linings/Pads Push Rod Travel	419.54 mm 22 mm 25 mm		INNER	100 psi 13 mm	100 psi 14 mm
	outer	100 psi 14 mm	100 psi 13 mm	419.36 mm 18 mm 25 mm	Drums/Rotors Linings/Pads Push Rod Travel	419.64 mm 18 mm 25 mm		outer	100 psi 13 mm	100 psi 13 mm
		__ psi __ mm	__ psi __ mm	__ mm __ mm __ mm	Drums/Rotors Linings/Pads Push Rod Travel	__ mm __ mm __ mm			__ psi __ mm	__ psi __ mm
		__ psi __ mm	__ psi __ mm	__ mm __ mm __ mm	Drums/Rotors Linings/Pads Push Rod Travel	__ mm __ mm __ mm			__ psi __ mm	__ psi __ mm

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm
 Wheel Torque Checked Inner 250 ft lbs Outer 250 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓	✓		2.5. Air Suspension			✓	
2.2. Axle Attaching & Tracking Components	✓	✓		2.6. Self-Steer & Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly			✓	
2.4. Spring & Spring Attachment			✓					

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓	
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓	
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓	
3H.9. Air-Boosted Trailer Brake System			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.3. Air System Leakage	✓	✓		3A.16. S-Cam Drum Brake System			✓	
3A.4. Air Tank	✓	✓		3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.8. Brake Valves & Controls	✓	✓		3A.18. Disc Brake System Components			✓	
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)			✓	
3A.13. Air System Components		✓		3A.22. Stability Control System (ESC) or (RSS)			✓	
3A.14. Brake Chamber	✓	✓		3A.23. Brake Performance			✓	
3A.15. Drum Brake System Components		✓						

NOTES: Blue and Red glad hands are backwards
clevis pins seized at ALL slack adjusters, 5 cams seized 1st ^{left} outside 2nd ^{right} outside

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓	
4.4. Kingpin			✓					

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking			
6.2. Reflex Reflector							

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES: *Torque all wheels to 250 lbs ft.*

Section 10 - Couplers and Hitches


Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has passed the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
MARCH 28-20	B6400		

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature