540742

INVOICE

PAGE 5

SHAW GMC CHEVROLET BUICK LIMITED PARTNERSHIP 4620 BLACKFOOT TRAIL S.E. CALGARY, ALBERTA T2G 4G2 PHONE:(403) 243-4200 • FAX: (403) 243-3578

www.shawgmc.com · E-mail appointments@shawgmc.com

MEDIUM DUTY (403) 287-5996 SERVICE CONSULTANT: 444 MEDIUM DUTY BUS: 607-3063 CELL: COLOUR MAKE/MODEL LICENSE YEAR ODOMETER IN/ OUT JOB# 0.5 GMC C5500 1GDE5E1255F517492 93567/93602 TT100 PROD. DATE WARR. EXP. PROMISED IN SVC. DATE PO NO. M.O.P. PRINTED 16FEB05 IS 16:30 14APR14 CHG 14APR14 R.O. OPENED INVOICE DATE OPTIONS: DLR:82039 ENG:6.6_Liter FI_DSL 1)CONTACT 10:34 24MAR14 14:<u>08 14APR14</u> LINE OPCODE TECH TYPE HOURS TOTAL LIST NET CUSTOMER PAY SHOP MATERIALS FOR REPAIR ORDER 65.00 *************

> 1 TON DUALLY AND FOR YOUR INFORMATION: AFTERMARKET WHEELS MUST BE RETORQUED @ 150KMS AFTER THE WHEELS HAVE BEEN REMOVED FROM THE VEHICLE

POSTED

APR 2 4 2014

R850346404		608.41		
	DESCRIPTION	TOTALS		
DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718	LABOUR AMOUNT	3536.00		
DEBTEDNESS IS HEREBY ACKNOWLEDGED IN THE SUM OF	PARTS AMOUNT	8421.57		
	GAS, OIL, LUBE	145.62		
	SUBLET AMOUNT	0.00		
ING ALL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIESDESCRIBEDIN THIS	SHOP SUPPLIES	65.00		
VOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBYACKNOWLEDGED ON ABOVE VEHICLE TO CURE THE AMOUNT OF REPAIRS THERETO.	TOTAL CHARGES	12168.19		
E CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT,	LESS INSURANCE OR 3RD PARTY PAY	0.00		
ARRANTY, REPAIRS, SERVICEREMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE DID FOLLOW UP.	G.S.T. #R850346404	608.41		
JTHORIZED STOMER X ANATURE: X DATE	PLEASE PAY THIS AMOUNT	12776.60		

540742

SHAW GMC CHEVROLET BUICK

INVOICE

SHAW GMC CHEVROLET BUICK LIMITED PARTNERSHIP 4620 BLACKFOOT TRAIL S.E. CALGARY, ALBERTA T2G 4G2 PHONE: (403) 243-4200 FAX: (403) 243-3578

PAGE 1

www.shawgmc.com · E-mail appointments@shawgmc.com MEDIUM DUTY (403) 287-5996

R.O. OPENDED INVOICE DATE OPTIONS: DLR: 82039 ENG: 6.6 Liter FI DSL 1) CONTACT 0.34 24MAR14	COLOUR YEAR MAKE/MODEL VIN LICENSE ODOMETER IN/ OUT 05 GMC C5500 1GDE5E1255F517492 93567/93602 IN SVC. DATE PROD. DATE WARR. EXP. PROMISED PO NO. M.O.P. PROMISED 16FEB05 IS 16:30 14APR14 CHG 14AF	TT100
IN SYC. DATE PROD. DATE WARR.EXP. PROWISED PONO. M.O.P. PRINTED 6FEBOS IS 16:30 14APR14 CHG 14APR14 R.O. OPENED INVOICE DATE OPTIONS: DLR:82039 ENG:6.6 Liter; FI DSL 1) CONTACT 0:34 24MAR14 14:08 14APR14 LINE OPCODE TECH TYPE HOURS LIST NET TOTAL INE OPCODE TECH TYPE HOURS LIST NET TOTAL REPLACE HADG GASKETS ON UNIT LEAKING DIAGNOSED BY CUSTOMER. LOSS OF COOLANT NO EXTERNAL LEAKS 20:00 REPLACE ENGINE 4:098 CPM 3536.00 3536.00 4:0953464 SCOOLANT 20:50 16:93 3536.00 4:0953464 SCOOLANT 20:50 16:93 37:40.00 JUBE 14L OF 15W40 CPM CDM 62:58 62:58 LIST NET TOTAL LIST NET TOTAL LIST NET TOTAL LIST NET TOTAL 10:93 A6:00 CPM 35:00 00 4:0953464 SCOOLANT 20:50 16:93 37:40.00 20:50 16:93 35:40.00 20:50 16:93 37:40.30 20:50 1	IN SVC. DATE PROD. DATE WARR. EXP. PROMISED PO NO. M.O.P. PROMISED PO NO. CHG 14AF	
IN SYCL DATE PROD. DATE WARR. EXP. PROMISED PONO. M.O.P. PRINTED FEBRUS IS	IN SVC. DATE PROD. DATE WARR. EXP. PROMISED PO NO. M.O.P. PROFIED PO NO. CHG 14AF	
16:30 14APR14 CHG	6FEB05 IS 16:30 14APR14 CHG 14AF	RINTED
ROJECTIONS: DLR:82039 ENG:6.6 Liter FI DSL 1) CONTACT 0:34 24MAR14		
RO.OPENED INVOICEDATE OPTIONS: DLR:82039 ENG:6.6 Liter FI DSL 1) CONTACT 0.34 24MAR14		D 1 4
0.34 24MAR14 14.08 14APR14 INE OPCODE TECH TYPE HOURS REPLACE HEAD GASKETS ON UNIT LEAKING DIAGNOSED BY CUSTOMER. LOSS OF COLOLANT NO EXTERNAL LEAKS 2000 REPLACE ENGINE 4608 CPM 3536.00 3536.00 4 10953464 \$COOLANT CPM 62.58 62.58 CPM 62.58 62.58 UBE 14L OF 15W40 CPM 62.58 62.58 CPM 62.58 62.58 CPM 62.58 62.58 UBB 3L OF TRANSYND CPM 62.58 62.58 CPM 83.04 83.04 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 P3602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT. FOR COST COMPARISON. ********** CUSTOMER OPTED FOR ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** ** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT. FOR COST COMPARISON. ********* CUSTOMER OPTED FOR ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS AND THE REPLACEMENT FOR COST COMPARISON. ********* CUSTOMER OPTED FOR ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS AND THE REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OPTED FOR ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS AND THE REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OPTED FOR ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS AND THE SIGNOSIS AND TEANS COOLER LINES REMOVED FRONT RAD SUPPORTS AND DISCONNECTED DATTER FORDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED DATER FORD ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED ENGINE AND DIVIS BELT. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED AIR HARNESS. REMOVED BELL HOUSING BOLTS AND DISING BOUNTS. REMOVED AIR HARNESS. REMOVED BENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED AIR HARNESS. REMOVED BENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED AIR HARNESS. REMOVED BENGINE CROS	BER. 02039 ENG. 0. 0 ETECT_FT BBH 1/CON1	
INE OPCODE TECH TYPE HOURS REPLACE HEAD GASKETS ON UNIT LEAKING DIAGNOSED BY CUSTOMER. LOSS OF COOLANT NO EXTERNAL LEAKS 2000 REPLACE ENGINE 4608 CPM 3536.00 3536.00 4 10953464 \$COOLANT 20.50 16.93 67.72 UBE 14L 07 15W40 CPM 62.58 62.58 UBE 3L OF TRANSYND CPM 33.04 83.04 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. *** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT. OF REPLACEMENT FOR COST COMPARISON. ***********************************		1101
REPLACE HEAD GASKETS ON UNIT LEAKING DIAGNOSED BY CUSTOMER. LOSS OF COLAINT NO EXTERNAL LEAKS 2000 REPLACE ENGINE 4608 CPM 4095364 \$COOLANT 20.50 16.93 67.72 UBE 141 OF 15W40 CPM 62.58 62.58 UBE 31 OF TRANSYND CPM 33.04 83.04 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 ***** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ************ CUSTOMER OPTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ***********************************	0:34 24MAR14 14:08 14APR14	
COOLANT NO EXTERNAL LEAKS 2000 REPLACE BNGINE 4608 CPM 40953464 \$COOLANT 20.50 16.93 67.72 UBE 14L OF 15W40 CPM 62.58 62.58 UBE 3L OF TRANSYND CPM 83.04 83.04 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 ***** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW HITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OFTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OFTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OFTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OFTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ********* CUSTOMER OFTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ********* CUSTOMER OFTED FOR ENGINE REPLACEMENT HOR COST COMPARISON. ********** CUSTOMER OFTED FOR ENGINE REPLACEMENT HOR COST COMPARISON. ***********************************		'OTAL
2000 REPLACE ENGINE 408 CPM 20.50 16.93 67.72 UBE 141 OF 15W40 CPM 62.58 62.58 UBE 31 OF TRANSYND CPM ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 SATES: 67.72 LABOR: 3749.34 SATES: 67.72 LABOR: 3749.34 SATES: 67.72 LABOR: 3749.34 SATES: 67.72 LABOR: 3749.34 SATES:		
4 10953464 \$COOLANT 20.50 16.93 67.72 UBE 14L OF 15W40 CPM 62.58 62.58 UBE 3L OF TRANSYND CPM 83.04 83.04 83.04 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. **** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT FOR COST COMPARISON. ********* CUSTOMER OPTED FOR ENGINE REPLACEMENT. FOR COST COMPARISON. ************ CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE ********** CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE *********** CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE *********** CUSTOMER OPTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ************ REMOVED FOR ENGINE REPLACEMENT FOR COST COMPARISON. **************** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED DATTER FOUND BATTERY TRAY IS BADLY DAMAGED ****** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED DUPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY, WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT RIGHINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE HARNESS. REMOVED MONTS. REMOVED INTAKE PIPES. REMOVED ENGINE HARNESS. REMOVED MONTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE ASSEMBLY FROM OLD ENGINE. CLOSED AND INTAKE PIPES. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MARNIFOLDS AND UP PIPES AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INTAKE PIPES. REMOVED ENGINE CONTROL FROM THE BAND AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED NEW. INTERCED AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED NEW. INSTALLED ALL BUSINESS AND THE REMOVED ALL OTHER PARTS		
4 10953464 \$COOLANT CPM CPM 62.58 62.58 UBE 31 OF TRANSYND CPM ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT. AS PER CUSTOMER OPTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ********* CUSTOMER OPTED FOR ENGINE REPLACEMENT FOR COST COMPARISON. ***********************************		6 00
UBE 14L OF 15W40 CPM CPM 62.58 62.58 UBE 3L OF TRANSYND ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ***********************************		
CPM CPM CPM ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 ***** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ****** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT DRAINED ENGINE OIL AND COOLANT. ********** WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED LENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED FETTING PULL LINES AND HIGH PRESSURE LINES. REMOVED PULL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED ALL 8 INJECTORS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED ALL B INJECTORS AND INSTALLED ON THE MENGINE HORSE PURPOSES OF SERVING PURPOSES OF SERVING HORSE WITH NEW SEALS. REMOVED ALL B INJECTORS AND INSTALLED ON THE MIGHT OF THE PROPOSES OF SERVING HORSE WITH AND FULL LINES AND FUNCTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW FARTS AMOUNT PARTS AMOUNT		77.72
ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 145.62 TOTAL LINE A: 3749.34 BRIDGE ARTS: 67.72 LABOR: 3546.00 OTHER: 156.00 OTH	60 50	52.58
ARTS: 67.72 LABOR: 3536.00 OTHER: 145.62 TOTAL LINE A: 3749.34 93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE OIL AND COOLANT. ********** WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED BELL HOUSING BOLTS AND ENGINE HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED BELL HOUSING BOLTS AND PRINTER HOUSING. REMOVED ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW ENGINE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUE. RAILS. REMOVED ALL 8 INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL 8 INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL 1 SINJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL 1 STRAILED INNECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVI	UBE 3L OF TRANSYND	
93602 **** CUSTOMER REQUEST HEAD GASKET REPLACEMENT. AS PER CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ***********************************		33.04
CUSTOMER DIAGNOSIS. ***** REVIEW WITH SA. ** PROVIDED CUSTOMER ESTIMATE FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******* CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE OIL AND COOLANT. ********* WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOSE. REMOVED INTER COOLER PIPES. REMOVED FONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED BRGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED EXTURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL OTHER PARTS FROM ENGINE AND INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-620/FAX (403) 243-3718 DIRECT SERVICE LINE REMO		19.34
FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON. ******** CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE OIL AND COOLANT. ********* WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE REMARCES. PROMOTIONAL M		
******* CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE OIL AND COOLANT. ********* WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED EXTURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FURLY. DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 LIBBOAL OF THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIESDESCRIBEDIN THIS GAS, OIL LUBE SUBLET AMOUNT PARTS AMOUNT SHOP SUPPLIES UNDERCRIFTION LABOURAGE OF STRONGERS OF STRONGERS SERVICE SUBLET AMOUNT GAS, OIL LUBE SUBLET AMOUNT SHOPPLISSED DAY. LESS INSURANCE OR STR PARTY PAY G.S.T. PROSSORIE		
OIL AND COOLANT. ******** WHEN DISCONNECTED BATTER FOUND BATTERY TRAY IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT SAR, OIL LUBE SUBLET AMOUNT GAS, OIL LUBE SUBLET AMOUNT GAS, OIL LUBE SUBLET AMOUNT COTAL CHARGES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY GG.T. WRESSING-GREADAY	FOR HEAD GASKET REPLACEMENT AND ENGINE REPLACEMENT FOR COST COMPARISON.	
IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOSE. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DESCRIPTION DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE REMOVERS PROM	****** CUSTOMER OPTED FOR ENGINE REPLACEMENT DRAINED ENGINE	
IS BADLY DAMAGED ***** REMOVED HOOD ASSEMBLY, INNER FENDERS, AND FRONT BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOSE. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DESCRIPTION TO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DESCRIPTION TO NEW ENGINE AND TO NEW ENGINE AND TO NEW ENGINE AND TOTALS DESCRIPTION TOTALS DESC	OIL AND COOLANT. ******* WHEN DISCONNECTED BATTER FOUND BATTERY TRAY	
BUMPER. DISCONNECTED COOLING HOSES AND TRANS COOLER LINES. REMOVED FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED EBLI HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE REMORDS THE PERONOUL MATERIALS AND FOR CUSTOMER SERVICE DIRECT SERVICE		
FRONT RAD SUPPORTS AND DISCONNECTED UPPER AND LOWER RAD HOES. REMOVED INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403)		
INTER COOLER PIPES. REMOVED FRONT RAD ASSEMBLY WITH INTER COOLER. REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 **DIRECT S		
REMOVED COOLING FAN AND DRIVE BELT. REMOVED FRONT ENGINE BRACKETS, ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION DESCRIPTION TOTALS SHOR SUPPLIES TOTAL CHARGES LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT PARTS AMOUNT FOR SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY (S.S.T. #REBO3046404 DISCOUGH THE BALANCE OWING FOR REPAIRS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE LESS INSURANCE OR 3RD PARTY PAY (G.S.T. #REBO3046404 DISCOUGH THE BALANCE OWING FOR REPAIRS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE LESS INSURANCE OR 3RD PARTY PAY (G.S.T. #REBO3046404 DISCOUGH THE BALANCE OR TO THE PURPOSES OF CREDIT, MARRANTY, REPAIRS SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE LESS INSURANCE OR 3RD PARTY PAY (G.S.T. #REBO3046404 DISCOUGH THE		
ALTERNATOR AND ALL PULLEYS. DISCONNECTED ENGINE HARNESS. REMOVED STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403)		
STARTER AND FLYWHEEL BOLTS. REMOVED ENGINE CROSSBAR AND AIR FILTER HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS,		
HOUSING. REMOVED INTAKE PIPES. REMOVED BELL HOUSING BOLTS AND ENGINE MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #RB50346404 DIFFORMED PLEASE DAY DESCRIPTOR LESS INSURANCE OR 3RD PARTY PAY G.S.T. #RB50346404 DIFFORMED PLEASE DAY		
MOUNTS. REMOVED ENGINE ASSEMBLY FROM VEHICLE. PLACED ENGINE ON STAND AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT CAS, OIL, LUBE SUBLET AMOUNT HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. HE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR CUSTOMER SERVICE LESS INSURANCE OR 3RD PARTY PAY G.S.T. #RBSD3046040 DIFFARED PAY		
AND REMOVED ENGINE HARNESS. REMOVED EXHAUST MANIFOLDS AND UP PIPES AND TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 NOBIGINAL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIES DESCRIBED IN THIS WOOLE. AN EXPRESSING CHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. NOBIGINAL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIES DESCRIBED IN THIS WOOLE. AN EXPRESSING CHANNOR FOR THE PURPOSES OF CREDIT. WORRDAY. ARROWS CERNITY OF PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE. TO THAL CHARGES LESS INSURANCE OR 3RD PARTY PAY (G.S.T. #R850346404) DIEASE DAY.		
TRANSFERRED TO NEW ENGINE WITH NEW GASKETS. REMOVED TURBO ASSEMBLY, INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERV		
INTAKE MANIFOLDS AND INTAKE CROSS OVER FROM OLD ENGINE. CLEANED ALL PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS		
PARTS AND TRANSFERRED OVER TO NEW. APPLIED NEW SEALANT TO MANIFOLDS AND INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS		
INSTALLED ON NEW ENGINE. TORQUE TO SPEC. REMOVED RETURN FUEL LINES AND HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS		
HIGH PRESSURE LINES. REMOVED FUEL RAILS. REMOVED ALL 8 INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT, WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE UNTHORIZED DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 LESS INSURANCE OR 3RD PARTY PAY G.S.T. #RB50346404 DIRECT SERVICE LINES. AND INSTALLED I		
INJECTION PUMP. REMOVED ALL OLD SEALS FROM INJECTORS AND INSTALLED NEW. INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS		
INSTALLED ALL 8 INJECTORS INTO NEW ENGINE AND INSTALLED INJECTION PUMP INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SEING ALL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIES DESCRIBED IN THIS INVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT, WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE UNITHORIZED PLEASE DAY PLEASE DAY		
INTO NEW ENGINE WITH NEW SEALS. REMOVED ALL OTHER PARTS FROM ENGINE AND TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DESCRIPTION TOTALS DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SECURE THE AMOUNT OF REPAIRS, PARTS & ACCESSORIESDESCRIBEDIN THIS NVOICE. AN EXPRESSMECHANICS LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE MATERIALS AND FOR CUST		
TRANSFERRED OVER TO NEW. INSTALLED HIGH PRESSURE LINES AND FUEL RAILS DESCRIPTION TOTALS DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE MUTHORIZED DESCRIPTION TOTALS DESCRIPTION TOTALS DESCRIPTION TOTALS DESCRIPTION TOTALS LABOUR AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 DI FASS DAY		
DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AUTHORIZED DESCRIPTION TOTALS LABOUR AMOUNT PARTS AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 PLEASE PAY		
DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243-3718 LABOUR AMOUNT PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE MUTHORIZED LABOUR AMOUNT PARTS AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 PLEASE PAY		TOTALE
PARTS AMOUNT GAS, OIL, LUBE SUBLET AMOUNT BEING ALL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIESDESCRIBEDIN THIS NVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. AUTHORIZED	DIDECT SEDVICE LINE (402) 242 4220/EAV (402) 242 2749	UTALO
S BEING ALL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIESDESCRIBEDIN THIS INVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. AUTHORIZED GAS, OIL, LUBE SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 PLEASE DAY	PARTS AMOUNT	
SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AUTHORIZED SUBLET AMOUNT SHOP SUPPLIES TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 DI EASE DAY	INDEDIEDNESS IS REKEDY ACKNOWLEDGED IN THE SUM OF	
INVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. AUTHORIZED TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 PLEASE DAY		
INVOICE. AN EXPRESSMECHANIC'S LIEN IS HERBY ACKNOWLEDGED ON ABOVE VEHICLE TO SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. AUTHORIZED TOTAL CHARGES LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404 PI FASE PAY	DEING ALL-OK THE DALANCE OWING FOR REPAIRS, PARTS & ACCESSORIES DESCRIBED IN THIS	
THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. AUTHORIZED LESS INSURANCE OR 3RD PARTY PAY G.S.T. #R850346404	NILLONG AN EUROPEON EQUATION LIEU IN DEPENDA ON ADOLE VELVE TELEVELORIS TO THE PROPERTY OF THE	
AND FOLLOW UP. G.S.T. #R850346404 AUTHORIZED	INVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBY ACKNOWLEDGED ON ABOVE VEHICLE TO TOTAL CHARGES SECURE THE AMOUNT OF REPAIRS THERETO.	
	SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT, LESS INSURANCE OR 3RD PARTY PAY	
SIGNATURE: X DATE DATE THIS AMOUNT	SECURE THE AMOUNT OF REPAIRS THERETO. THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOSES OF CREDIT. WARRANTY. REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUSTOMER SERVICE AND FOLLOW UP. G.S.T. #R850346404	

540742

INVOICE



SHAW GMC CHEVROLET BUICK LIMITED PARTNERSHIP 4620 BLACKFOOT TRAIL S.E. CALGARY, ALBERTA T2G 4G2
PHONE: (403) 243-4200 • FAX: (403) 243-3578

 $www.shawgmc.com \cdot E\text{-}mail\ appointments@shawgmc.com$

PAGE 3

						SEDV	ICE COI	AAT III PA	WWW.silawg JT:444 N	MEDI	JM DUTY (403) :		lawginc.com
COLOUR	YEAR		MAKE/MODEL			SLIV	VIN	VOULTAIN	LICE			ER IN/ OUT	JOB#
	05	GMC	C5500			1GDE5	E1255	F517492	2		93567	/93602	TT100
IN SVC. DATE			WARR. EXP.		PROMIS			NO.			M.O.P.		INTED
	1												
6FEB05 IS		,		16		APR14			<u> </u>		HG	14API	
R.O. OPE	NED	-	INVOICE DATE	_	OPTIONS	S: DLF	R:8203	9 ENG:	6.6_Lit	er_F	'I_DSL :	1) CONT	ACT
0:34 24M	AR14	14:	08 14APR1	4									
			YPE HOURS						L:	IST	NE	Г Т	OTAL
CAMPAIG	NS ,	IN-S	ERVICE DA	ATE	AND C	JSTOMER	R INFO	RMATIO	N CHECI	KED A	.ND		
	P-DAT												
TREC			IGNS , IN					STOMER					
			ION CHECK	ŒD	AND U	P-DATEI).					_	
A DIEG			CPM		0 00	0.000		0 00	moma :		0.0	_	0.00
ARTS:	0.		LABOR:	-++		OTHER		0.00	TOTA				0.00
MA TAIMEAT								^ ^ ^ ^ ^ ^ ^	^^^^		^		
			BEEN REVI NANCE HAS										
IMAII	CUST) DE	EIN KE	VIEWED	MIIU						
			CPM								0.0	0	0.00
ARTS:			LABOR:		0.00	OTHER		0.00	TOTA	I. I.TN			0.00
			******				-						0.00
** REPLA	CE EN	GINE	AUTHED E	BY N	/IEL								
AUTH	AUTH	ORIZ	ATION GIV	JEN									
	46	80	CPM								0.0	0	0.00
8	9401	3303	SEAL						17	.04	11.8	4 9	4.72
1	9777	9463	ENGINE						8070	.30	7283.0	3 728	3.03
8	1161	0965	BOLT						5	.59	3.7	4 2	9.92
			HEATER						112	.26	79.1		9.16
1	1925	5090	\$FILTER						57	.46	30.5	0 3	0.50
	ORE C										0.5		0.50
			ESEL ADD	ITI	JE					.50	5.7		1.56
			2 SEAL							.04	11.5		2.48
			THERMOS:							.39	50.6		0.60
			THERMOS:	ГА						.44	42.1		2.13
			SEALANT							.75	8.7		8.77
			GASKET							.89	10.3		.0.34
			GASKET GASKET							.25	9.2 11.1		9.21
			GASKET GASKET							.19	5.4		5.47
			L SEAL							. 85	4.5		9.16
			2 GASKET							.50	36.5		36.58
			GASKET	100						.31	4.2		4.27
							1	D	ESCRIPTION		1		OTALS
DIRECT SEI	RVICE L	INE (403) 243-4220/	FAX	(403) 243	-3718	LAE	BOUR AMOUN	NT				
NDERTEDNESS IS H	IEREBY AC	KNOW! F	DGED IN THE SUM O	F			PAF	RTS AMOUNT	Γ				
							GA	S, OIL, LUBE					
\$							SUE	BLET AMOUN	NT				
BEINGALL OR THE	BALANCE O	WING FO	R REPAIRS, PARTS &	ACCES	SSORIESDES	CRIBEDIN THIS		OP SUPPLIES					
NVOICE. AN EXPRI SECURE THE AMOU	NT OF REP	AIRS THE	EN IS HEREBYACKNO RETO.	JVVLED!	GED ON VRO	VE VEHICLE IC	10	TAL CHARGE					
THE CUSTOMER CON	SENTS TO F	ROVIDING	S PERSONAL INFORMATIONAL MATERIAL	TION FO	OR THE PURPO	SES OF CREDIT	Ė		NCE OR 3RD	PARTY	PAY		
AND FOLLOW UP.	, 021(1102)		HOMOLINATI		011 000	021(410	G.S	.T. #R850346	6404				
AUTHORIZED CUSTOMER SIGNATURE:					_ DATE			EASE PAY IS AMOUNT	Г				

CUSTOMER #: 1942267

540742



~~ · · · · · · · · · · · · · · · · · ·	11D G G		(A. T.) T.				~	CHEV	ROL	ET E		<	
CALGARY LA FX:2367037		APE I	MATN'I'			INVOI	CE	SHAW GMC CI				NERSHIP	
9715 48 ST CALGARY, A HOME:403-2	' SE .B T20			236-855		PAGE		PHONE: (4 www.shawgmo	ALGAR 03) 24 com · MEDIU	M DUTY (403) 28	T2G 4G2 (: (403) 243-3 tments@shaw	3578 gmc.com	
BUS: 607-3		(CELL:		SEF	RVICE COI	NSULTAN	IT:444 ME	DIUN	YTUG N			
COLOUR	YEAR		MAKE/MODEL			VIN		LICENSI		ODOMETER	R IN/ OUT	JOB#	
INI CVC DATE	PROD.		C5500	DDO		E5E1255		2	Д.	93567/		TT100	
IN SVC. DATE	PROD.	DATE	WARR. EXP.	PRU	MISED	PO	NO.		Г	M.O.P.	PRINT	FD	
16FEB05 IS				16.30	14APR1	_Λ			CT.	uc l	1 / 7 DD 1	1	
R.O. OPEN			NVOICE DATE	OPTI		PR14 CHG DLR:82039 ENG:6.6 Liter FI DSL					14APR14 1)CONTACT		
					403-47		J 1110.1	э.о_штес		т_роп т	CONTAC	1	
10:34 24MA	R14	14:0	08 14APR1										
LINE OPCOD	E TE	CH T	YPE HOURS					LIS	T	NET	TOT	'AL	
1	97240	0623	GASKET					7.2		4.82		82	
1	97328	8733	HOSE					260.4		186.80	186.		
1	98062	2291	HOSE					336.8		238.95	238.		
1	12639	9277	SENSOR					66.5		27.26	27.		
1	9730	6568	GASKET					26.7	4	13.98			
2	97333	1137	GASKET					5.7	0	3.30		60	
2	9736	5194	BOLT					22.2		15.21			
			CLAMP					52.0		35.50			
PARTS: 8	353.8	85	LABOR:	0.00	OTHE	R:	0.00	TOTAL			8353.		
93567 INF	O LII	NE									0000.		
	*	***	******	*****	*****	*****	****	*****	***	*			
F** 0327-I	EAKII	NG F	UEL FILTE	R AS FO	OUND ON	LINE A	. VERI	FIED BY	BW4	924			
AF	R11@4	4:04	PM										
CAUSE: NEW	FUE:	L FI	LTER LEAF	S F									
40235	30 F	UEL 1	FILTER										
	46	8 0	MM								(N/	(C)	
1	1925	5090	\$FILTER								(N/		
CC	RE C	HARG:	ΕW								(N/		
ET PR	IME :	SYST	EM								,		
	46	08	MM								(N/	(C)	
FC: 40	61 P	ART#	: COUNT:								(=-/	- /	
CLAIM	TYPE	:											
AUTH C	CODE:												
PARTS: 93567 NEW LEAKING SEATED BE WILL NEED FILTER. I HOUSING. RUN VEHIC	LOW : TO : NSTA: ALL (LE A) FIL'	TER REMO' SEAL REPL LLED GOOD ND R	VED LEAKI ING AREA ACE. REMO NEW FUEI . PRIME I ECHECK FO AT THIS	NG FILT ON FILT OVED WAT FILTED OVEL SYSTEM OR LEAKS	NE A WI FER AND FER. RE FER SEN R WITH STEM AN S. NONE	TH ENGI INSPEC VIEW WI SOR AND NEW SEA D CHECK FOUND.	T. ** TH BW. TRANS LS AND FOR L NO FU	FOUND O FAULTY FERRED T CHECK F EAKS. NO RTHER IS	RING FIL'ON: 'IT'ONE SUE	G IS TER. EW ON FOUND. S FOUND		00	
PARTS WAR	KKANT,	Y **	^ × × × ×										

	DESCRIPTION	TOTALS
DIRECT SERVICE LINE (403) 243-4220/FAX (403) 243	LABOUR AMOUNT	
INDEBTEDNESS IS HEREBY ACKNOWLEDGED IN THE SUM OF	PARTS AMOUNT	
	GAS, OIL, LUBE	
<u>\$</u>	SUBLET AMOUNT	
BEING ALL OR THE BALANCE OWING FOR REPAIRS, PARTS & ACCESSORIESDES		
INVOICE. AN EXPRESSMECHANIC'S LIEN IS HEREBYACKNOWLEDGED ON ABO'S ECURE THE AMOUNT OF REPAIRS THERETO.	TOTAL CHARGES	
THE CUSTOMER CONSENTS TO PROVIDING PERSONAL INFORMATION FOR THE PURPOWARRANTY, REPAIRS, SERVICE REMINDERS, PROMOTIONAL MATERIALS AND FOR CUS		AY
AND FOLLOW UP.	G.S.T. #R850346404	
AUTHORIZED CUSTOMER X SIGNATURE: X	PLEASE PAY THIS AMOUNT	