

# ZANELLA AUTO REPAIR.COM

258082 16 Street West • DEWINTON • ALBERTA

BOX 90, DEWINTON, AB T0L 0X0 • (403) 938-7937 • www.zanellaautorepair.com

QTY	PART NUMBER	DESCRIPTION	AMOUNT	NAME	DATE	HOW PAID
1	CM1180	306 arm	190.00	[REDACTED]	May 17/22	
1	CM18008	arm	190.00	[REDACTED]		
2	MHS00008	Ball Joints	238.00	[REDACTED]		
2	6807546	rotors	215.88	[REDACTED]		
1	FPC1276	calipers	179.60	[REDACTED]		
1	M601083	M11 pads	94.10	[REDACTED]		
	BF14	Brake fluid	24.20	[REDACTED]		
1	1651203	11 cable	162.00	[REDACTED]		
1	1651200	11 cable	75.69	[REDACTED]		
1	H7361	Springs	316.2	[REDACTED]		
1	185961	Shocks	585.3	[REDACTED]		
	912	balls	300.00	[REDACTED]		
	VOH977/227	cleaner/lube	6.00	[REDACTED]		
602	NPR	Power up	18.20	[REDACTED]		
B12	14-13	10 50001 seal ball joint		[REDACTED]		
		Ball & Brake cables SPRING 3A etc?		[REDACTED]		
		Rear Axle seal OMP		[REDACTED]		
		11% Propane drive weld		[REDACTED]		
		Rear main seal steel		[REDACTED]		
		H16-11-mount B-MTR 2017 and		[REDACTED]		
		downer BJ's		[REDACTED]		
		up 109 Control Arms		[REDACTED]		
		off Calipers 11115 & rotors		[REDACTED]		
SIGNATURE				[REDACTED]		
TOTAL SHOP LABOR						1463.00
TOTAL PARTS						1469.08
TIRE TAX						
SUB TOTAL						2932.08
GST # R105784672						146.61
TOTAL						3078.69

I hereby authorize and acknowledge my inc in the amount of the last work order.

**INVOICE NO. 8015**  
 Overdue accounts are charged 1.5% per month (18% per annual). If a collection agency is required a service charge will be added. (minimum \$50.00) All estimates are for labor only...materials additional!  
 This company does not assume any responsibility whatsoever for vehicles or equipment left for repairs, storage or other purposes or for articles left in same. Vehicles driven by our employees at owner's risk.  
 This is the only itemized account rendered.



The Alberta Superintendent of Insurance has approved this form pursuant to section 803 of the Insurance Act.

**AUTOMOBILE INSURANCE MOTOR VEHICLE INSPECTION REPORT**

This Report is required only if the vehicles is 12 years or older and must be completed by a licensed mechanic.

Applicant/Insured Name: \_\_\_\_\_ Vehicle Make: FORD  
Policy Number: \_\_\_\_\_ Vehicle Model: F150  
VIN #: 1FTPX14V39FB37630 Vehicle Year: 2009

This Section to be completed by a Licensed Mechanic

	Roadworthy	Reject		Roadworthy	Reject
<b>Steering</b>			<b>Electrical System</b>		
Steering Box/Rack	✓		Head Lamps/Tail Lamps	✓	
Struts/Shocks	✓		Stop Lamps	✓	
Front Suspension	✓		Signal Lamps	✓	
Tie Rod Ends	✓		Windshield Wipers	✓	
<b>Tires</b>			<b>General Conditions</b>		
Front	✓		Body Condition	✓	
Rear	✓		Muffler/Exhaust	✓	
<b>Brakes</b>			Motor	✓	
Front Lining or Drums	✓		Windshield	✓	
Rear Lining or Drum	✓		Seat Belts	✓	
Park	✓		Has the vehicle been altered for speed or performance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Brake Hoses	✓		Is the vehicle roadworthy <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Brake Lines	✓				

**Mechanic's Statements:** I certify that I have inspected and tested the motor vehicle described above and found it to be in the condition stated above.

ZANELLA AUTO REPAIR LTD.

Date: May 18/22  
Signature of Qualified Mechanic: D. Zella  
Mechanic's Certificate No.: 20347 A  
Automotive Repair Shop Name: Zanella Auto Repair  
Address: Box 90 DR WINTON  
Telephone Number: 403 938

**Zanella Auto Repair**  
**Box 90 Dewinton, AB**  
**TOL 0X0**  
**403-938-7937**

Last Name: . . .  
 VIN: 1FTPX14V39FB37630  
 Year: 09  
 Mileage: 240615  
 Date: 6/3/07 2:45 AM

Ford 09-14 F150 4X4

**Front : Left**

Actual	Before	Specified Range
-0.4°	-0.4°	-1.0° 0.6°
5.7°*	5.7°*	2.8° 4.8°
0.03°	0.51°*	0.00° 0.20°
15.3°	15.4°	
15.0°	15.0°	

Camber  
 Caster  
 Toe  
 SAI  
 Included Angle  
 Turning Angle Diff.

**Front : Right**

Actual	Before	Specified Range
-0.7°	-0.8°	-1.2° 0.4°
5.6°*	5.6°*	3.2° 5.2°
0.03°	0.44°*	0.00° 0.20°
13.1°	13.2°	
12.4°	12.4°	

**Front**

Cross Camber  
 Cross Caster  
 Cross SAI  
 Total Toe  
 Cross Turn Diff.

Actual	Before	Specified Range
0.4°	0.4°	-0.6° 1.0°
0.1°	0.1°	-1.2° 0.4°
2.2°	2.2°	
0.06°	0.95°*	0.00° 0.40°

**Rear : Left**

Actual	Before	Specified Range
-0.3°	-0.3°	
0.19°	0.23°	

Camber  
 Toe

**Rear : Right**

Actual	Before	Specified Range
-0.2°	-0.2°	
-0.18°	-0.23°	

**Rear**

Cross Camber  
 Total Toe  
 Thrust Angle

Actual	Before	Specified Range
-0.1°	-0.1°	
0.01°	0.00°	
0.18°	0.23°	-0.50° 0.50°

\* This value is not within specification. Tire wear, handling and safety problems may result.